Parental Home Road

Corridor Study



Parental Home Road Corridor Study Bowden Road to Beach Boulevard

Prepared for:



North Florida Transportation Planning Organization 960 North Jefferson Street Jacksonville, FL 32209 (904) 306-7500 | www.northfloridatpo.com

Prepared by:



The preparation of this report has been financed in part through grants from the Federal Highway Administration and Federal Transit Administration, U.S. Department of Transportation, under the Metropolitan Planning Program, Section 104(f) of Title 23, U.S. Code. The contents of this report do not necessarily reflect the official views or policy of the U.S. Department of Transportation. The TPO does not discriminate in any of its programs or services. Public participation is solicited by the TPO without regard to race, color, national origin, sex, age, disability, family or religious status. Learn more about our commitment to nondiscrimination and diversity by contacting our Title VI/Nondiscrimination Coordinator, Marci Larson at (904) 306-7513 or mlarson@northfloridatpo.com.

TABLE OF CONTENTS

1	.0	INTRODUCTION	1
2	.0	EXISTING CONDITIONS ANALYSIS	2
	2.1	STUDY CORRIDOR DESCRIPTION	3
	2.2	DEMOGRAPHIC INDICATORS	4
	2.3	GENERAL ROADWAY CHARACTERISTICS	5
	2.4	CORRIDOR TYPICAL SECTION	5
	2.5	STUDY INTERSECTIONS	. 10
	2.6	SIDEWALK FACILITIES	11
	2.7	Railroads	12
	2.8	Transit	. 12
	2.9	RECENTLY COMPLETED PROJECTS IN THE AREA	13
	2.10	PLANNED AND PROGRAMMED ROADWAY PROJECTS	13
	2.11	EXISTING LAND USE, ZONING, AND FUTURE LAND USE	14
	2.12	GENERAL ENVIRONMENTAL CHARACTERISTICS	17

3.0	NEEDS ANALYSIS	18
3.1	HISTORICAL SAFETY REVIEW (CRASH ANALYSIS)	19
3.2	TRAFFIC ANALYSIS	23
3.3	TRAFFIC FORECASTING	23
3.4	NETWORK OPERATIONS ANALYSIS	26
3.5	CORRIDOR LEVEL OF SERVICE	26
3.6	INTERSECTION LEVEL OF SERVICE ANALYSIS	27
3.7	TRAVEL TIME PERFORMANCE	29
4.0	PUBLIC INPUT	32
5.0	PROPOSED CORRIDOR IMPROVEMENTS	34
6.0	CONCLUSION	44

APPENDICES

Appendix A: Traffic Data

Appendix B: FDOT TREND's Worksheets Appendix C: Travel time and Speed Data

Appendix D: Survey Results



LIST OF FIGURES

FIGURE 2-1. STUDY AREA	FIGURE 2-9. EXISTING LAND USE	14
FIGURE 2-2 PARENTAL HOME ROAD DEMOGRAPHIC INDICATORS	FIGURE 2-10. ZONING	
FIGURE 2-2. TYPICAL SECTION: NORTH OF HANZAS COURT	FIGURE 2-11. FUTURE LAND USE	16
FIGURE 2-3. TYPICAL SECTION: SOUTH OF DEAN ROAD	FIGURE 2-12. SURFACE WATERS AND WETLANDS	17
FIGURE 2-4 TYPICAL SECTION: SOUTH OF IBACH ROAD	Figure 3-1. Crashes, 2015-2019	19
FIGURE 2-5 TYPICAL SECTION: SOUTH OF STARLING AVENUE	FIGURE 3-2 BICYCLE AND PEDESTRIAN CRASHES	20
FIGURE 2-6. STUDY INTERSECTIONS	FIGURE 4-1 BEST CHARACTERISTICS WORD CLOUD	32
FIGURE 2-7. SIDEWALK LOCATIONS	FIGURE 4-2 WORST CHARACTERISTICS WORD CLOUD	33
FIGURE 2-8 TRANSIT FACILITIES		
LIST O	F TABLES	
Table 3-1 Historic Traffic Counts	Table 3-7 2025 and 2045 No-Build	28
TABLE 3-2 REGRESSION ANALYSIS GROWTH RATE	TABLE 3-8 CORRIDOR TRAVEL TIME SUMMARY - AM	30
Table 3-3 Population Projections	TABLE 3-9 CORRIDOR TRAVEL TIME SUMMARY - MIDDAY	3(
TABLE 3-4 GROWTH RATE SUMMARY	Table 3-10 Corridor Travel Time Summary - PM	30
TABLE 3-5 CORRIDOR LOS	TABLE 5-1 SUMMARY OF PROPOSED CORRIDOR IMPROVEMENTS	34
TABLE 3-6 2020 EXISTING		



ACRONYMS

COJ City of Jacksonville

DDHV Directional Design Hour Volumes

FDEP Florida Department of Environmental Protection

FDOT Florida Department of Transportation

FGDL Florida Geographic Data Library

FHWA Federal Highway Administration

HCM Highway Capacity Manual

JTA Jacksonville Transportation Authority

Los Level of Service

ROW Right-of-Way

RRFB Rectangular Rapid Flashing Beacon

Signal 4 Analytics

TPO Transportation Planning Organization

TSM&O Transportation System Management and Operations

USEPA United States Environmental Protection Agency



1.0 Introduction

The North Florida Transportation Planning Organization (TPO) conducted a study along Parental Home Road from Bowden Road to Beach Boulevard on behalf of the City of Jacksonville. The purpose of this study is to address both safety and mobility along the corridor. The study was conducted in partnership with the City of Jacksonville, the Florida Department of Transportation (FDOT), and the North Florida TPO to analyze the corridor and provide recommendations for future transportation improvements that align with the City of Jacksonville's Transportation Master Plan to better serve the residents of the City. The result is this report summarizing study efforts and recommendations for improvements of the corridor that will set the groundwork for the implementation of future projects.

This plan evaluated various features and characteristics of the roadway and the surrounding area including traffic data, land use data, crash data, intersection geometries, and bicycle and pedestrian facilities. By evaluating these corridor conditions, the project team was able to design a plan to increase safety and enhance multi-modal transportation along the corridor, including bicycle and pedestrian modes.

This document is organized into the following sections:

- 1.0 Introduction
- 3.0 Needs Analysis
- 4.0 Public Input

This plan evaluates the current state of several aspects of the corridor, such as the urban design context of the area, traffic and transportation elements, and safety concerns in the area. Additionally, this plan provides a baseline to understand the impacts of the proposed improvements that were developed for the corridor. This plan incorporates Complete Streets concepts into the recommended design elements to ensure adequate space for all users and modes of transportation in a way that creates a more livable community and sense of place. The term "complete streets" is often used to define roadways that function in a multi-modal fashion, safely accommodating automobiles, transit vehicles and riders, bicyclists, and pedestrians. Streets are not just for moving people and vehicles, but also often serve as places for commerce and recreation. Complete streets also are compatible with the surrounding community, and support adjacent land uses and activities, in a contextually appropriate manner.

Through analysis, on-site reviews, and discussions with stakeholders, proposed recommendations have been developed to help mitigate some of the corridor's most pressing issues. The proposed recommendations put forth in this plan are intended to provide a robust menu of improvements that can be constructed over time when funding becomes available.

- 2.0 Existing Conditions Analysis
- <u>5.0 Proposed Corridor Improvements</u>
- 6.0 Conclusion



2.0 EXISTING CONDITIONS ANALYSIS

The existing conditions analysis included a review of existing infrastructure and the existing transportation system for the corridor. The purpose of the existing conditions analysis is to determine the adequacy of existing facilities using the following criteria: safety; connectivity; completeness of network; ability to serve commercial freight, recreational, and residential uses; barriers and constraints; ability to serve the needs of all types and users and proposed City of Jacksonville projects.





Stream at Parental Home Road adjacent to Drew Park Source: Study Team.



2.1 STUDY CORRIDOR DESCRIPTION

Parental Home Road is a north-south roadway located in Duval County, Florida. The study limits of the Parental Home Road Corridor Study are from Bowden Road to Beach Boulevard (US 90). It is functionally classified by FDOT as an **Urban Major Collector** and is approximately **1.95 miles long**. The local jurisdiction for the Parental Home Road Corridor is the City of Jacksonville. See **Figure 2.1** for the project study area limits.



FIGURE 2-1. STUDY AREA





2.2 Demographic Indicators

Demographic indicators were summarized using the United States Environmental Protection Agency's (USEPA) EJSCREEN tool. As described by the USEPA, EJSCREEN is an environmental justice mapping and screening tool that provides EPA with a nationally consistent dataset and approach for combining environmental and demographic indicators.

Six demographic indicators for the corridor were summarized with all indicators being close to the both the state of Florida average as well as the US averages. The low income population, linguistically isolated population, and population under age 5 were a few percentage points higher than the state of Florida and US averages. Also summarized was the demographic index which is based on the average of percent low-income and percent minority. **Figure 2-2** summarizes the demographic indicators.




FIGURE 2-2 PARENTAL HOME ROAD DEMOGRAPHIC INDICATORS



Page | 4

2.3 GENERAL ROADWAY CHARACTERISTICS

The following list summarizes the existing roadway characteristics for the Parental Home Road Study corridor:

- The FDOT functional classification of Parental Home Road is Urban Major Collector.
- Parental Home Road is within the Urbanized Area as classified by the Federal Highway Administration (FHWA).
- Parental Home Road is a two-lane, undivided facility.
- The posted speed limit along the corridor is 35 mph.
- Sidewalks are present on at least one side along the length of the corridor.

2.4 CORRIDOR TYPICAL SECTION

The right-of-way of the corridor ranges from 60-feet to 73-feet. Drainage along the corridor is handled through a combination of curb and gutter, and swales. There is one travel lane in each direction along the corridor ranging from 11-to 12-feet in width. Where present, the sidewalk varies from 4 to 5 feet. A 14-foot left turn lane is present south of Dean Road and a 14-foot double left turn lane exists south of Starling Road.

Four typical sections for Parental Home Road are provided in Figures 2-2 through 2-5 for the following segments:

- North of Hanzas Court
- South of Dean Road
- South of Iback Road
- South of Starling Avenue

- There are no existing on-road bicycle facilities along the study corridor.
- Crosswalks are present at the major intersections along the corridor.
- There are no school zones along the corridor.
- Street lighting is present along portions of the corridor.



Parental Home Road. Source: Study Team.



FIGURE 2-3. TYPICAL SECTION: NORTH OF HANZAS COURT






FIGURE 2-4. TYPICAL SECTION: SOUTH OF DEAN ROAD





FIGURE 2-5 TYPICAL SECTION: SOUTH OF IBACH ROAD






FIGURE 2-6 TYPICAL SECTION: SOUTH OF STARLING AVENUE





2.5 STUDY INTERSECTIONS

There are four (4) intersections included in the study listed below and displayed in **Figure 2.6**. An analysis of these intersections is included in the Needs Analysis section of this report.

- Parental Home Road/Bowden Road: The intersection of Parental Home Road and Bowden Road is a signalized three-way intersection. Parental Home is divided by a large, canopied median with a westbound left-turn lane. There are sidewalks on both sides of Parental Home Road and on the north side of Bowden Road. Additionally, signalized, painted crosswalks are present crossing Parental Home Road at this intersection.
- Parental Home Road/Barnes Road South: A signalized three-way intersection south of Jacksonville Drew Park with west and southbound left-turn lanes. Sidewalks are present at all intersection approaches. Painted, signalized crosswalks are present on the north and west sides of the intersection.
- Parental Home Road/Dean Road: A signalized Y-style two-way intersection with left-turn lanes in each direction. Sidewalks are present on the west side of Parental Home Road and on the south side of Dean Road. There is a painted, signalized crosswalk across Dean Road.
- Parental Home Road/Hogan Road: A signalized four-way intersection with left-turn lanes in all directions. Sidewalks are present on both sides at all four approaches. Painted, signalized crosswalks are present on the north, east, and west sides of the intersection.

FIGURE 2-7. STUDY INTERSECTIONS





2.6 SIDEWALK FACILITIES

Figure 2.7 displays the sidewalk locations along Parental Home Road (blue represents sidewalks on both sides, green represents sidewalks on one side). There are sidewalks on at least one side of the road throughout the extent of the corridor. Where there is a sidewalk on only one side of the road, it is located on the west side.



FIGURE 2-8. SIDEWALK LOCATIONS









FIGURE 2-9 TRANSIT FACILITIES





2.9 RECENTLY COMPLETED PROJECTS IN THE AREA

There have been no capacity or operational projects completed along the segment of Parental Home Road from Bowden Road to Beach Boulevard in recent years.

2.10 PLANNED AND PROGRAMMED ROADWAY PROJECTS

The FDOT recently completed a signal upgrade project on Beach Boulevard including the intersection with Parental Home Road. The project includes new mast-arms and signals at Beach Boulevard and Parental Home Road, Foster Drive, Grove Park Boulevard, Barkley Road, Peach Drive, Forest Boulevard, Anniston Road, DeSalvo Road, and Cortez Road. Other improvements include roadway lighting, sidewalk repairs, new highway signage, and the addition of a right turn lane from eastbound Beach Boulevard to Parental Home Road.





2.11 EXISTING LAND USE, ZONING, AND FUTURE LAND USE EXISTING LAND USE


The generalized land use was determined using the 'Generalized Land Use Derived from 2019 Florida Parcels' dataset from the GeoPlan Center. This dataset was created for FDOT and generalizes 99 available land uses into 15 land use classifications.

As displayed in **Figure 2.9**, the corridor primarily consists of Residential (yellow) land use. There are some Commercial (red) land uses clustered around Beach Boulevard (US 90) and Hogan Road and some Institutional (pink) land uses along the corridor.



Residential land uses along Parental Home Road. Source: Study Team.

FIGURE 2-10. EXISTING LAND USE





ZONING


Data was obtained from the City of Jacksonville (dated September 2019) and is displayed in **Figure 2.10**. The zoning categories were generalized based on the City of Jacksonville's Zoning District summaries on their website.

The zoning along the corridor is primarily Low Density Residential (yellow), Commercial (red), or Commercial, Residential, Office (dark read). There is some Medium Density Residential zoning (orange) south of Hogan Road.



Low density residential land uses along Parental Home Road. Source: Study Team.

FIGURE 2-11. ZONING





FUTURE LAND USE


The future land use data was obtained from the City of Jacksonville (dated September 2019) and displayed in **Figure 2.11**. The future land use categories were generalized based on the City of Jacksonville's 2030 Comprehensive Plan Land Use Category descriptions defined on their website.

The future land use along the study corridor is generally Low Density Residential (yellow) and Commercial (red). The Commercial areas are concentrated near the major intersections. The Low Density Residential uses are clustered along the central area of the corridor between Dean Road and south of Hogan Road.

Other future land uses along the corridor include Recreation and Open Space shown in green (Jacksonville Drew Park), Public Buildings and Facilities in purple, and some Medium-High Density Residential near Hogan Road.

The future land use to the immediate north and south of the study corridor is Commercial.

FIGURE 2-12. FUTURE LAND USE






2.12 GENERAL ENVIRONMENTAL CHARACTERISTICS

General environmental characteristics for a 500-foot buffer along the corridor were documented including surface waters and wetlands, species and habitat, contamination, and cultural historic sites.

- Surface Waters and Wetlands: The surface waters and wetlands within the vicinity of the project area are shown in Figure 2.12 using the National Wetlands Inventory Polygons in Florida dataset from U.S. Fish and Wildlife Services published on the Florida Geographic Data Library (FGDL) dated December 2019. The primary wetlands located within the vicinity of the project area are identified as Freshwater Forested/Shrub Wetland (dark teal).
- Species and Habitat: There were no identified protected species and habitat within the vicinity of the project area as indicated by the Species Locations in the State of Florida dataset from the University of Florida (UF) Geoplan Center published on FGDL, dated November 2013.
- Contamination: There were no identified brownfield areas within the project area as determined using the Brownfield Areas in Florida dataset from the Florida Department of Environmental Protection (FDEP) published on FGDL, dated July 2019.
- Cultural Historic Sites: There were no identified cultural historic sites within the project area as determined using the Historical Structure Locations in Florida dataset from the Bureau of Archaeological Research published on FGDL, dated April 2020.

FIGURE 2-13. SURFACE WATERS AND WETLANDS





3.0 NEEDS ANALYSIS

A Needs Analysis was conducted to evaluate to mobility needs of the corridor. This analysis included an identification of operational and safety issues, and evaluation of the truck/freight movement needs, bicycle and pedestrian needs, and other relevant issues that arose during the study.







3.1 HISTORICAL SAFETY REVIEW (CRASH ANALYSIS)

A historical safety review was conducted in the form of a crash analysis using the Signal4 Analytics database to summarize corridor-wide and intersection crash trends from the previous complete five years (2015-2019) of crash data. A summary of the crash analysis is provided in this section. General crash trends are summarized below and further detailed in this section.

- There were 153 total crashes ranging between 23 and 44 crashes per year with a yearly average of 31 crashes.
- Sunday had the highest frequency of crashes.
- None of the crashes resulted in **fatalities** and 61 of the crashes resulted in **injuries** (40%).
- There was one bicycle crash and two pedestrian crashes.
- 43% of the crashes occurred between **3 PM and 7 PM**.
- The top three crash intersections along the corridor were Hogan Road, Dean Road and Barnes Road.
- Over 50% of the crashes were front to rear-type crashes and 25% were angle-type crashes.
- Most crashes occurred during clear weather conditions, on dry roads in the daylight.

FIGURE 3-1. CRASHES, 2015-2019






BICYCLE AND PEDESTRIAN CRASHES

Three of the crashes involved bicycles or pedestrians. Two of the bicycle or pedestrian involved crashes resulted with injury. Pedestrian and bicycle crashes are highlighted on the crash map.

- In April 2015 at approximately 9:00 AM a pedestrian attempted to cross Parental Home Road just north of Hogan Road. The pedestrian failed to yield to the vehicular right of way and was struck by a vehicle traveling southbound on Parental Home Road. At the time of the crash, the weather was clear and the pavement was dry.
- In December 2015 at approximately 6:45 AM, a bicyclist traveling on Parental Home Road was struck by a vehicle turning from Laten Road onto Parental Home Road. This crash occurred in the rain during unlit, dark conditions.
- In March 2016 at approximately 3:00 PM at the intersection of Parental Home Road and Dean Road, a vehicle making a southbound right from Dean Road struck a bicyclist traveling in the southbound crosswalk along Parental Home Road. This crash occurred in daylight hours while the pavement was wet. The driver was cited for failure to yield to pedestrians.

FIGURE 3-2 BICYCLE AND PEDESTRIAN CRASHES





CRASH YEAR

Overall, the number of crashes increased from 2015 to 2019 ranging from 23 to 44 crashes per year. The years 2015 and 2016 experienced the fewest number of crashes with 25 and 23 crashes each year, respectively. Crashes increased to 31 and 30 crashes each year for 2017 and 2018. The year 2019 saw the most crashes with 44 reported crashes for the year.







Sunday experienced the highest frequency of crashes with 34 crashes total (12%). Saturday experienced the fewest frequency of crashes with 15 crashes total (5%). Wednesday, Thursday, and Friday had similar crash frequencies ranging between 18 and 19 crashes (about 6% each).

CRASH TIME OF DAY

Crash frequency was highest during the 8 AM hour (19 crashes) and 5 PM hour (9 crashes). Crash frequency was higher during the morning peak hours between 7 AM and 9 AM (22% of crashes) and the evening peak hours between 4 PM and 7 PM (41% of crashes). Zero crashes were reported between 3 AM and 6 AM.








CRASH TYPE


The majority of the crashes were Front to Rear type crashes, with 80 crashes total (53% of crashes). Another 25% of the crashes were Angle type crashes. The least frequent types of crashes were Front to Front (4 crashes); Sideswipe, Opposite Direction (2 crashes), and Unknown (1 crash).



WEATHER CONDITIONS


A majority of the crashes occurred during Clear weather conditions (76%).

The remaining crashes occurred either in Cloudy (17%) or Rain (7%) weather conditions.




LIGHT CONDITIONS

Most of the crashes occurred during Daylight conditions (84%) or in Dark – Lighted conditions (10%). Approximately 4% of the crashes occurred in Dusk or Dawn conditions, and 2% occurred in Dark – Not Lighted conditions.



ROAD SURFACE CONDITION

A majority of the crashes occurred during Dry road surface conditions (86%). The remaining 14% of the crashes occurred during Wet road surface conditions.





3.2 TRAFFIC ANALYSIS

Traffic analysis of the Parental Home Road Corridor was performed using a combination of traffic forecasting utilizing the regional planning model to estimate future travel and demand along the corridor in addition to a network operations analysis featuring a corridor and intersection level of service (LOS) analysis.

SEASONAL & TRAFFIC RECESSION DATA ADJUSTMENT FACTOR

Due to the overall decrease in daily traffic volumes caused by the COVID-19 pandemic, the September 2020 counts were adjusted to reflect pre-pandemic traffic levels. The turning movement counts were organized into two-way segment volumes for comparison to data obtained from FDOT's Florida Traffic Online database. Based on comparing the peak hour turning movement counts and Florida Traffic Online it was determined that to normalize the 2020 counts to historical levels the 2020 peak period turning movement counts should be applied a COVID-Adjustment Factor of 1.35 and the 24-hour machine count be applied a COVID-Adjustment Factor of 1.25.

Additionally, based on the time of year the counts were performed, the counts were adjusted by a 1.06 seasonal adjustment factor by incorporating the 2019 Duval County Season Factor Report.

24-HOUR MACHINE COUNTS

A three-day, 24-hour machine count was collected by Atkins from September 22-24, 2020 along Parental Home Rd south of Ibach Road. The count location determined the volume and direction of traffic traveling along Parental Home Road during an average weekday.

The average daily traffic reported after seasonal and COVID recession adjustments is 12,050 vehicles per day.

TURNING MOVEMENT COUNTS

The turning movement counts were collected for eight hours on Tuesday, September 15, 2020, by All Traffic Data Services. The count captured the AM, Midday, and PM peak periods. The TMCs included vehicle classification between passenger vehicles and heavy vehicles. Turning Movement counts were performed at the following four intersections:

- Parental Home Road & Bowden Road
- Parental Home Road & Barnes Road
- Parental Home Road & Dean Road
- Parental Home Road & Hogan Road

3.3 TRAFFIC FORECASTING

HISTORICAL TRAFFIC COUNTS

A ten-year historical trends analysis was performed using traffic count data for the most recently available AADT from FDOT's Florida Traffic Online database. Two locations were available within the study area and are listed below. The table below provides the annual count estimate along with the simple growth rate estimate comparison between 2010 (or earliest year of data) with 2019. The annual growth rate for these locations averaged between 1.01%-1.57% growth.

- Parental Home Road North of Dean Road
- Parental Home Road North of Bowden Road



TABLE 3-1 HISTORIC TRAFFIC COUNTS

Count Location	Count ID	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	Growth Rate
North of Dean Road	729018	11,000	8,900	10,500	10,900	11,500	11,500	12,000	11,500	12,000	12,000	1.01%
.1 Mile North of Bowden Road	729229	n/a	n/a	10,900	10,900	10,900	11,100	11,300	11,700	11,900	12,100	1.57%

Pagrassian Analysis Growth Pata

REGRESSION ANALYSIS USING HISTORICAL TRAFFIC DATA

The historical counts collected from FDOT's count program were then referenced to develop a Regression Analysis procedure used to project the 2045 design year volumes. This growth projection process assumes that the growth trend that occurred between 2010 and 2019 will be applicable for forecasting traffic in the year 2045. Based on this assumption the following growth rates were projected and range from 1.60% to 1.95%. The FDOT TRENDs worksheet was used to generate the growth rate projections between 2019 and 2045. The resulting forecast figures as well as the traffic data are provided in the appendix.

TABLE 3-2 REGRESSION ANALYSIS GROWTH RATE

Location

Location	Regression Analysis Growth Rate
Parental Home Rd – North of Dean Rd	1.95%
Parental Home Rd – North of Bowden Rd	1.60%



Simple

POPULATION PROJECTIONS

The FDOT publishes population projections by county and by district on its Demographic Analysis Website. The population projection was collected for Duval County for all available years. The most recent available forecast data is for the years 2020 to

2045 in five-year increments adjusted based on the 2016 population estimates. The table below shows the population estimate for Duval County for Census Year 2010, Year 2016, and projections for years 2020 to 2045. The resulting annual growth rate between 2020 and 2045 is projected to be 1.0% per year.

TABLE 3-3 POPULATION PROJECTIONS

Location	2010	2016	2020	2025	2030	2035	2040	2045	Growth Rate
Duval County	864,263	923,647	975,500	1,035,100	1,089,300	1,138,500	1,179,900	1,218,700	1.0%

Source: FDOT Demographic Analysis Website https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/content/planning/fto/demographic/2045forecast.pdf?sfvrsn=45f3dab4_0

GROWTH RATE SUMMARY

To select a growth rate for recommendation all of the forecasts were compared to account for the variability in the different methods. The three methods of volume analytics are provided for

comparison in the table below. Based on the variability a suggested annual growth rate of 1.50% is proposed for the study area.

TABLE 3-4 GROWTH RATE SUMMARY

Location	10yr Historical Growth	FDOT Trends 2045	2045 County Pop. Growth	Suggested
North of Dean Rd	1.01%	1.95%	1.17%	1.50%
North of Bowden Rd	0.1%	0.9%	1.17%	1.50%



3.4 NETWORK OPERATIONS ANALYSIS

A network operations analysis was conducted for the Parental Home Road study area. This analysis was conducted to estimate future roadway segment and intersection traffic performance levels and identify locations where traffic operations become deficient.

3.5 CORRIDOR LEVEL OF SERVICE

The FDOT Quality Level of Service (LOS) tables were used to complete a planning-level analysis of the Parental Home Road segments.

The table below provides a summary of LOS classifications for the latest available 2019 through the forecasted 2045 traffic data. Based on the segment analysis, the roadway LOS is expected to operate within acceptable limits for each segment in 2020, but the segments are both estimated to operate as LOS F at the design year 2045. While it is recognized that this roadway is forecasted to operated at a failing LOS (LOS F) in the year 2045, it is not recommended that Parental Home Road be widening, as this type of improvement would have a extremely negative effect on the adjacent neighborhood. Section 5.0 identifies alternative improvements that would have positive effects on the surrounding community and would be much less intrusive than the widening of the roadway.

TABLE 3-5 CORRIDOR LOS

	Suggested	Service Volumes		2019		2025		2045	
Location	Annual Growth Rate	LOS D	LOS E	AADT	LOS	AADT	LOS	AADT	LOS
Parental Home Rd – North of Dean Rd	1.50%	14,060*	14,820	12,000	D	14,100	Е	16,700	F
Parental Home Rd – North of Bowden Rd	1.50%	13,320*	14,040	12,100	D	13,300	D	16,800	F



3.6 Intersection Level of Service Analysis

An operational analysis of the project's major intersections was performed for existing traffic and design years of 2025 and 2045. Directional Design Hour Volumes (DDHV) were developed for both the AM, midday, and PM peak periods at the study intersections. To develop DDHV and intersection movements the 2020 turning movement counts were adjusted based on the suggested annual growth rate.

The intersection traffic analysis was conducted using Synchro (version 11) traffic software, which uses the Highway Capacity Manual (HCM) methodology to determine intersection delay and LOS. Signal timings for future year signalized intersections were optimized using Synchro's optimization tool to achieve comparable intersection operating conditions and traffic progression to regular Transportation Systems Management and Operations (TSM&O) signal retiming maintenance.

An intersection peak hour operations analysis was performed for three scenarios with no infrastructure changes, for the existing year 2020, opening year 2025, and build design year 2045.

The results of the existing traffic analysis indicate that all intersections and movements currently operate within target LOS (LOS D or better) for existing and 2025 no build years. The 2045 No Build year analysis resulted in the Hogan Road and Bowden Road intersections operating below the target LOS at times.







TABLE 3-6 2020 EXISTING

Intersection	AM						Mid					PM			
Intersection	EB	WB	NB	SB	Overall	EB	WB	NB	SB	Overall	EB	WB	NB	SB	Overall
Hogan Rd	22.2 (C)	30.0 (C)	28.7 (C)	23.3 (C)	26.3 (C)	19.4 (B)	19.8 (B)	17.4 (B)	15.8 (B)	17.9 (B)	27.1 (C)	26.4 (C)	25.3 (C)	18.9 (B)	24.1 (C)
Dean Rd	18.4 (B)		7.1 (A)	15.3 (B)	12.5 (B)	13.7 (B)		5.2 (A)	11.8 (B)	9.3 (A)	17.3 (B)		7.4 (A)	15.4 (B)	11.7 (B)
Barnes Rd	24.0 (C)		5.7 (A)	19.0 (B)	15.5 (B)	14.7 (B)		3.7 (A)	8.5 (A)	7.8 (A)	18.5 (B)		5.5 (A)	11.6 (B)	10.3 (B)
Bowden Rd	15.3 (B)	26.0 (C)		31.6 (C)	25.5 (C)	8.8 (A)	15.9 (B)		23.2 (C)	15.6 (B)	14.0 (B)	23.4 (C)		27.9 (C)	20.3 (C)

TABLE 3-7 2025 AND 2045 NO-BUILD

Interse	otion			AM			Mid					PM				
interse	CUOTI	EB	WB	NB	SB	Overall	EB	WB	NB	SB	Overall	EB	WB	NB	SB	Overall
Hogan	2025	23.8 (C)	36.5 (D)	31.7 (C)	26.8 (C)	30.2 (C)	19.6 (B)	20.0 (B)	18.6 (B)	16.7 (B)	18.6 (B)	30.4 (C)	30.0 (C)	28.2 (C)	21.1 (C)	27.0 (C)
Rd	2045	36.8 (D)	125.4 (F)	40.9 (D)	36.2 (D)	61.2 (E)	21.9 (C)	22.4 (C)	23.4 (C)	21.0 (C)	22.2 (C)	57.5 (E)	57.8 (E)	58.7 (E)	32.2 (C)	50.8 (D)
Dean Rd	2025	18.4 (B)		7.1 (A)	15.3 (B)	12.5 (B)	14.3 (B)		5.4 (A)	12.4 (B)	9.7 (A)	18.7 (B)		8.3 (A)	16.5 (B)	12.7 (B)
Dean Nu	2045	20.1 (C)		8.1 (A)	16.5 (B)	13.7 (B)	17.5 (B)		6.8 (A)	14.9 (B)	11.9 (B)	26.7 (C)		18.7 (B)	29.4 (C)	23.5 (C)
Barnes	2025	24.0 (C)		5.7 (A)	19.0 (B)	15.5 (B)	15.4 (B)		3.8 (A)	8.9 (A)	8.2 (A)	20.1 (C)		6.1 (A)	13.5 (B)	11.7 (B)
Rd	2045	25.8 (C)		6.5 (A)	25.7 (C)	19.3 (B)	19.3 (B)		4.6 (A)	11.3 (B)	10.3 (B)	26.5 (C)		10.8 (B)	38.9 (D)	24.7 (C)
Bowden	2025	15.3 (B)	26.0 (C)		31.6 (C)	25.5 (C)	9.6 (A)	17.3 (B)		23.7 (C)	16.4 (B)	18.1 (B)	26.2 (C)		30.7 (C)	23.8 (C)
Rd	2045	17.5 (B)	29.4 (C)		37.4 (D)	29.7 (C)	13.5 (B)	24.1 (C)		30.2 (C)	21.9 (C)	27.1 (C)	58.7 (E)		93.5 (F)	54.5 (D)

LOS exceeds target LOS



3.7 TRAVEL TIME PERFORMANCE

Speed and travel time runs were conducted along Parental Home Road during the AM, Midday, and PM peak hours in both the northbound (NB) and southbound (SB) directions on Wednesday, December 9, 2020. These travel time runs took place when there was no inclement weather or traffic incidents that disrupt traffic flow. Five travel time runs in each direction (10 total) were performed during each analysis hour/period.

Each of the travel time collection periods was imported into the software program Tru-Traffic for analysis. Import methods consisted of manual importing from the GPS unit after the travel runs were recorded. **Tables 3-8 through 3-10** depict the summary outputs from the Tru-Traffic Software for each peak period. The appendix provides more detailed travel time and speed data for individual peak period runs.

Below are some key findings from the travel time data collection:

- The average travel time for all time periods is 3:38 (mm:ss) northbound and 3:45 (mm:ss) southbound
- Total travel delay is one minute or less for all time periods
- The average travel speed is 29.6 mph northbound and 29.2 mph southbound (Posted speed limit is 35 mph)
- The PM peak hour time period experiences the highest level of delay, average speed, and total number of stops



TABLE 3-8 CORRIDOR TRAVEL TIME SUMMARY - AM

Location	Travel Time (mm:ss)	Delay (ss)	Stopped Delay (ss)*	Average Speed (mph)	Average Number of Stops**
Parental Home Northbound	3:30	28	19	30.8	1.2
Parental Home Southbound	3:47	44	24	29.8	1.4

^{*}Stopped Delay – The "Stopped Delay" time is counted from when the speed drops below 5 mph after exceeding 15 mph until it exceeds 15 mph once again

TABLE 3-9 CORRIDOR TRAVEL TIME SUMMARY - MIDDAY

Location	Travel Time (mm:ss)	Delay (ss)	Stopped Delay (ss)*	Average Speed (mph)	Average Number of Stops**
Parental Home Northbound	3:28	25	19	31.0	1.0
Parental Home Southbound	3:26	23	22	31.3	0.8

^{*}Stopped Delay – The "Stopped Delay" time is counted from when the speed drops below 5 mph after exceeding 15 mph until it exceeds 15 mph once again

TABLE 3-10 CORRIDOR TRAVEL TIME SUMMARY - PM

Location	Travel Time (mm:ss)	Delay (ss)	Stopped Delay (ss)*	Average Speed (mph)	Average Number of Stops**
Parental Home Northbound	3:55	53	31	27.2	1.6
Parental Home Southbound	4:03	60	49	26.4	1.6

^{*}Stopped Delay – The "Stopped Delay" time is counted from when the speed drops below 5 mph after exceeding 15 mph until it exceeds 15 mph once again



^{**}Average Number of Stops – A "Stop" is counted when the speed drops below 5 mph after exceeding 15 mph

^{**}Average Number of Stops – A "Stop" is counted when the speed drops below 5 mph after exceeding 15 mph

^{**}Average Number of Stops – A "Stop" is counted when the speed drops below 5 mph after exceeding 15 mph

TRAFFIC ANALYSIS SUMMARY

Based on the analysis presented in this section, the results of the 2045 future analysis indicate that with the existing transportation infrastructure, the signalized intersection at Hogan Road will operate as LOS E overall during the AM peak, but the eastbound approach will fall to LOS F. The 2045 PM peak operations for the Parental Home and Homes Road intersection result with an overall LOS D but with the eastbound, westbound, and northbound approaches operating at LOS E. The Parental Home Road at Bowden Road intersection was estimated to operate as overall LOS D during the 2045 PM peak period, but the westbound and southbound approaches will operate as LOS E/F.







4.0 PUBLIC INPUT

An online survey was administered via *SurveyMonkey* to solicit public input from the community about the study. The survey included 15 questions and was a mixture of multiple-choice, "yes" or "no", ranking and open-ended questions. The survey was open for four weeks from May 10, 2021, to June 7, 2021, and received a total of 196 responses. The survey results are summarized below. The full survey results are provided in the appendix.

- A majority of the respondents would support additional bicycle facilities (81%) along Parental Home Road (81%).
 Separated facilities were preferred (71%) to on-road facilities (29%).
- Most of the respondents would support additional pedestrian facilities along Parental Home Road (80%).
- Additional **lighting** for the roadway and sidewalks was supported by a large majority of the respondents (91%).
- Some of the best characteristics of Parental Home Road were noted to be trees, homes, neighborhoods, old, access, and beautiful (see word cloud in Figure 4-1).
- Speeding and Pedestrian Safety were ranked as the two most important transportation problems along the segment.
- Crossing the street at non-intersection locations and cutthrough traffic were ranked as the two least important transportation problems along the segment.




FIGURE 4-1 BEST CHARACTERISTICS WORD CLOUD

connects less traffic beautiful walks live busy feel Beach Hogan Parental Home access use good Beach Blvd Old yards neighborhood area road speed trees great Bowden's homes cut many lots traffic Needs nice Blvd parks Nothing going people end access Beach Blvd Street



- Approximately 60% of the survey respondents indicated that they would support traffic calming projects such as narrowing travel lanes and/or raised or painted crosswalks.
 - Of these improvements, respondents ranked raised crosswalks at limited locations and a roundabout at Parental Home Road and Dean Road as the most important.
 - Of the respondents that indicated they would not support traffic calming projects, some of the reasons included: I am the traffic and I don't want to be calmed; Speed bumps are annoying; The road is narrow enough
- Some of the worst characteristics of Parental Home Road were noted to be speeding, traffic, and sidewalks (see word cloud in Figure 4-2).


"I am the traffic and I don't want to be calmed."

— Question 10 Survey Response

- A majority of the respondents (66%) live near Parental Home Road and use it to get to many of their destinations.
 About 20% of the respondents use Parental Home Road to access Beach Boulevard.
- Most of the respondents indicated that they Never walk or bike on Parental Home Road (52%). Approximately 20% of the respondents walk or bike on Parental Home Road at least once a week.

FIGURE 4-2 WORST CHARACTERISTICS WORD CLOUD

street two lanes Side light drivers time Trash None narrow Hogan USE fast CUT
bike road much speeding Dean traffic speed limit
sidewalks Beach Blvd people Poor cars intersection Rd Speeders
busy coming need Nothing lane curve Dean Parental Home



- Approximately 73% of the respondents use Parental Home Road at least a few times per week.
- Almost all of the respondents (95%) use a private vehicle while traveling on Parental Home Road.



5.0 Proposed Corridor Improvements

As a result of the Existing Conditions Analysis and Needs Analysis, a set of proposed corridor improvements were developed. The proposed corridor improvements are summarized in **Table 5-1** and briefly described in this section. These improvements are intended

to make Parental Home Road safer for all users. Additionally, generalized planning cost estimates are provided for the proposed improvements.

TABLE 5-1 SUMMARY OF PROPOSED CORRIDOR IMPROVEMENTS

Improvement	Estimated Cost
Install High-Emphasis Crosswalks at Hogan Road, Barnes Road, and Bowden Road	\$8,000
Intersection Improvements at Bowden Road	\$10,000
Install Crosswalk and Pedestrian Signal on Northbound Approach to Hogan Road	\$12,500
Install a Rectangular Rapid-Flashing Beacon (RRFB) and raised crosswalk at Drew Park	\$50,000
Install Additional Overhead Directional Signage at Parental Home Road and Beach Boulevard	\$15,000
Construct Neighborhood Traffic Circle at Dean Road Intersection	\$45,000-\$150,000
Construct Separated Dual-Track Bike Lane from Bowden Road to Dean Road	\$75,000
Construct a Shared-Use Path Along Parental Home Road	\$350,000 (not including drainage improvements)



Install High-Emphasis Crosswalks at Hogan Road, Barnes Road, and Bowden Road

It is recommended that the crosswalks at Hogan Road, Barnes Road, and Bowden Road be repainted and changed to high-emphasis crosswalks. High emphasis crosswalks increase driver awareness allowing for quicker recognition of the crossing location.



Proposed Improvements - Hogan Road Intersection



Proposed Improvements - Barnes Road Intersection



Proposed Improvements – Bowden Road Intersection



Intersection Improvements at Bowden Road

In addition to repainting the existing crosswalks as high emphasis crosswalks at the Bowden Road intersection, it is recommended that a "skip-stripe" be installed on the eastbound to northbound movement of the intersection. This will aid motorists making that movement, so they do not mistakenly turn onto the southbound lanes of Parental Home Road.


Furthermore, it is recommended that the existing sidewalks be extended along the south side of Bowden Road and that a new crosswalk be installed on the westbound approach to the intersection. This will allow pedestrians traveling on the south side of Bowden Road to connect to each sidewalk without requiring the removal of the large oak trees that are present in the area.





Install Crosswalk and Pedestrian Signal on Northbound Approach to Hogan Road

There is currently no crosswalk at this approach. This intersection experiences the highest number of pedestrian crossings of all intersections along the corridor. Because of this, the intersection should have crosswalks and pedestrian signals on all approaches. It is recommended that a new high emphasis crosswalk with pedestrian signals be installed on the southern leg of the intersection of Hogan Road.





Existing Pavement Markings at Hogan Road Intersection – Note the Lack of Pedestrian Crosswalk. Source: Study Team



Install a Rectangular Rapid-Flashing Beacon (RRFB) and raised crosswalk at Drew Park

Drew Park is a popular recreational facility located on the west side of Parental Home Road with the southeastern-most portion of the park located at the intersection of Barnes Road. Near the entrance to the park, on the east side of Parental Home Road is a JTA bus stop. Also located on the east side of the road are River Region Human Services and Daniel Memorial. This bus stop is located approximately 600 feet north of the Barnes Road intersection. It is

proposed that a Rectangular Rapid-Flashing Beacon (RRFB) be installed at the location of this bus stop. In addition, it is recommended that a raised crosswalk be installed. This will provide safe and efficient east-west movements for individuals. The raised crosswalk would act as a speed table, thus provided traffic calming in this area.





Install Additional Overhead Directional Signage at Parental Home Road and Beach Boulevard

The northbound approach to Beach Boulevard at the intersection of Parental Home Road currently has dual westbound left-turn lanes. The inside left turn lane allows vehicles to access the Hart Expressway and the outside left turn lane allows vehicles to continue on Beach Boulevard. The barrier separating the Hart Expressway Ramp from Beach Boulevard is approximately 750 feet from the Parental Home Road intersection. While it is possible for vehicles on the inside lane to shift to the outside lane and vice versa, this creates an unsafe weaving pattern- particularly during peak hours. It is recommended that additional signage be installed to advise vehicles in the northbound left-turn lanes which lane they should be in based on their destination.





Construct Neighborhood Traffic Circle at Dean Road Intersection

The existing configuration of the intersection of Parental Home Road and Dean Road is an offset skew. This creates safety issues due to sight distance limitations in both the northbound and southbound directions. It is recommended that a neighborhood traffic circle be constructed in this location. A neighborhood traffic circle would slow traffic through the intersection which would, in turn, improve safety. The construction of a traffic circle would require the acquisition of some ROW and may require the movement of a residential driveway. Neighborhood traffic circles provide substantial safety and operational benefits compared to other intersection types, most notably a reduction in severe crashes. According to the Highway Safety Manual, the conversion of a signalized intersection to a neighborhood traffic circle (or roundabout) can result in a 78% reduction in severe crashes.









Construct Separated Dual-Track Bike Lane from Bowden Road to Dean Road

While the segment of Parental Home Road from Bowden Road to Dean Road currently has sidewalks, it does not have any dedicated bicycle facilities. Currently, Parental Home Road is a two-lane facility that transitions to a three-lane facility which changes to a two-lane facility at Dean Road. It is recommended that one of these lanes be repurposed to include a dual-track bike lane from Bowden Road to Dean Road. The COJ Pedestrian and Bicycle Master Plan identifies Parental Home Road/Dead Road on its study network as Bike Plan Project #114 (Priority #159). This improvement would be the first segment of that project.




Rendering of a Dual-Track Bike Lane on Parental Home Road



Construct a Shared-Use Path Along Parental Home Road

While Parental Home Road currently has at least one sidewalk along the entirety of the corridor, there are some areas where the sidewalks are too narrow and/or damaged. It is recommended that a 12' shared-use path be constructed. This would allow bicyclists and pedestrians to use the corridor on a facility separated from the roadway. It should be noted that in some areas the shared-use path may have to cross to the other side of the street. At these locations, it is recommended that an RRFB be installed. This improvement would require drainage improvements including the installation of curb and gutter.





6.0 CONCLUSION

It is the goal of this corridor study is to provide recommendations and that will improve Parental Home Road as well as the surrounding community. These recommendations have been provided to help to revitalize the corridor as well as make it safer for all users. Many of the recommendations discussed could be completed incrementally as funding becomes available.







Appendix A

Traffic Data






Location: 1 PARENTAL HOME ROAD & BOWDEN ROAD AM

Date: Tuesday, September 15, 2020


Peak Hour: 07:15 AM - 08:15 AM

Peak 15-Minutes: 07:45 AM - 08:00 AM

Peak Hour - Motorized Vehicles



Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

Traffic Counts - Motorized Vehicles

Interval	ВС	OWDE Eastb	N ROA	D		WDEN	N ROAD)	PAREI	NTAL H		ROAD	PARE	NTAL H		ROAD		Dalling	Per	 octrian	Crossii	nae
Start Time	U-Turn	Left		Right	U-Turn			Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Rolling Hour	West		South	
6:00 AM	0	23	6	0	0	0	10	5	0	0	0	0	0	10	0	24	78	519	0	0	0	0
6:15 AM	0	28	8	0	0	0	14	5	0	0	0	0	0	8	0	54	117	631	0	0	0	0
6:30 AM	0	19	15	0	0	0	24	13	0	0	0	0	0	14	0	52	137	772	0	0	0	0
6:45 AM	0	36	13	0	0	0	40	27	0	0	0	0	0	17	0	54	187	915	0	0	0	0
7:00 AM	0	33	13	0	0	0	36	18	0	0	0	0	0	19	0	71	190	1,024	0	0	0	0
7:15 AM	0	52	16	0	0	0	49	40	0	0	0	0	0	30	0	71	258	1,070	0	0	0	0
7:30 AM	0	41	27	0	0	0	53	45	0	0	0	0	0	27	0	87	280	1,040	0	0	0	0
7:45 AM	0	52	27	0	0	0	53	40	0	0	0	0	0	32	0	92	296	1,014	0	0	0	0
8:00 AM	0	45	17	0	0	0	31	42	0	0	0	0	0	29	0	72	236	946	0	0	0	0
8:15 AM	0	49	26	0	0	0	34	22	0	0	0	0	1	29	0	67	228		0	0	0	0
8:30 AM	0	41	31	0	0	0	36	39	0	0	0	0	1	23	0	83	254		0	0	0	0
8:45 AM	0	47	30	0	0	0	40	31	0	0	0	0	0	23	0	57	228		1	0	1	0

		East	bound			West	oound			North	ound			South	bound		
Vehicle Type	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total
Articulated Trucks	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	2
Lights	0	179	82	0	0	0	186	161	0	0	0	0	0	116	0	313	1,037
Mediums	0	11	5	0	0	0	0	5	0	0	0	0	0	2	0	8	31
Total	0	190	87	0	0	0	186	167	0	0	0	0	0	118	0	322	1,070




Location: 2 PARENTAL HOME ROAD & BARNES ROAD AM


Date: Tuesday, September 15, 2020 Peak Hour: 07:15 AM - 08:15 AM

Peak 15-Minutes: 07:30 AM - 07:45 AM

Peak Hour - Motorized Vehicles



Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

Traffic Counts - Motorized Vehicles

	Interval	В	ARNES Eastb	S ROAI)		RNES Westb	ROAD		PARE	NTAL H		ROAD	PARE	NTAL H		ROAD		Rolling	Ped	lestriar	Crossii	nas
	Start Time	U-Turn	Left		Right	U-Turn		Thru F	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West		South	
_	6:00 AM	0	10	0	7	0	0	0	0	0	1	28	0	0	0	24	15	85	564	0	0	0	0
	6:15 AM	0	25	0	3	0	0	0	0	0	1	33	0	0	0	54	23	139	662	1	0	0	0
	6:30 AM	0	30	0	8	0	0	0	0	0	5	30	0	0	0	62	18	153	777	0	1	0	0
	6:45 AM	0	19	0	6	0	0	0	0	0	10	54	0	0	0	64	34	187	933	0	0	0	0
	7:00 AM	0	18	0	16	0	0	0	0	0	6	40	0	0	0	75	28	183	1,024	0	0	0	0
	7:15 AM	0	30	0	13	0	0	0	0	0	12	78	0	0	0	88	33	254	1,093	1	0	0	0
	7:30 AM	0	41	0	10	0	0	0	0	0	19	67	0	0	0	108	64	309	1,052	0	0	0	0
	7:45 AM	0	29	0	15	0	0	0	0	0	19	78	0	0	0	103	34	278	966	0	0	0	0
	8:00 AM	0	36	0	24	0	0	0	0	0	19	73	0	0	0	80	20	252	901	0	0	0	0
	8:15 AM	0	18	0	17	0	0	0	0	0	19	56	0	0	0	77	26	213		0	1	0	0
	8:30 AM	0	15	0	20	0	0	0	0	0	19	60	0	0	0	90	19	223		0	1	0	0
	8:45 AM	0	21	0	15	0	0	0	0	0	15	63	0	0	0	64	35	213		1	0	0	0

		East	bound			West	oound			Northb	ound			South	bound		
Vehicle Type	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	0	3
Lights	0	129	0	59	0	0	0	0	0	67	282	0	0	0	370	150	1,057
Mediums	0	7	0	3	0	0	0	0	0	2	12	0	0	0	8	1	33
Total	0	136	0	62	0	0	0	0	0	69	296	0	0	0	379	151	1,093




Location: 3 PARENTAL HOME ROAD & DEAN ROAD AM


Date: Tuesday, September 15, 2020 Peak Hour: 07:15 AM - 08:15 AM

Peak 15-Minutes: 07:30 AM - 07:45 AM

Peak Hour - Motorized Vehicles



Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

Traffic Counts - Motorized Vehicles

	1	DEAN	ROAD		D	EAN F	ROAD		PARE	NTAL H	OME F	ROAD	PARE	NTAL F	HOME F	ROAD						
Interval		Eastb	ound			Westb	ound			Northb	ound			South	oound			Rolling	Ped	lestriar	Crossir	ngs
Start Time	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North
6:00 AM	0	4	0	15	0	0	0	0	0	9	27	0	0	0	30	4	89	568	1	0	0	0
6:15 AM	0	8	0	21	0	0	0	0	0	6	43	0	0	0	69	6	153	655	0	0	0	0
6:30 AM	0	7	0	30	0	0	0	0	0	13	44	0	0	0	61	0	155	749	0	0	0	0
6:45 AM	0	0	0	26	0	0	0	0	0	28	37	0	0	0	76	4	171	873	0	0	0	0
7:00 AM	0	3	0	37	0	0	0	0	0	15	40	0	0	0	76	5	176	970	2	0	0	0
7:15 AM	0	12	0	38	0	0	0	0	0	33	75	0	0	0	87	2	247	1,028	0	0	0	0
7:30 AM	0	8	0	38	0	0	0	0	0	36	67	0	0	0	125	5	279	962	0	0	0	0
7:45 AM	0	15	0	38	0	0	0	0	0	43	64	0	0	0	98	10	268	882	0	0	0	0
8:00 AM	0	5	0	39	0	0	0	0	0	43	61	0	0	0	82	4	234	826	1	0	0	0
8:15 AM	0	3	0	35	0	0	0	0	0	20	52	0	0	0	61	10	181		2	0	0	0
8:30 AM	0	12	0	48	0	0	0	0	0	26	41	0	0	0	67	5	199		1	0	0	0
8:45 AM	0	7	0	30	0	0	0	0	0	26	56	0	0	0	83	10	212		3	0	0	0

		East	bound			West	oound			Northb	ound			South	bound		
Vehicle Type	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total
Articulated Trucks	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	3
Lights	0	39	0	150	0	0	0	0	0	150	251	0	0	0	389	21	1,000
Mediums	0	1	0	3	0	0	0	0	0	4	15	0	0	0	2	0	25
Total	0	40	0	153	0	0	0	0	0	155	267	0	0	0	392	21	1,028




Location: 4 PARENTAL HOME ROAD & HOGAN ROAD AM


Date: Tuesday, September 15, 2020 Peak Hour: 07:15 AM - 08:15 AM

Peak 15-Minutes: 07:45 AM - 08:00 AM

Peak Hour - Motorized Vehicles



Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

Traffic Counts - Motorized Vehicles

Interval	H	IOGAN Eastb	N ROAD)	Н	OGAN Westb	ROAD		PARE	NTAL H Northb		ROAD	PARE	NTAL I	HOME I	ROAD		D.III.	Poo	loctrior	n Crossi	nge
Start Time	U-Turn	Left		Right	U-Turn			Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Rolling Hour	West		South	
6:00 AM	0	1	11	2	0	3	7	10	0	0	34	1	0	9	25	3	106	695	0	0	0	0
6:15 AM	0	4	16	6	0	9	13	15	0	5	50	3	0	14	48	1	184	788	0	0	0	0
6:30 AM	0	7	20	6	0	5	16	29	0	6	43	14	0	19	35	1	201	881	0	0	0	0
6:45 AM	0	2	22	4	0	10	17	25	0	2	37	6	0	24	53	2	204	1,029	0	0	0	0
7:00 AM	0	1	17	6	0	10	26	37	0	2	36	5	0	14	43	2	199	1,208	0	0	0	0
7:15 AM	0	9	27	1	0	15	31	42	0	5	68	7	0	22	47	3	277	1,306	0	1	0	0
7:30 AM	0	12	37	12	0	16	24	55	0	11	68	13	0	33	65	3	349	1,296	0	0	2	0
7:45 AM	0	12	38	13	0	18	39	35	0	5	72	14	0	59	70	8	383	1,181	0	3	0	0
8:00 AM	0	8	41	7	0	17	29	26	0	13	51	11	0	37	53	4	297	1,057	1	0	0	1
8:15 AM	0	8	44	9	0	10	32	22	0	2	41	16	0	25	52	6	267		0	0	3	0
8:30 AM	0	5	33	5	0	16	20	29	0	2	46	10	0	18	44	6	234		0	0	1	0
8:45 AM	0	4	33	4	0	19	28	23	0	4	41	13	0	26	63	1	259		0	0	0	0

		East	bound			West	oound			Northb	ound			South	bound		
Vehicle Type	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total
Articulated Trucks	0	1	0	1	0	0	0	1	0	0	0	1	0	1	0	0	5
Lights	0	37	137	32	0	66	120	155	0	34	249	41	0	150	234	18	1,273
Mediums	0	3	6	0	0	0	3	2	0	0	10	3	0	0	1	0	28
Total	0	41	143	33	0	66	123	158	0	34	259	45	0	151	235	18	1,306




Location: 1 PARENTAL HOME ROAD & BOWDEN ROAD Noon


Date: Tuesday, September 15, 2020 Peak Hour: 11:45 AM - 12:45 PM

Peak 15-Minutes: 12:00 PM - 12:15 PM

Peak Hour - Motorized Vehicles



Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

Traffic Counts - Motorized Vehicles

	BC)WDEI	N ROA	D	BC	OWDEN	N ROAD	1	PARE	NTAL H	OME R	OAD	PARE	NTAL H	IOME F	ROAD						
Interval		Eastb	ound			Westb	ound			Northb	ound			South	ound			Rolling	Ped	lestriar	n Crossi	ngs
Start Time	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North
11:00 AM	0	35	27	0	0	0	26	16	0	0	0	0	1	17	0	36	158	749	0	0	0	0
11:15 AM	0	47	31	0	0	0	26	14	0	0	0	0	1	22	0	40	181	816	0	0	0	0
11:30 AM	0	56	33	0	0	0	23	20	0	0	0	0	0	25	0	43	200	830	0	0	2	0
11:45 AM	0	46	36	0	0	0	27	25	0	0	0	0	1	23	0	52	210	843	0	0	0	0
12:00 PM	0	54	34	0	0	0	20	27	0	0	0	0	1	22	0	67	225	828	0	0	0	0
12:15 PM	0	42	34	0	0	0	30	19	0	0	0	0	0	21	0	49	195		0	0	0	0
12:30 PM	0	48	51	0	0	0	31	21	0	0	0	0	0	19	0	43	213		0	0	0	0
12:45 PM	0	48	30	0	0	0	26	18	0	0	0	0	0	22	0	51	195		0	0	0	0

		East	bound			West	oound			North	oound			South	bound		
Vehicle Type	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total
Articulated Trucks	0	2	0	0	0	0	0	2	0	0	0	0	0	1	0	3	8
Lights	0	186	151	0	0	0	107	89	0	0	0	0	2	83	0	202	820
Mediums	0	2	4	0	0	0	1	1	0	0	0	0	0	1	0	6	15
Total	0	190	155	0	0	0	108	92	0	0	0	0	2	85	0	211	843




Location: 2 PARENTAL HOME ROAD & BARNES ROAD Noon


Date: Tuesday, September 15, 2020 Peak Hour: 11:30 AM - 12:30 PM

Peak 15-Minutes: 12:00 PM - 12:15 PM

Peak Hour - Motorized Vehicles



Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

Traffic Counts - Motorized Vehicles

	BA	ARNES	S ROAI)	BA	ARNES	ROAD		PARE	NTAL H	OME R	OAD	PARE	NTAL F	HOME F	ROAD						
Interval		Eastb	ound			Westb	ound			Northb	ound			South	oound			Rolling	Ped	lestriar	n Crossi	ngs
Start Time	U-Turn	Left	Thru	Right	U-Turn	Left	Thru R	light	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North
 11:00 AM	0	19	0	8	0	0	0	0	0	7	48	0	0	0	47	28	157	710	0	0	0	0
11:15 AM	0	28	0	10	0	0	0	0	0	2	60	0	0	0	46	22	168	763	0	0	0	0
11:30 AM	0	21	0	14	0	0	0	0	0	6	66	0	0	0	65	27	199	771	0	0	0	0
11:45 AM	0	15	0	14	0	0	0	0	0	7	65	0	0	0	61	24	186	751	0	0	0	0
12:00 PM	0	32	0	15	0	0	0	0	0	6	69	0	0	0	71	17	210	756	0	0	0	0
12:15 PM	0	18	0	9	0	0	0	0	0	2	59	0	0	0	62	26	176		0	0	0	0
12:30 PM	0	22	0	10	0	0	0	0	0	12	61	0	0	0	55	19	179		0	0	0	0
12:45 PM	0	23	0	7	0	0	0	0	0	13	59	0	0	0	68	21	191		0	0	0	0

		East	bound			West	oound			North	oound			South	bound		
Vehicle Type	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total
Articulated Trucks	0	1	0	0	0	0	0	0	0	0	5	0	0	0	3	1	10
Lights	0	81	0	49	0	0	0	0	0	20	250	0	0	0	251	91	742
Mediums	0	4	0	3	0	0	0	0	0	1	4	0	0	0	5	2	19
Total	0	86	0	52	0	0	0	0	0	21	259	0	0	0	259	94	771




Location: 3 PARENTAL HOME ROAD & DEAN ROAD Noon


Date: Tuesday, September 15, 2020 Peak Hour: 11:45 AM - 12:45 PM

Peak 15-Minutes: 12:00 PM - 12:15 PM

Peak Hour - Motorized Vehicles



Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

Traffic Counts - Motorized Vehicles

		DEAN	ROAD		[DEAN F	ROAD		PARE	NTAL H	IOME R	ROAD	PARE	NTAL F	IOME F	ROAD						
Interval		Eastb	ound			Westb	ound			Northb	ound			South	ound			Rolling	Ped	lestriar	n Crossi	ngs
Start Time	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North
11:00 AM	0	10	0	19	0	0	0	0	0	21	47	0	0	0	52	10	159	726	1	0	0	0
11:15 AM	0	11	0	23	0	0	0	0	0	25	60	0	0	0	55	11	185	775	1	0	0	0
11:30 AM	0	7	0	25	0	0	0	0	0	20	66	0	0	0	58	11	187	776	0	0	0	0
11:45 AM	0	13	0	24	0	0	0	0	0	26	59	0	0	0	62	11	195	780	0	0	0	0
12:00 PM	0	9	0	33	0	0	0	0	0	28	69	0	0	0	57	12	208	774	0	0	0	0
12:15 PM	0	20	0	26	0	0	0	0	0	27	50	0	0	0	58	5	186		2	0	0	0
12:30 PM	0	13	0	24	0	0	0	0	0	32	54	0	0	0	54	14	191		0	0	0	0
12:45 PM	0	7	0	21	0	0	0	0	0	19	62	0	0	0	73	7	189		0	0	0	0

		East	bound			West	oound			Northb	ound			South	bound		
Vehicle Type	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total
Articulated Trucks	0	0	0	0	0	0	0	0	0	1	3	0	0	0	4	1	9
Lights	0	55	0	107	0	0	0	0	0	107	225	0	0	0	219	41	754
Mediums	0	0	0	0	0	0	0	0	0	5	4	0	0	0	8	0	17
Total	0	55	0	107	0	0	0	0	0	113	232	0	0	0	231	42	780




Location: 4 PARENTAL HOME ROAD & HOGAN ROAD Noon


Date: Tuesday, September 15, 2020 Peak Hour: 12:00 PM - 01:00 PM

Peak 15-Minutes: 12:30 PM - 12:45 PM

Peak Hour - Motorized Vehicles



Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

Traffic Counts - Motorized Vehicles

	Н	OGAN	ROAD)	Н	OGAN	ROAD		PARE	NTAL H	OME F	ROAD	PARE	NTAL F	HOME F	ROAD						
Interval		Eastb	ound			Westb	ound			Northb	ound			South	oound			Rolling	Ped	lestriar	n Crossi	ngs
Start Time	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North
11:00 AM	0	7	25	6	0	9	21	25	0	7	42	3	0	15	46	12	218	925	0	0	0	0
11:15 AM	0	12	25	4	0	14	16	17	0	3	60	14	0	21	45	6	237	962	0	0	0	0
11:30 AM	0	13	34	3	0	9	13	26	0	5	51	7	0	14	52	6	233	967	0	0	0	0
11:45 AM	0	7	22	7	0	17	24	21	0	7	51	9	0	21	41	10	237	994	0	0	0	1
12:00 PM	0	4	32	7	0	11	18	33	0	2	65	11	0	19	46	7	255	1,007	0	0	0	0
12:15 PM	0	6	29	12	0	10	22	31	0	4	53	14	0	19	38	4	242		0	0	0	0
12:30 PM	0	7	31	10	0	16	26	28	0	4	55	15	0	15	47	6	260		0	0	0	0
12:45 PM	0	4	25	6	0	14	18	20	0	4	53	9	0	26	61	10	250		0	0	0	0

		East	bound			West	oound			Northb	oound			South	bound		
Vehicle Type	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total
Articulated Trucks	0	0	1	1	0	0	1	0	0	0	4	0	0	1	2	0	10
Lights	0	21	116	33	0	50	83	109	0	14	220	48	0	74	187	27	982
Mediums	0	0	0	1	0	1	0	3	0	0	2	1	0	4	3	0	15
Total	0	21	117	35	0	51	84	112	0	14	226	49	0	79	192	27	1,007




Location: 1 PARENTAL HOME ROAD & BOWDEN ROAD PM


Date: Tuesday, September 15, 2020 Peak Hour: 05:00 PM - 06:00 PM

Peak 15-Minutes: 05:30 PM - 05:45 PM

Peak Hour - Motorized Vehicles



Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

Traffic Counts - Motorized Vehicles

	BC	DWDEI	N ROAI	D	BC	WDEN	N ROAD)	PARE	NTAL H	OME F	ROAD	PARE	NTAL F	HOME F	ROAD						
Interval		Eastb	ound			Westb	ound			Northb	ound			South	bound			Rolling	Ped	estriar	n Crossi	ngs
Start Time	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North
3:00 PM	0	51	40	0	0	0	30	32	0	0	0	0	0	33	0	62	248	1,045	0	0	0	0
3:15 PM	0	61	38	0	0	0	44	26	0	0	0	0	0	25	0	45	239	1,062	0	0	0	0
3:30 PM	0	72	54	0	0	0	33	32	0	0	0	0	1	47	0	49	288	1,068	0	0	0	0
3:45 PM	0	75	53	0	0	0	31	37	0	0	0	0	0	23	0	51	270	1,090	0	0	0	0
4:00 PM	0	92	48	0	0	0	22	21	0	0	0	0	0	31	0	51	265	1,104	1	0	1	0
4:15 PM	0	71	42	0	0	0	22	38	0	0	0	0	0	27	0	45	245	1,155	0	0	0	0
4:30 PM	0	93	54	0	0	0	31	28	0	0	0	0	0	45	0	59	310	1,218	1	0	1	0
4:45 PM	0	66	66	0	0	0	28	34	0	0	0	0	0	27	0	63	284	1,230	0	0	0	0
5:00 PM	0	117	51	0	0	0	38	32	0	0	0	0	0	26	0	52	316	1,246	0	0	1	0
5:15 PM	0	84	70	0	0	0	32	41	0	0	0	0	0	27	0	54	308		0	0	0	0
5:30 PM	0	66	64	0	0	0	32	34	0	0	0	0	0	54	0	72	322		0	0	0	1
5:45 PM	0	92	50	0	0	0	28	25	0	0	0	0	0	44	0	61	300		0	0	1	0

		East	bound			West	oound			North	ound			South	bound		
Vehicle Type	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2
Lights	0	355	234	0	0	0	128	130	0	0	0	0	0	149	0	230	1,226
Mediums	0	4	1	0	0	0	2	2	0	0	0	0	0	2	0	7	18
Total	0	359	235	0	0	0	130	132	0	0	0	0	0	151	0	239	1,246




Location: 2 PARENTAL HOME ROAD & BARNES ROAD PM


Date: Tuesday, September 15, 2020 Peak Hour: 05:00 PM - 06:00 PM

Peak 15-Minutes: 05:30 PM - 05:45 PM

Peak Hour - Motorized Vehicles



Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

Traffic Counts - Motorized Vehicles

	B	ARNES	ROAD)	BA	ARNES	ROAD		PARE	NTAL H	OME F	ROAD	PARE	NTAL F	HOME F	ROAD						
Interval		Eastb	ound			Westb	ound			Northb	ound			South	bound			Rolling	Ped	estriar	Crossi	ngs
Start Time	U-Turn	Left	Thru	Right	U-Turn	Left	Thru R	ight	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North
 3:00 PM	0	47	0	25	0	0	0	0	0	14	69	0	0	0	69	32	256	1,037	0	1	0	0
3:15 PM	0	39	0	21	0	0	0	0	0	9	79	0	0	0	50	26	224	1,045	0	0	0	0
3:30 PM	0	41	0	18	0	0	0	0	0	14	92	0	0	0	78	43	286	1,080	0	0	0	0
3:45 PM	0	37	0	15	0	0	0	0	0	18	94	0	0	0	61	46	271	1,109	1	0	0	0
4:00 PM	0	28	0	14	0	0	0	0	0	9	110	0	0	0	68	35	264	1,111	1	0	0	0
4:15 PM	0	45	0	15	0	0	0	0	0	18	91	0	0	0	63	27	259	1,156	3	1	1	0
4:30 PM	0	46	0	26	0	0	0	0	0	12	117	0	0	0	82	32	315	1,181	0	0	0	0
4:45 PM	0	41	0	18	0	0	0	0	0	16	84	0	0	0	76	38	273	1,176	0	0	0	0
5:00 PM	0	47	0	12	0	0	0	0	0	7	145	0	0	0	64	34	309	1,193	0	1	0	0
5:15 PM	0	48	0	15	0	0	0	0	0	20	103	0	0	0	70	28	284		0	1	0	0
5:30 PM	0	36	0	28	0	0	0	0	0	11	96	0	0	0	95	44	310		0	0	0	0
5:45 PM	0	24	0	19	0	0	0	0	0	11	108	0	0	0	86	42	290		2	1	0	0

		East	bound			West	oound			Northb	ound			South	bound		
Vehicle Type	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total
Articulated Trucks	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2
Lights	0	153	0	74	0	0	0	0	0	48	445	0	0	0	304	145	1,169
Mediums	0	1	0	0	0	0	0	0	0	1	7	0	0	0	10	3	22
Total	0	155	0	74	0	0	0	0	0	49	452	0	0	0	315	148	1,193




Location: 3 PARENTAL HOME ROAD & DEAN ROAD PM


Date: Tuesday, September 15, 2020 Peak Hour: 05:00 PM - 06:00 PM

Peak 15-Minutes: 05:00 PM - 05:15 PM

Peak Hour - Motorized Vehicles



Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

Traffic Counts - Motorized Vehicles

lates al			ROAD			EAN F			PARE	NTAL H		ROAD	PARE		HOME F	ROAD			Dar	المسامعة المسامعة	O	
Interval		Eastb				Westb				Northb	ouna			South				Rolling			Crossir	
Start Time	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North
3:00 PM	0	28	0	37	0	0	0	0	0	29	93	0	0	0	57	11	255	1,056	0	0	0	0
3:15 PM	0	20	0	28	0	0	0	0	0	35	92	0	0	0	59	8	242	1,073	0	0	0	0
3:30 PM	0	13	0	50	0	0	0	0	0	36	110	0	0	0	60	14	283	1,104	0	0	0	0
3:45 PM	0	11	0	38	0	0	0	0	0	43	97	0	0	0	75	12	276	1,138	2	0	0	0
4:00 PM	0	13	0	38	0	0	0	0	0	40	100	0	0	0	71	10	272	1,119	0	0	0	0
4:15 PM	0	11	0	33	0	0	0	0	0	39	113	0	0	0	63	14	273	1,170	0	0	0	0
4:30 PM	0	26	0	35	0	0	0	0	0	55	113	0	0	0	78	10	317	1,196	0	0	0	0
4:45 PM	0	11	0	35	0	0	0	0	0	27	102	0	0	0	72	10	257	1,186	2	0	0	0
5:00 PM	0	15	0	39	0	0	0	0	0	49	145	0	0	0	60	15	323	1,210	2	0	0	0
5:15 PM	0	22	0	32	0	0	0	0	0	47	110	0	0	0	76	12	299		0	0	0	0
5:30 PM	0	12	0	46	0	0	0	0	0	34	98	0	0	0	105	12	307		0	1	0	0
5:45 PM	0	16	0	37	0	0	0	0	0	39	91	0	0	0	81	17	281		0	0	0	0

		East	bound			West	ound			North	ound			South	bound		
Vehicle Type	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2
Lights	0	65	0	150	0	0	0	0	0	167	440	0	0	0	309	56	1,187
Mediums	0	0	0	4	0	0	0	0	0	2	4	0	0	0	11	0	21
Total	0	65	0	154	0	0	0	0	0	169	444	0	0	0	322	56	1,210




Location: 4 PARENTAL HOME ROAD & HOGAN ROAD PM


Date: Tuesday, September 15, 2020 Peak Hour: 04:15 PM - 05:15 PM

Peak 15-Minutes: 04:30 PM - 04:45 PM

Peak Hour - Motorized Vehicles



Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

Traffic Counts - Motorized Vehicles

	Н	IOGAN	ROAD)	Н	OGAN	ROAD		PARE	NTAL H	OME F	ROAD	PARE	NTAL F	HOME F	ROAD						
Interval		Eastb	ound			Westb	ound			Northb	ound			Southl	oound			Rolling	Ped	lestriar	Crossir	ngs
Start Time	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North
3:00 PM	0	15	65	14	0	10	16	26	0	8	83	29	0	35	54	6	361	1,396	0	0	3	2
3:15 PM	0	12	46	4	0	15	24	45	0	5	82	18	0	27	53	3	334	1,366	1	0	0	0
3:30 PM	0	6	51	7	0	23	19	48	0	4	98	15	0	37	46	7	361	1,408	0	0	0	4
3:45 PM	0	8	47	14	0	12	20	28	0	7	81	13	0	29	75	6	340	1,444	0	0	0	0
4:00 PM	0	13	52	11	0	12	29	32	0	3	78	16	0	25	53	7	331	1,477	2	0	0	0
4:15 PM	0	15	68	5	0	15	25	38	0	5	92	20	0	32	58	3	376	1,540	1	0	0	0
4:30 PM	0	12	59	4	0	15	20	37	0	2	100	25	0	36	77	10	397	1,528	0	0	3	3
4:45 PM	0	11	42	4	0	17	35	34	0	5	90	10	0	44	77	4	373	1,529	0	0	0	0
5:00 PM	0	6	66	5	0	18	22	39	0	9	116	22	0	35	52	4	394	1,498	0	0	0	0
5:15 PM	0	10	54	8	0	15	27	37	0	6	94	20	0	24	67	2	364		0	1	0	0
5:30 PM	0	12	52	9	0	21	38	40	0	4	85	11	0	36	78	12	398		0	0	0	0
5:45 PM	0	6	40	12	0	16	28	40	0	4	82	14	0	29	66	5	342		1	0	0	0

		East	bound			West	ound			North	ound			South	bound		
Vehicle Type	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total
Articulated Trucks	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	2
Lights	0	42	234	18	0	65	98	148	0	21	389	77	0	146	257	20	1,515
Mediums	0	2	0	0	0	0	4	0	0	0	9	0	0	1	6	1	23
Total	0	44	235	18	0	65	102	148	0	21	398	77	0	147	264	21	1,540

Appendix B


FDOT TRENDs Worksheets



Traffic Trends - V03.a PARENTAL HOME ROAD --

FIN# 1234 Location 1

County:	Duval (72)
Station #:	9018
Highway:	PARENTAL HOME ROAD



	Traffic (ADT/AADT)						
Year	Count*	Trend**					
2010	11000	9800					
2011	8900	10400					
2012	10500	10800					
2013	10900	11100					
2014	11500	11300					
2015	11500	11400					
2016	12000	11600					
2017	11500	11700					
2018	12000	11800					
2019	12000	11900					
202	E Opening Ves	r Trond					
2025	5 Opening Yea N/A	12300					
	035 Mid-Year 1						
2035	N/A	12700					
	15 Design Year						
2045	N/A	13000					
	PLAN Forecas						

Trend R-squared: 47.75%
Compounded Annual Historic Growth Rate: 2.18%
Compounded Growth Rate (2019 to Design Year): 0.34%
Printed: 29-Oct-20

Decaying Exponential Growth Option

*Axle-Adjusted

Traffic Trends - V03.a PARENTAL HOME ROAD --

FIN#	1234
Location	1

 County:
 Duval (72)

 Station #:
 9018


 Highway:
 PARENTAL HOME ROAD

Year

Traffic (ADT/AADT)

Count* 11000

Trend**



202	5 Opening Yea	r Trend
2025	N/A	13700
2	035 Mid-Year 1	rend
2035	N/A	16000
	15 Design Year	Trend
2045	N/A	18400
TRAN	PLAN Forecas	ts/Trends
ł		

** Annual Trend Increase: 236

Trend R-squared: 56.93%

Trend Annual Historic Growth Rate: 2.31%

Trend Growth Rate (2019 to Design Year): 1.95%

Printed: 29-Oct-20

Straight Line Growth Option

*Axle-Adjusted


Traffic Trends - V03.a PARENTAL HOME ROAD --

FIN#	1234	
Location	2	

 County:
 Duval (72)

 Station #:
 9229

 Highway:
 PARENTAL HOME ROAD



	manie (Ab	177 0 10 11
Year	Count*	Trend**
2012	10900	10600
2013	10900	11000
2014	10900	11200
2015	11100	11400
2016	11300	11500
2017	11700	11600
2018	11900	11700
2019	12100	11800
202	5 Opening Yea	r Trend
2025	N/A	12100
	035 Mid-Year T	
2035	N/A	12400
204	15 Design Year	Trend
2045	N/A	12600
TRAN	PLAN Forecas	ts/Trends

Traffic (ADT/AADT)

Trend R-squared: 71.23%
Compounded Annual Historic Growth Rate: 1.54%
Compounded Growth Rate (2019 to Design Year): 0.25%
Printed: 29-Oct-20


Decaying Exponential Growth Option

*Axle-Adjusted

Traffic Trends - V03.a PARENTAL HOME ROAD --

FIN#	1234	
Location	2	

County: Duval (72)
Station #: 9229
Highway: PARENTAL HOME ROAD



** Annual Trend Increase:	190			
Trend R-squared:	91.80%			
Trend Annual Historic Growth Rate:	1.74%			
Trend Growth Rate (2019 to Design Year):	1.60%			
Printed:	29-Oct-20			
Straight Line Growth Option				

	Traffic (ADT/AADT)					
Year	Count*	Trend**				
2012	10900	10700				
2013	10900	10900				
2014	10900	11100				
2015	11100	11300				
2016	11300	11400				
2017	11700	11600				
2018	11900	11800				
2019	12100	12000				
202	5 Opening Yea	r Trend				
2025	N/A	13200				
	035 Mid-Year T					
2035	N/A	15100				
204	15 Design Year	Trend				
2045	N/A	17000				
TRAN	PLAN Forecas	ts/Trends				

*Axle-Adjusted



Florida Population Studies

Volume 53, Bulletin 186, January 2020

Projections of Florida Population by County, 2020–2045, with Estimates for 2019

Stefan Rayer, Population Program Director Ying Wang, Research Demographer

The Bureau of Economic and Business Research (BEBR) has been making population projections for Florida and its counties since the 1970s. This report presents our most recent set of projections and describes the methodology used to construct those projections. To account for uncertainty regarding future population growth, we publish three series of projections. We believe the medium series is the most likely to provide accurate forecasts in most circumstances, but the low and high series provide an indication of the uncertainty surrounding the medium series. It should be noted that these projections refer solely to permanent residents of Florida; they do not include tourists or seasonal residents.

State projections

The starting point for the state-level projections was the April 1, 2010 census population count by age, sex, race, and Hispanic origin, as adjusted by the National Center for Health Statistics (NCHS) in the Vintage 2017 bridged race population estimates. Projections were made in one-year intervals using a cohort-component methodology in which births, deaths, and migration are projected separately for each age-sex cohort in Florida for non-Hispanic whites, non-Hispanic nonwhites, and Hispanics. We applied three different sets of assumptions to provide low, medium, and high series of projections. Although the

low and high series do not provide absolute bounds on future population change, they provide a reasonable range in which Florida's future population is likely to fall.

Survival rates were applied by single year of age, sex, race, and Hispanic origin to project future deaths in the population. These rates were based on Florida Life Tables for 2007–2013, using mortality data published by the Office of Vital Statistics in the Florida Department of Health. The survival rates were adjusted upward each year until 2044 to account for projected increases in life expectancy. These adjustments were based on projected increases in survival rates released by the U.S. Census Bureau. We used the same mortality assumptions for all three series of projections because there is less uncertainty regarding future changes in mortality rates than is true for migration and fertility rates.

Domestic migration rates by age and sex were based on Public Use Microdata Sample (PUMS) files from the 2005–2009 and 2013–2017 American Community Survey (ACS) 5-year estimates. We chose an average of those two sets of migration estimates because the recession of 2007–2009 had a substantial impact on migration patterns in Florida, affecting inand out-migration in both time periods; in addition, projections based on more than one time period

tend to be more accurate than those based on a single time period. The 2005–2009 data are the earliest ACS 5-year migration estimates that are available, and the 2013–2017 data were the most recent at the time the state projections were made (early December 2019).

For all three racial/ethnic groups, we applied smoothing techniques to the age/sex-specific migration rates to adjust for data irregularities caused by small sample size. The smoothed in- and out-migration rates were weighted to account for recent changes in Florida's population growth rates. Projections of domestic in-migration were made by applying weighted in-migration rates to the projected population of the United States (minus Florida), using the most recent set of national projections produced by the U.S. Census Bureau. Projections of out-migration were made by applying weighted out-migration rates to the Florida population. In both instances, rates were calculated separately for males and females by race and ethnicity for each age up to 90 and over.

For the medium projection series, in-migration weights for non-Hispanic whites varied from 1.15 to 1.06, and out-migration weights varied from 0.97 to 0.95; for non-Hispanic nonwhites, in-migration weights varied from 1.12 to 1.03, and out-migration weights varied from 0.99 to 0.96; and for Hispanics, in-migration weights varied from 1.11 to 1.03, and out-migration weights varied from 0.99 to 0.96. For the low projection series, the in-migration weights described above were lowered for all three racial/ethnic groups over time - from 7% in 2020 to 11% in 2045; the out-migration weights were raised by the same margins. For the high projection series, the in-migration weights described above were raised for all three racial/ethnic groups over time from 7% in 2020 to 11% in 2045; the out-migration weights were lowered by the same margins.

The distribution of foreign immigrants for the three racial/ethnic groups by age and sex was also based on an average of the patterns observed for 2005–2009 and 2013–2017. Again, we smoothed the esti-

mates to account for irregularities in the age/sex distribution of immigrants. For the medium projection series, we held foreign immigration at an average of the 2005–2009 and 2013–2017 levels, with some short-term adjustments based on recent trends. In addition, we made minor adjustments to the racial/ethnic distribution of those migrants based on recent trends. For the low series, foreign immigration was projected to decrease by 1,500 per year from the average of the 2005–2009 and 2013–2017 levels; for the high series, foreign immigration was projected to increase by 1,000 per year. Foreign emigration was assumed to equal 25% of foreign immigration for each series of projections.

Projections were made in one-year intervals, with each projection serving as the base for the following projection. Projected in-migration for each one-year interval was added to the survived Florida population at the end of the interval and projected out-migration was subtracted, giving a projection of the population age one and older.

Births were projected by applying age-specific birth rates (adjusted for child mortality) to the projected female population of each racial/ethnic group. These birth rates were based on Florida birth data for 2007–2013 published by the Office of Vital Statistics in the Florida Department of Health. They imply a total fertility rate (TFR) of 1.66 births per woman for non-Hispanic whites, 2.08 births per woman for non-Hispanic nonwhites, 1.92 births per woman for Hispanics, and 1.83 births per woman for total population. These rates were adjusted in the short-term projections to make them consistent with recent fertility trends. We also raised them long-term, though slightly less than last year. We made this downward adjustment, because recorded resident births in Florida, after having increased each year from 2012 through 2016, have trended downward again over the past three years (the birth data for 2019 are still provisional). By 2033, the adjusted rates imply a total fertility rate of 1.68 births per woman for non-Hispanic whites, 2.12 births per woman for non-Hispanic nonwhites, 1.97 births per woman for Hispanics, and 1.86 births per woman for total population.

As a final step, projections for non-Hispanic whites, non-Hispanic nonwhites, and Hispanics were added together to provide projections of the total population. The medium projections of total population for 2020–2024 were adjusted to be consistent with the state population forecasts for those years produced by the State of Florida's Demographic Estimating Conference (DEC) held December 3, 2019. None of the projections after 2024 had any further adjustments. In this publication, we provide projections for 2020, 2025, 2030, 2035, 2040, and 2045. State projections for other years are available by request.

County projections

The cohort-component method is a good way to make population projections at the state level, but is not necessarily the best way to make projections at the county level. Many counties in Florida are so small that the number of persons in each age-sex category is inadequate for making reliable cohort-component projections, given the lack of detailed smallarea data. Even more important, county growth patterns are so volatile that a single technique based on data from a single time period may provide misleading results. We believe more useful projections of total population can be made by using several different techniques and historical base periods.

For counties, we started with the population estimate constructed by BEBR for April 1, 2019. We made projections for each county using five different techniques. After 2020, the projections were made in five-year increments. The five techniques were:

- 1. Linear the population will change by the same number of persons in each future year as the average annual change during the base period.
- 2. Exponential the population will change at the same percentage rate in each future year as the average annual rate during the base period.
- 3. Share-of-growth each county's share of state population growth in the future will be the same as its share during the base period.

- 4. Shift-share each county's share of the state population will change by the same annual amount in the future as the average annual change during the base period.
- 5. Constant-share each county's share of the state population will remain constant at its 2019 level.

For the linear and share-of-growth techniques we used base periods of two, ten, and twenty years (2017–2019, 2009–2019, and 1999–2019), yielding three sets of projections for each technique. For the exponential and shift-share techniques we used base periods of five and fifteen years (2014–2019 and 2004–2019), yielding two sets of projections for each technique. The constant-share method was based on data for a single year (2019).

This methodology produced eleven projections for each county for each projection year (2020, 2025, 2030, 2035, 2040, and 2045). From these, we calculated five averages: one using all eleven projections (AVE-11), one that excluded the highest and lowest projections (AVE-9), one that excluded the two highest and two lowest projections (AVE-7), one that excluded the three highest and three lowest projections (AVE-5), and one that excluded the four highest and four lowest projections (AVE-3). Based on the results of previous research, we designated the average that excluded the three highest and three lowest projections (AVE-5) as the default technique for each county. We evaluated the resulting projections by comparing them with historical population trends and with the level of population growth projected for the state as a whole. For counties in which AVE-5 did not provide reasonable projections, we selected the technique producing projections that fit most closely with our evaluation criteria.

For 66 counties we selected AVE-5, the average in which the three highest and three lowest projections were excluded. For Monroe County, we selected an average of projections made with the exponential technique with a base period of five years and the linear technique with a base period of two years. In

addition, we made manual adjustments to the projections in six counties in the Florida Panhandle to account for estimated population losses or slowdowns in growth due to the impacts of Hurricane Michael (Bay, Calhoun, Gadsden, Gulf, Jackson, and Liberty counties).

We also made adjustments in several counties to account for changes in institutional populations such as university students and prison inmates. Adjustments were made only in counties in which institutional populations account for a large proportion of total population or where changes in the institutional population have been substantially different than changes in the rest of the population. In the present set of projections, adjustments were made for Alachua, Baker, Bradford, Calhoun, Columbia, DeSoto, Dixie, Franklin, Gadsden, Gilchrist, Glades, Gulf, Hamilton, Hardee, Hendry, Holmes, Jackson, Jefferson, Lafayette, Leon, Liberty, Madison, Okeechobee, Santa Rosa, Sumter, Suwannee, Taylor, Union, Wakulla, Walton, and Washington counties.

Range of county projections

The techniques described in the previous section were used to construct the medium series of county projections. This is the series we believe will generally provide the most accurate forecasts of future population change. We also constructed low and high projections to provide an indication of the uncertainty surrounding the medium county projections. The low and high projections were based on analyses of past population forecast errors for counties in Florida, broken down by population size and growth rate. They indicate the range into which approximately three-quarters of future county populations will fall, if the future distribution of forecast errors is similar to the past distribution.

The range between the low and high projections varies according to a county's population size in 2019 (less than 30,000; 30,000 to 199,999; and 200,000 or more), rate of population growth between 2009 and 2019 (less than 7.5%; 7.5–15%; 15–30%; and 30% or more), and the length of the projection horizon (on average, projection errors grow with the length of the projection horizon). Our studies have found that the distribution of absolute percent errors tends to remain fairly stable over time, leading us to believe that the low and high projections provide a reasonable range of errors for most counties. It must be emphasized, however, that the actual future population of any given county could be below the low projection or above the high projection.

For the medium series of projections, the sum of the county projections equals the state projection for each year (except for slight differences due to rounding). For the low and high series, however, the sum of the county projections does not equal the state projection. The sum of the low projections for counties is lower than the state's low projection and the sum of the high projections for counties is higher than the state's high projection. This occurs because potential variation around the medium projection is greater for counties than for the state as a whole.

Acknowledgement

Funding for these projections was provided by the Florida Legislature.

Copyright © 2020 by the University of Florida.

Projections of Florida Population by County, 2020–2045, with Estimates for 2019

County	Estimates			Projections,	April 1		
and State	April 1, 2019	2020	2025	2030	2035	2040	2045
ALACHUA Low Medium High	267,306	258,900 269,800 280,500	262,300 281,500 299,400	264,300 291,600 318,000	265,100 300,200 334,300	264,500 307,400 348,800	262,300 313,300 361,400
BAKER Low Medium High	28,249	27,100 28,500 29,900	27,500 29,900 32,400	27,700 31,100 34,900	27,700 32,000 37,300	27,600 32,900 39,700	27,300 33,600 41,900
BAY Low Medium High	167,283	168,500 175,300 182,500	173,300 185,700 198,500	176,400 193,700 213,700	178,400 200,300 228,000	179,400 206,000 241,000	179,700 210,900 253,800
BRADFORD Low Medium High	28,682	27,400 28,800 30,200	26,900 29,200 31,700	26,300 29,500 33,100	25,600 29,800 34,500	24,900 30,000 35,900	24,300 30,300 37,200
BREVARD Low Medium High	594,469	577,900 602,400 626,000	594,000 637,600 678,100	603,000 665,000 725,700	608,300 687,900 766,900	610,400 707,400 805,100	612,200 726,000 843,700
BROWARD Low Medium High	1,919,644	1,862,500 1,941,200 2,017,700	1,899,500 2,039,000 2,168,500	1,917,100 2,115,200 2,307,300	1,924,900 2,179,100 2,426,900	1,923,700 2,233,900 2,537,300	1,920,500 2,285,100 2,646,600
CALHOUN Low Medium High	14,067	14,100 14,900 15,600	14,200 15,400 16,700	14,100 15,800 17,800	13,900 16,200 18,800	13,800 16,500 19,800	13,600 16,800 20,800
CHARLOTTE Low Medium High	181,770	175,300 184,700 193,800	181,500 198,100 213,800	185,200 208,700 232,500	187,200 217,400 250,200	188,200 225,200 266,900	188,900 232,500 284,600
CITRUS Low Medium High	147,744	143,300 149,400 155,300	146,600 157,100 168,000	149,000 163,600 180,400	150,300 168,900 192,100	150,800 173,400 202,600	150,900 177,300 213,100
CLAY Low Medium High	215,246	210,100 219,000 227,600	220,600 236,800 251,800	229,300 252,500 276,000	235,200 265,000 296,600	239,300 275,600 315,700	242,400 285,100 334,100
COLLIER Low Medium High	376,706	365,000 384,600 403,400	385,500 421,200 451,600	400,300 451,700 497,500	410,800 477,200 538,500	416,600 498,400 575,500	420,100 517,400 611,300
COLUMBIA Low Medium High	70,492	67,700 70,500 73,300	68,600 73,500 78,600	69,200 76,000 83,800	69,300 78,000 88,600	69,100 79,700 92,900	68,700 81,200 97,100
DESOTO Low Medium High	36,065	34,900 36,300 37,800	35,000 37,500 40,100	34,800 38,300 42,200	34,500 38,900 44,100	34,100 39,500 45,700	33,500 39,900 47,400
DIXIE Low Medium High	16,610	15,900 16,700 17,500	15,500 16,900 18,300	15,100 17,000 19,000	14,600 17,100 19,700	14,200 17,100 20,300	13,700 17,100 21,000

County	Estimates			Projections, A	April 1		
and State	April 1, 2019	2020	2025	2030	2035	2040	2045
DUVAL Low Medium High	970,672	945,300 985,500 1,024,100	979,800 1,051,900 1,118,600	1,001,700 1,104,300 1,205,600	1,017,300 1,148,700 1,282,700	1,024,700 1,185,300 1,351,600	1,025,400 1,216,200 1,413,100
ESCAMBIA Low Medium High	321,134	314,100 324,000 333,600	319,200 336,400 354,800	321,500 345,800 374,200	322,100 353,000 389,700	321,800 359,300 404,100	321,600 365,200 418,200
FLAGLER Low Medium High	110,635	106,500 113,400 120,000	113,900 126,500 137,700	119,900 138,300 155,800	124,500 148,400 173,600	127,700 157,300 190,500	129,600 165,200 207,500
FRANKLIN Low Medium High	12,273	11,600 12,200 12,800	11,500 12,500 13,600	11,400 12,800 14,400	11,200 13,100 15,200	11,000 13,200 15,900	10,800 13,400 16,600
GADSDEN Low Medium High	46,277	44,500 46,300 48,300	43,900 47,000 50,300	42,800 47,100 51,800	41,700 47,200 53,300	40,600 47,300 54,500	39,500 47,400 55,700
GILCHRIST Low Medium High	17,766	17,100 18,000 18,900	17,400 18,900 20,500	17,600 19,700 22,200	17,600 20,400 23,700	17,500 20,900 25,200	17,400 21,400 26,700
GLADES Low Medium High	13,121	12,600 13,200 13,900	12,400 13,500 14,700	12,200 13,700 15,400	12,000 13,900 16,200	11,700 14,100 16,800	11,500 14,200 17,600
GULF Low Medium High	13,082	14,000 14,700 15,500	14,000 15,300 16,500	14,000 15,700 17,600	13,800 16,000 18,600	13,700 16,400 19,700	13,500 16,600 20,700
HAMILTON Low Medium High	14,600	13,900 14,600 15,300	13,600 14,800 16,000	13,200 14,900 16,600	12,800 14,900 17,200	12,300 14,900 17,700	11,900 15,000 18,300
HARDEE Low Medium High	27,385	26,200 27,600 28,900	25,400 27,600 30,000	24,600 27,700 31,000	23,800 27,800 32,100	23,000 27,800 33,100	22,200 27,900 34,100
HENDRY Low Medium High	40,120	38,900 40,500 42,100	39,400 42,200 45,200	39,600 43,500 48,000	39,500 44,500 50,600	39,400 45,500 53,000	39,300 46,400 55,500
HERNANDO Low Medium High	188,358	181,700 191,500 200,900	188,900 206,100 222,500	194,300 218,900 244,000	197,200 228,900 263,600	198,300 237,200 281,200	198,100 244,400 298,500
HIGHLANDS Low Medium High	103,434	100,000 104,200 108,300	100,700 107,800 115,300	100,800 110,800 122,100	100,400 113,200 128,400	99,700 115,200 133,900	98,900 117,100 139,700
HILLSBOROUGH Low Medium High	1,444,870	1,399,100 1,474,300 1,546,400	1,474,700 1,611,300 1,727,500	1,525,600 1,721,600 1,895,700	1,555,200 1,809,000 2,038,500	1,577,000 1,887,700 2,178,600	1,590,200 1,959,200 2,314,000

County	Estimates			Projections, A	April 1		
and State	April 1, 2019	2020	2025	2030	2035	2040	2045
HOLMES Low Medium High	20,049	19,200 20,200 21,200	18,700 20,300 22,000	18,100 20,400 22,800	17,500 20,400 23,600	17,000 20,500 24,400	16,400 20,500 25,100
INDIAN RIVER Low Medium High	154,939	149,600 157,600 165,400	155,700 170,000 183,400	160,000 180,200 200,900	162,100 188,200 216,700	163,000 195,000 231,100	162,800 200,900 245,300
JACKSON Low Medium High	46,969	45,400 47,100 49,100	44,500 47,600 50,900	43,400 47,800 52,600	42,400 48,000 54,100	41,300 48,100 55,500	40,200 48,300 56,800
JEFFERSON Low Medium High	14,776	14,100 14,800 15,600	13,900 15,100 16,400	13,600 15,300 17,200	13,300 15,400 17,900	12,900 15,600 18,600	12,600 15,700 19,300
LAFAYETTE Low Medium High	8,482	8,300 8,700 9,100	8,400 9,100 9,900	8,400 9,400 10,600	8,400 9,700 11,300	8,300 9,900 11,900	8,200 10,100 12,600
LAKE Low Medium High	357,247	347,800 366,600 384,400	376,000 410,900 440,400	399,700 450,300 496,700	417,200 482,700 546,800	429,500 510,300 593,400	438,400 534,800 638,000
LEE Low Medium High	735,148	714,200 752,800 789,400	764,600 835,500 895,600	802,400 904,700 997,000	829,000 961,400 1,086,600	848,300 1,010,900 1,171,800	863,900 1,056,600 1,257,100
LEON Low Medium High	296,499	287,600 299,800 311,600	293,300 314,900 334,900	296,900 327,500 357,400	298,400 337,800 376,300	298,100 346,200 393,200	296,900 353,700 409,100
LEVY Low Medium High	41,330	39,900 41,600 43,200	39,900 42,700 45,700	39,700 43,600 48,000	39,300 44,300 50,200	38,800 44,900 52,100	38,200 45,500 54,000
LIBERTY Low Medium High	8,772	8,300 8,800 9,200	8,300 9,100 9,800	8,300 9,400 10,500	8,300 9,600 11,200	8,300 9,900 11,900	8,200 10,100 12,500
MADISON Low Medium High	19,570	18,300 19,200 20,200	17,900 19,500 21,100	17,500 19,700 22,000	17,000 19,800 23,000	16,600 20,000 23,800	16,100 20,100 24,700
MANATEE Low Medium High	387,414	375,600 395,800 415,100	397,700 434,600 465,900	413,500 466,500 513,800	425,400 493,800 557,600	435,600 519,200 601,800	442,900 542,200 644,500
MARION Low Medium High	360,421	351,000 365,900 380,300	365,200 392,100 416,900	376,500 414,800 453,100	383,700 432,800 483,700	388,000 447,900 511,700	389,700 460,800 537,000
MARTIN Low Medium High	158,598	152,400 160,600 168,500	155,400 169,500 183,000	156,800 176,900 196,900	157,100 182,900 210,000	156,700 188,200 222,200	155,800 193,000 234,700

County	Estimates			Projections, /	April 1		
and State	April 1, 2019	2020	2025	2030	2035	2040	2045
MIAMI-DADE Low Medium High	2,812,130	2,734,000 2,849,900 2,961,800	2,815,500 3,022,600 3,214,300	2,873,400 3,167,900 3,458,200	2,917,900 3,294,700 3,679,000	2,938,500 3,399,200 3,875,800	2,944,500 3,489,900 4,057,700
MONROE Low Medium High	76,212	73,200 76,300 79,300	71,500 76,500 81,900	69,800 76,800 84,500	68,100 77,100 87,000	66,400 77,400 89,200	64,700 77,700 91,400
NASSAU Low Medium High	85,070	81,600 86,900 92,100	86,200 95,800 104,300	89,400 103,100 116,100	91,200 109,100 127,200	92,100 114,300 137,500	92,500 118,900 148,000
OKALOOSA Low Medium High	201,514	195,500 203,800 211,800	199,600 214,300 227,900	202,500 223,300 243,700	203,600 230,400 256,800	203,900 236,600 269,000	203,900 242,300 280,900
OKEECHOBEE Low Medium High	41,808	40,400 42,100 43,800	40,600 43,400 46,500	40,400 44,400 48,900	40,200 45,300 51,300	39,800 46,000 53,500	39,400 46,700 55,700
ORANGE Low Medium High	1,386,080	1,346,300 1,418,900 1,488,000	1,439,500 1,573,000 1,686,200	1,504,600 1,696,800 1,869,600	1,548,500 1,797,400 2,029,700	1,584,300 1,888,700 2,188,600	1,610,900 1,972,200 2,344,100
OSCEOLA Low Medium High	370,552	361,000 384,800 407,000	406,300 452,100 488,400	442,500 510,200 568,000	469,700 558,900 640,700	491,000 602,200 711,600	508,900 642,600 783,900
PALM BEACH Low Medium High	1,447,857	1,406,300 1,465,800 1,523,500	1,441,300 1,547,200 1,645,400	1,465,900 1,616,500 1,764,200	1,483,700 1,676,600 1,870,700	1,494,900 1,729,500 1,971,800	1,497,500 1,775,200 2,063,600
PASCO Low Medium High	527,122	515,300 537,300 558,300	545,800 586,100 623,100	569,400 626,800 685,200	585,600 659,200 738,300	597,100 686,700 787,600	605,200 711,000 833,900
PINELLAS Low Medium High	978,045	955,000 984,900 1,014,100	962,400 1,014,400 1,069,900	962,500 1,035,600 1,120,200	957,600 1,051,300 1,158,700	953,600 1,066,600 1,197,400	948,200 1,080,600 1,233,300
POLK Low Medium High	690,606	668,200 704,100 738,500	701,500 766,400 821,700	723,800 817,000 899,500	737,600 858,000 966,700	745,000 893,100 1,029,200	748,800 924,700 1,089,600
PUTNAM Low Medium High	73,268	70,400 73,300 76,300	68,700 73,600 78,700	66,900 73,700 81,100	65,300 73,900 83,400	63,500 74,100 85,400	61,800 74,300 87,300
ST. JOHNS Low Medium High	254,412	247,500 263,900 279,200	278,000 309,300 334,200	301,300 347,600 386,800	318,500 379,400 434,500	332,400 408,100 481,800	343,900 434,900 529,700
ST. LUCIE Low Medium High	309,359	302,300 315,200 327,500	319,300 342,900 364,600	333,800 367,500 401,700	344,300 387,400 434,100	352,000 404,400 464,300	357,600 419,400 492,800

County	Estimates			Projections,	April 1		
and State	April 1, 2019	2020	2025	2030	2035	2040	2045
SANTA ROSA Low	179,054	171,600	179,700	184,800	188,000	189,300	189,500
Medium		182,800	199,600	213,400	225,100	235,100	244,200
High		193,600	217,400	240,100	262,100	282,500	303,400
SARASOTA	426,275						
Low	,_,	415,600	433,000	444,200	452,400	459,000	463,900
Medium		433,300	464,900	489,600	510,500	529,400	546,500
High		450,200	494,300	534,600	570,400	605,400	639,200
SEMINOLE	471,735						
Low		459,300 478,800	475,700	485,800	493,100	496,900	498,500
Medium High		478,800 497,600	510,700 543,100	535,600 584,700	556,900 621,800	574,700 655,400	590,400 686,900
_		437,000	343,100	304,700	021,000	055,400	000,500
SUMTER Low	128,633	122,800	134,700	144,600	151,000	155,700	158,800
Medium		132,300	152,300	170,800	185,700	199,100	211,500
High		141,300	167,400	194,500	219,800	245,000	270,800
SUWANNEE	45,423						
Low	,	44,000	45,100	45,900	46,400	46,500	46,500
Medium		45,900	48,300	50,400	52,100	53,500	54,700
High		47,700	51,700	55,600	59,300	62,500	65,700
TAYLOR	22,458	24.500	24 222	24 222	22.722		10.000
Low Medium		21,500 22,600	21,300 23,200	21,000 23,600	20,700 24,000	20,300 24,300	19,900 24,700
High		23,800	25,100	26,500	27,800	29,200	30,600
UNION	15,505						
Low	13,303	14,700	14,300	13,900	13,400	12,900	12,400
Medium		15,500	15,600	15,600	15,700	15,700	15,700
High		16,300	16,900	17,500	18,100	18,600	19,100
VOLUSIA	538,763						
Low		523,000 545,200	534,500 573,800	540,000 595,800	541,900	542,700 629,700	542,400 644,700
Medium High		566,600	610,200	650,000	613,600 683,300	715,800	747,400
_	22.076	,	,	,	,	,	,
WAKULLA Low	32,976	31,600	32,400	33,000	33,100	33,000	32,700
Medium		33,300	35,400	37,200	38,500	39,600	40,600
High		34,900	38,200	41,400	44,300	46,800	49,300
WALTON	70,071						
Low		67,600	73,400	77,700	80,800	83,000	84,800
Medium		72,100	81,500	89,600	96,200	102,200	107,700
High		76,300	88,800	101,000	112,600	123,900	135,700
WASHINGTON	25,387	22,000	23,800	22 600	22.200	22.000	22.200
Low Medium		23,900 25,200	25,900 25,900	23,600 26,500	23,200 27,000	22,800 27,300	22,300 27,700
High		26,500	28,100	29,700	31,300	32,700	34,200
FLORIDA	21,208,589						
Low	,0,000	20,926,300	22,105,500	22,970,200	23,580,900	24,020,900	24,340,400
Medium		21,556,000	23,130,900	24,426,200	25,498,000	26,428,700	27,266,900
High		22,173,900	24,133,900	25,847,700	27,370,100	28,783,400	30,135,700



FLORIDA DEPARTMENT OF TRANSPORTATION



FLORIDA POPULATION PROJECTIONS FROM 2020 TO 2045 WITH 2010 CENSUS AND 2016 ESTIMATES

District	US	Current		Рор	ulation Proje	ctions, April	1	
Summary by County	Census April 1, 2010	Estimate April 1, 2016	2020	2025	2030	2035	2040	2045
District 1	2,658,027	2,861,841	3,079,400	3,331,000	3,545,400	3,744,400	3,921,100	4,084,300
Charlotte	159,978		180,100	191,000	200,400	208,400	215,600	222,100
Collier	321,520	350,202	379,200	413,000	442,000	469,200	493,800	516,000
DeSoto	34,862	35,141	35,900	36,700	37,500	38,200	38,700	39,200
Glades	12,884	13,047	13,500	14,000	14,400	14,700	15,000	15,300
Hardee	27,731	27,637	27,800	27,900	28,100	28,200	28,300	28,300
Hendry	39,140	38,370	39,200	40,100	40,600	41,100	41,700	42,100
Highlands	98,786	101,531	105,400	109,600	113,000	115,600	117,600	119,600
Lee	618,754	680,539	748,900	828,100	895,900	962,900	1,024,700	1,081,700
Manatee	322,833	357,591	388,700	425,700	458,700	487,700	511,800	535,200
Okeechobee	39,996	40,806	41,900	43,100	44,000	44,700	45,300	45,900
Polk	602,095	646,989	698,000	757,200	806,800	853,700	896,400	935,200
Sarasota	379,448	399,538	420,800	444,600	464,000	480,000	492,200	503,700
District 2	1,960,058	2,079,483	2,204,300	2,348,700	2,477,300	2,593,600	2,694,500	2,788,200
Alachua	247,336	257,062	265,500	275,200	283,100	290,300	296,700	302,700
Baker	27,115		27,800	28,700	29,500	30,100	30,600	31,100
Bradford	28,520	27,440	28,800	29,300	29,500	29,700	29,900	30,100
Clay	190,865	205,321	223,400	244,200	262,100	278,700	294,100	308,300
Columbia	67,531	68,566	71,100	73,700	75,800	77,600	79,100	80,300
Dixie	16,422	16,773	17,200	17,700	18,100	18,400	18,700	18,900
Duval	864,263	923,647	975,500	1,035,100	1,089,300	1,138,500	1,179,900	1,218,700
Gilchrist	16,939	16,848	17,500	18,400	19,000	19,600	20,100	20,500
Hamilton	14,799	14,665	15,300	15,600	15,900	16,200	16,400	16,600
Lafayette	8,870	8,621	8,900	9,200	9,500	9,800	10,000	10,200
Levy	40,801	40,553	41,700	43,000	44,100	44,900	45,600	46,200
Madison	19,224	19,238	19,400	19,500	19,600	19,700	19,800	19,900
Nassau	73,314	77,841	83,900	91,200	97,600	103,400	108,700	113,500
Putnam	74,364	72,972	73,100	73,600	74,000	74,300	74,600	74,800
St. Johns	190,039	220,257	250,500	287,000	320,800	351,100	377,500	402,200
Suwannee	41,551	44,349	46,000	47,800	49,300	50,600	51,800	52,700
Taylor	22,570	22,478	22,400	22,700	23,000	23,200	23,300	23,500
Union	15,535	15,887	16,300	16,800	17,100	17,500	17,700	18,000
District 3	1,366,092	1,438,229	1,502,900	1,577,000	1,638,700	1,691,600	1,737,800	1,780,800
Bay	168,852	176,016	184,700	194,600	202,700	209,400	215,100	220,700
Calhoun	14,625	14,580	14,900	15,200	15,400	15,600	15,700	15,900
Escambia	297,619		317,100	325,500	332,900	338,200	342,200	345,800
Franklin	11,549	11,916	12,100	12,400	12,600	12,800	12,900	13,000
Gadsden	46,389		49,200	49,900	50,600	51,300	51,900	52,300
Gulf	15,863		17,100	17,700	18,100	18,500	18,800	19,100
Holmes	19,927		20,200	20,400	20,500	20,500	20,500	20,600
Jackson	49,746		50,900	51,400	51,800	52,100	52,500	52,800
Jefferson	14,761	14,498	14,700	14,900	15,000	15,100	15,100	15,200

FLORIDA DEPARTMENT OF TRANSPORTATION



FLORIDA POPULATION PROJECTIONS FROM 2020 TO 2045 WITH 2010 CENSUS AND 2016 ESTIMATES

District Summary	US Census	Current Estimate		Pop	oulation Proje	ections, April	1	
by County		April 1, 2016	2020	2025	2030	2035	2040	2045
District 3 (contin	ureq)							
Leon	275,487	287,671	301,800	318,300	332,500	344,600	354,500	363,600
Liberty	8,365	8,736	9,200	9,700	10,100	10,500	10,800	11,100
Okaloosa	180,822	192,925	200,400	208,300	214,300	220,100	225,000	229,700
Santa Rosa	151,372	167,009	181,400	197,900	211,700	223,700	235,300	246,300
Wakulla	30,776	31,599	33.300	35,400	37,100	38,600	40.000	41,200
Walton	55,043	62,943	70,400	79,300	86,800	93,700	100,300	106,100
Washington	24,896	24,888	25,500	26,100	26,600	26,900	27,200	27,400
vvasnington	24,000	24,000	20,000	20,100	20,000	20,000	21,200	21,400
District 4	3,630,335	3,836,360	4,039,300	4,271,600	4,462,300	4,627,300	4,774,100	4,910,800
Broward	1,748,066	1,854,513	1,940,700	2,038,400	2,117,200	2,182,300	2,237,900	2,290,800
Indian River	138,028	146,410	156,600	168,400	178,300	186,900	194,800	201,800
Martin	146,318	150,870	157,500	164,300	169,700	174,300	178,100	181,300
Palm Beach	1,320,134	1,391,741	1,465,900	1,550,600	1,619,100	1,679,700	1,735,100	1,786,600
St. Lucie	277,789	292,826	318,600	349,900	378,000	404,100	428,200	450,300
District 5	3,692,794	4,030,109	4,367,000	4,766,300	5,110,700	5,411,500	5,683,900	5,936,200
Brevard	543,376	568,919	595,700	625,500	649,200	666,300	681,700	696,100
Flagler	95,696	103,095	115,300	130,000	143,400	156,000	167,900	178,900
Lake	297,047	323,985	355,300	391,600	422,800	451,300	478,400	503,600
Marion	331,303	345,749	367,500	392,800	414,800	434,700	452,000	467,600
Orange	1,145,956	1,280,387	1,404,500	1,553,800	1,682,300	1,794,300	1,898,600	1,995,100
Osceola	268,685	322,862	372,800	435,200	491,200	537,600	577,600	616,300
Seminole	422,718	449,124	474,700	504,000	528,400	550,700	570,300	588,000
Sumter	93,420	118,577	140,900	168,100	192,600	216,000	236,400	255,200
Volusia	494,593	517,411	540,300	565,300	586,000	604,600	621,000	635,400
District 6	2,569,547	2,776,841	2,937,600	3,125,100	3,296,900	3,451,400	3,592,900	3,719,700
Miami-Dade	2,496,457	2,700,794	2,861,400	3,048,600	3,220,000	3,374,200	3,515,800	3,642,700
Monroe	73,090	76,047	76,200	76,500	76,900	77,200	77,100	77,000
District 7	2,924,479	3,125,791	3,308,600	3,524,200	3,712,800	3,877,500	4,022,000	4,158,600
Citrus	141,236	143,054	148,400	154,500	159,600	163,800	167,100	170,000
Hernando	172,778	179,503	191,100	204,600	216,300	227,000	236,200	244,400
Hillsborough	1,229,226	1,352,797	1,466,900	1,602,900	1,722,900	1,824,900	1,919,900	2,007,100
Pasco	464,697	495,868	534,800	579,800	618,300	653,900	686,000	715,800
Pinellas	916,542	954,569	967,400	982,400	995,700	1,007,900	1,012,800	1,021,300
Florida	18,801,332	20,148,654	21,439,100	22,943,900	24,244,100	25,397,300	26,426,300	27,378,600


SOURCES


U.S. Department of Commerce - Bureau of the Census


University of Florida - Bureau of Economic and Business Research


NOTE:


County totals are rounded to the nearest 100 persons, county may not add to statewide totals due to rounding.























Appendix C

Travel Time and Speed Data









Friday 12/18/2020 1:03:33 PM

Travel Time & Delay Report for Parental Homes Road - 12/9/2020

Legend:

Dir:

Summarized Direction of Travel (NB. SB. EB. or WB)

TT:

Summarized Travel Time from previous Node (seconds)

CTT:

Summarized Cumulative Travel Time since beginning of Run (seconds)

TL:

Summarized Travel Distance from previous Node (feet)

CTL:

Summarized Cumulative Travel Distance since beginning of Run (feet)

Delay:

Summarized Delay in Travel Time from previous Node based on user-specified design speed and distance (seconds) = TT - RT

CD:

Summarized Cumulative Delay since beginning of Run (seconds) = CTT - CRT

KI:

Summarized Running Time from previous Node (seconds) = DL/DS

CRT:

Summarized Cumulative Running Time (seconds) = accumulation of DL/DS since beginning of Run

PLSD:

Summarized Delay in Posted Speed Limit Travel Time from previous Node (seconds) = TT - DL/PLS

CPLSD:

Summarized Cumulative Posted Speed Limit Delay since beginning of Run (seconds)

PLRT:

Summarized Posted Speed Limit Running Time, or Travel Time from previous Node if maintaining Posted Speed Limit (seconds) = DL/PLS

CPLRT:

Summarized Cumulative Posted Speed Limit Running Time, or Travel Time since beginning of Run if maintaining Posted Speed Limit (seconds) = accumulation of DL/PLS since beginning of Run

StopD:

Summarized Stopped Delay, or Time spent Waiting in Queue while traveling from previous Node (seconds). The "Stopped Delay" is counted from when the speed drops below 5 mph after exceeding 15 mph until it exceeds 15 mph once again

CStopD:

Summarized Cumulative Stopped Delay since beginning of Run (seconds). The "Stopped Delay" is counted from when the speed drops below 5 mph after exceeding 15 mph until it exceeds 15 mph once again

AS:

Summarized Actual Average Speed from previous Node (mph) = TL/TT

CAS:

Summarized Cumulative Actual Average Speed since beginning of Run (mph) = CTL/CTT

PLS:

Summarized User-specified Posted Speed Limit (mph)

Stops:

Summarized Number of Stops in Travel from previous Node. A "Stop" is counted when the speed drops below 5 mph after exceeding 15 mph

CStops:

Summarized Cumulative number of Stops in Run. A "Stop" is counted when the speed drops below 5 mph after exceeding 15 mph

Friday 12/18/2020 1:00:40 PM

Travel Time & Delay Report for Parental Homes Road - 12/9/2020

Cumulative Summary of runs Northbound from Bowden Rd

5 Neither-type runs, 5 of unverifiable origin, collected Wednesday 12/9/2020 to Wednesday 12/9/2020, over day(s) Wed, with starting times during 7:06:26 AM to 7:38:54 AM

	CTT	CTL	<u>CD</u>	<u>CRT</u>	CPLSD	<u>CPLRT</u>	CStopD	CAS	CStops
to Hogan Rd									
Average Neither (n=5)	210	9385	28	183	28	183	19	30.8	1.2
Std Dev Neither (n=5)	27	21	27	0	27	0	22	3.7	0.8

Cumulative Summary of runs Southbound from Hogan Rd

5 Neither-type runs, 5 of unverifiable origin, collected Wednesday 12/9/2020 to Wednesday 12/9/2020, over day(s) Wed, with starting times during 7:01:38 AM to 7:35:17 AM

	CTT	CTL	<u>CD</u>	CRT	<u>CPLSD</u>	<u>CPLRT</u>	<u>CStopD</u>	CAS	CStops
to Bowden Rd									
Average Neither (n=5)	227	9820	44	183	44	183	24	29.8	1.4
Std Dev Neither (n=5)	39	991	39	0	39	0	15	3.3	0.5

Cumulative Summary of all runs, either direction through artery

10 Neither-type runs, 10 of unverifiable origin, collected Wednesday 12/9/2020 to Wednesday 12/9/2020, over day(s) Wed, with starting times during 7:04:15 AM to 7:40:41 AM

	CTT	CTL	CD	CRT	CPLSD	CPLRT	CStopD	CAS	<u>CStops</u>
to End of Artery									
Average Neither (n=10)	219	9603	36	183	36	183	21	30.3	1.3
Std Dev Neither (n=10)	33	700	33	0	33	0	18	3.3	0.7
Difference	0	0	0	0	0	0	0	0.0	0.0
Std Dev Difference	0	0	0	0	0	0	0	0.0	0.0
% Difference	N/D	N/D	N/D	N/D	N/D	N/D	N/D	N/D	N/D

Friday 12/18/2020 1:00:40 PM

Travel Time & Delay Report for Parental Homes Road - 12/9/2020

Summary of runs Northbound from Bowden Rd
5 Neither-type runs, 5 of unverifiable origin, collected Wednesday 12/9/2020 to Wednesday 12/9/2020, over day(s) Wed, with starting times during
7:06:26 AM to 7:38:54 AM

Node	<u>Dir</u>	<u>ΤΤ</u>	CTT	<u>TL</u>	CTL	Delay	<u>CD</u>	RT	CRT	PLSD	CPLSD	PLRT	CPLRT	StopD	CStopD	<u>AS</u>	CAS	<u>PLS</u>	Stops	CStops
to Barn	es R	ld																		
Average Neither (n=5)	NB	51	51	2116	2116	10	10	41	41	10	10	41	41	2	2	28.8	28.8	35	0.2	0.2
Std Dev Neither (n=5)	NB	9	9	19	19	9	9	0	0	9	9	0	0	4	4	4.4	4.4	0	0.4	0.4
to Dean	Rd																			
Average Neither (n=5)	NB	41	92	1595	3711	10	20	31	72	10	20	31	72	7	9	27.4	27.9	35	0.6	0.8
Std Dev Neither (n=5)	NB	8	12	3	18	8	12	0	0	8	12	0	0	7	6	5.5	3.6	0	0.5	0.4
to Hoga	n R	d					·													
Average Neither (n=5)	NB	118	210	5675	9385	8	28	110	183	8	28	110	183	10	19	33.2	30.8	35	0.4	1.2
Std Dev Neither (n=5)	NB	18	27	5	21	18	27	0	0	18	27	0	0	18	22	4.3	3.7	0	0.5	0.8

Friday 12/18/2020 1:00:40 PM

Travel Time & Delay Report for Parental Homes Road - 12/9/2020

Summary of runs Southbound from Hogan Rd
5 Neither-type runs, 5 of unverifiable origin, collected Wednesday 12/9/2020 to Wednesday 12/9/2020, over day(s) Wed, with starting times during
7:01:38 AM to 7:35:17 AM

Node	<u>Dir</u>	<u>TT</u>	CTT	<u>TL</u>	CTL	Delay	<u>CD</u>	<u>RT</u>	CRT	PLSD	CPLSD	PLRT	CPLRT	StopD	CStopD	<u>AS</u>	CAS	<u>PLS</u>	Stops	CStops
to Dean	Rd																			
Average Neither (n=5)	SB	110	110	5666	5666	0	0	110	110	0	0	110	110	3	3	35.2	35.2	35	0.2	0.2
Std Dev Neither (n=5)	SB	6	6	5	5	6	6	0	0	6	6	0	0	6	6	2.0	2.0	0	0.4	0.4
to Barne	es R	d																		
Average Neither (n=5)	SB	42	152	1607	7273	10	10	31	142	10	10	31	142	8	10	28.1	33.1	35	0.6	0.8
Std Dev Neither (n=5)	SB	12	17	2	6	12	17	0	0	12	17	0	0	7	11	8.1	3.8	0	0.5	0.8
to Bowo	den	Rd																		
Average Neither (n=5)	SB	76	227	2547	9820	35	44	41	183	35	44	41	183	13	24	23.7	29.8	35	0.6	1.4
Std Dev Neither (n=5)	SB	33	39	987	991	33	39	0	0	33	39	0	0	15	15	4.4	3.3	0	0.5	0.5

Friday 12/18/2020 1:03:33 PM

Travel Time & Delay Report for Parental Homes Road - 12/9/2020

Legend:

Dir:

Summarized Direction of Travel (NB. SB. EB. or WB)

TT:

Summarized Travel Time from previous Node (seconds)

CTT:

Summarized Cumulative Travel Time since beginning of Run (seconds)

TL:

Summarized Travel Distance from previous Node (feet)

CTL:

Summarized Cumulative Travel Distance since beginning of Run (feet)

Delay:

Summarized Delay in Travel Time from previous Node based on user-specified design speed and distance (seconds) = TT - RT

CD:

Summarized Cumulative Delay since beginning of Run (seconds) = CTT - CRT

KI:

Summarized Running Time from previous Node (seconds) = DL/DS

CRT:

Summarized Cumulative Running Time (seconds) = accumulation of DL/DS since beginning of Run

PLSD:

Summarized Delay in Posted Speed Limit Travel Time from previous Node (seconds) = TT - DL/PLS

CPLSD:

Summarized Cumulative Posted Speed Limit Delay since beginning of Run (seconds)

PLRT:

Summarized Posted Speed Limit Running Time, or Travel Time from previous Node if maintaining Posted Speed Limit (seconds) = DL/PLS

CPLRT:

Summarized Cumulative Posted Speed Limit Running Time, or Travel Time since beginning of Run if maintaining Posted Speed Limit (seconds) = accumulation of DL/PLS since beginning of Run

StopD:

Summarized Stopped Delay, or Time spent Waiting in Queue while traveling from previous Node (seconds). The "Stopped Delay" is counted from when the speed drops below 5 mph after exceeding 15 mph until it exceeds 15 mph once again

CStopD:

Summarized Cumulative Stopped Delay since beginning of Run (seconds). The "Stopped Delay" is counted from when the speed drops below 5 mph after exceeding 15 mph until it exceeds 15 mph once again

AS:

Summarized Actual Average Speed from previous Node (mph) = TL/TT

CAS:

Summarized Cumulative Actual Average Speed since beginning of Run (mph) = CTL/CTT

PLS:

Summarized User-specified Posted Speed Limit (mph)

Stops:

Summarized Number of Stops in Travel from previous Node. A "Stop" is counted when the speed drops below 5 mph after exceeding 15 mph

CStops:

Summarized Cumulative number of Stops in Run. A "Stop" is counted when the speed drops below 5 mph after exceeding 15 mph

Friday 12/18/2020 1:01:54 PM

Travel Time & Delay Report for Parental Homes Road - 12/9/2020

Cumulative Summary of runs Northbound from Bowden Rd

5 Neither-type runs, 5 of unverifiable origin, collected Wednesday 12/9/2020 to Wednesday 12/9/2020, over day(s) Wed, with starting times during 12:26:29 PM to 12:57:30 PM

	CTT	CTL	<u>CD</u>	<u>CRT</u>	CPLSD	<u>CPLRT</u>	CStopD	CAS	CStops
to Hogan Rd									
Average Neither (n=5)	208	9398	25	183	25	183	19	31.0	1.0
Std Dev Neither (n=5)	18	10	18	0	18	0	17	2.7	1.0

Cumulative Summary of runs Southbound from Hogan Rd

5 Neither-type runs, 5 of unverifiable origin, collected Wednesday 12/9/2020 to Wednesday 12/9/2020, over day(s) Wed, with starting times during 12:22:25 PM to 12:54:04 PM

	CTT	CTL	<u>CD</u>	CRT	CPLSD	<u>CPLRT</u>	<u>CStopD</u>	CAS	CStops
to Bowden Rd									
Average Neither (n=5)	206	9377	23	183	23	183	22	31.3	8.0
Std Dev Neither (n=5)	23	21	23	0	23	0	18	3.2	0.4

Cumulative Summary of all runs, either direction through artery

10 Neither-type runs, 10 of unverifiable origin, collected Wednesday 12/9/2020 to Wednesday 12/9/2020, over day(s) Wed, with starting times during 12:24:46 PM to 12:58:53 PM

	CTT	CTL	CD	CRT	CPLSD	CPLRT	CStopD	CAS	<u>CStops</u>
to End of Artery									
Average Neither (n=10)	207	9387	24	183	24	183	20	31.2	0.9
Std Dev Neither (n=10)	19	19	19	0	19	0	17	2.8	0.7
Difference	0	0	0	0	0	0	0	0.0	0.0
Std Dev Difference	0	0	0	0	0	0	0	0.0	0.0
% Difference	N/D	N/D	N/D	N/D	N/D	N/D	N/D	N/D	N/D

Friday 12/18/2020 1:01:54 PM

Travel Time & Delay Report for Parental Homes Road - 12/9/2020

Summary of runs Northbound from Bowden Rd

5 Neither-type runs, 5 of unverifiable origin, collected Wednesday 12/9/2020 to Wednesday 12/9/2020, over day(s) Wed, with starting times during 12:26:29 PM to 12:57:30 PM

Node	<u>Dir</u>	<u>ΤΤ</u>	CTT	<u>TL</u>	CTL	Delay	<u>CD</u>	RT	CRT	PLSD	CPLSD	PLRT	CPLRT	StopD	CStopD	<u>AS</u>	CAS	<u>PLS</u>	Stops	CStops
to Barn	to Barnes Rd																			
Average Neither (n=5)	NB	48	48	2122	2122	7	7	41	41	7	7	41	41	0	0	30.4	30.4	35	0.0	0.0
Std Dev Neither (n=5)	NB	3	3	13	13	3	3	0	0	3	3	0	0	0	0	1.6	1.6	0	0.0	0.0
to Dean	Rd																			
Average Neither (n=5)	NB	39	87	1596	3718	8	15	31	72	8	15	31	72	6	6	28.8	29.3	35	0.4	0.4
Std Dev Neither (n=5)	NB	8	7	2	12	8	7	0	0	8	7	0	0	8	8	5.9	2.4	0	0.5	0.5
to Hoga	n R	d					·													
Average Neither (n=5)	NB	121	208	5680	9398	10	25	110	183	10	25	110	183	13	19	32.4	31.0	35	0.6	1.0
Std Dev Neither (n=5)	NB	15	18	9	10	15	18	0	0	15	18	0	0	14	17	3.7	2.7	0	0.5	1.0

Friday 12/18/2020 1:01:54 PM

Travel Time & Delay Report for Parental Homes Road - 12/9/2020

Summary of runs Southbound from Hogan Rd
5 Neither-type runs, 5 of unverifiable origin, collected Wednesday 12/9/2020 to Wednesday 12/9/2020, over day(s) Wed, with starting times during
12:22:25 PM to 12:54:04 PM

Node	Dir	TT	CTT	<u>TL</u>	CTL	Delay	<u>CD</u>	<u>RT</u>	CRT	PLSD	CPLSD	PLRT	CPLRT	StopD	CStopD	AS	CAS	PLS	Stops	CStops
to Dean	Rd																			
Average Neither (n=5)	SB	105	105	5664	5664	-5	-5	110	110	-5	-5	110	110	0	0	36.8	36.8	35	0.0	0.0
Std Dev Neither (n=5)	SB	4	4	2	2	4	4	0	0	4	4	0	0	0	0	1.2	1.2	0	0.0	0.0
to Barn	es R	ld																		
Average Neither (n=5)	SB	34	139	1612	7276	2	-3	31	142	2	-3	31	142	2	2	33.3	35.9	35	0.2	0.2
Std Dev Neither (n=5)	SB	5	8	2	2	5	8	0	0	5	8	0	0	4	4	4.7	2.0	0	0.4	0.4
to Bow	den	Rd																		
Average Neither (n=5)	SB	67	206	2101	9377	26	23	41	183	26	23	41	183	20	22	23.2	31.3	35	0.6	0.8
Std Dev Neither (n=5)	SB	23	23	20	21	23	23	0	0	23	23	0	0	20	18	7.2	3.2	0	0.5	0.4

Friday 12/18/2020 1:03:33 PM

Travel Time & Delay Report for Parental Homes Road - 12/9/2020

Legend:

Dir:

Summarized Direction of Travel (NB. SB. EB. or WB)

TT:

Summarized Travel Time from previous Node (seconds)

CTT:

Summarized Cumulative Travel Time since beginning of Run (seconds)

TL:

Summarized Travel Distance from previous Node (feet)

CTL:

Summarized Cumulative Travel Distance since beginning of Run (feet)

Delay:

Summarized Delay in Travel Time from previous Node based on user-specified design speed and distance (seconds) = TT - RT

CD:

Summarized Cumulative Delay since beginning of Run (seconds) = CTT - CRT

KI:

Summarized Running Time from previous Node (seconds) = DL/DS

CRT:

Summarized Cumulative Running Time (seconds) = accumulation of DL/DS since beginning of Run

PLSD:

Summarized Delay in Posted Speed Limit Travel Time from previous Node (seconds) = TT - DL/PLS

CPLSD:

Summarized Cumulative Posted Speed Limit Delay since beginning of Run (seconds)

PLRT:

Summarized Posted Speed Limit Running Time, or Travel Time from previous Node if maintaining Posted Speed Limit (seconds) = DL/PLS

CPLRT:

Summarized Cumulative Posted Speed Limit Running Time, or Travel Time since beginning of Run if maintaining Posted Speed Limit (seconds) = accumulation of DL/PLS since beginning of Run

StopD:

Summarized Stopped Delay, or Time spent Waiting in Queue while traveling from previous Node (seconds). The "Stopped Delay" is counted from when the speed drops below 5 mph after exceeding 15 mph until it exceeds 15 mph once again

CStopD:

Summarized Cumulative Stopped Delay since beginning of Run (seconds). The "Stopped Delay" is counted from when the speed drops below 5 mph after exceeding 15 mph until it exceeds 15 mph once again

AS:

Summarized Actual Average Speed from previous Node (mph) = TL/TT

CAS:

Summarized Cumulative Actual Average Speed since beginning of Run (mph) = CTL/CTT

PLS:

Summarized User-specified Posted Speed Limit (mph)

Stops:

Summarized Number of Stops in Travel from previous Node. A "Stop" is counted when the speed drops below 5 mph after exceeding 15 mph

CStops:

Summarized Cumulative number of Stops in Run. A "Stop" is counted when the speed drops below 5 mph after exceeding 15 mph

Friday 12/18/2020 1:02:31 PM

Travel Time & Delay Report for Parental Homes Road - 12/9/2020

Cumulative Summary of runs Northbound from Bowden Rd

5 Neither-type runs, 5 of unverifiable origin, collected Wednesday 12/9/2020 to Wednesday 12/9/2020, over day(s) Wed, with starting times during 5:17:58 PM to 5:54:45 PM

	CTT	CTL	<u>CD</u>	<u>CRT</u>	CPLSD	<u>CPLRT</u>	CStopD	CAS	CStops
to Hogan Rd									
Average Neither (n=5)	235	9367	53	183	53	183	31	27.2	1.6
Std Dev Neither (n=5)	15	11	15	0	15	0	9	1.8	0.9

Cumulative Summary of runs Southbound from Hogan Rd

5 Neither-type runs, 5 of unverifiable origin, collected Wednesday 12/9/2020 to Wednesday 12/9/2020, over day(s) Wed, with starting times during 5:14:04 PM to 5:50:58 PM

	CTT	CTL	<u>CD</u>	CRT	CPLSD	<u>CPLRT</u>	<u>CStopD</u>	CAS	CStops
to Bowden Rd									
Average Neither (n=5)	243	9372	60	183	60	183	49	26.4	1.6
Std Dev Neither (n=5)	14	19	14	0	14	0	15	1.5	0.5

Cumulative Summary of all runs, either direction through artery

10 Neither-type runs, 10 of unverifiable origin, collected Wednesday 12/9/2020 to Wednesday 12/9/2020, over day(s) Wed, with starting times during 5:16:30 PM to 5:56:30 PM

	CTT	CTL	CD	CRT	CPLSD	CPLRT	CStopD	CAS	<u>CStops</u>
to End of Artery									
Average Neither (n=10)	239	9369	56	183	56	183	40	26.8	1.6
Std Dev Neither (n=10)	14	15	14	0	14	0	15	1.6	0.7
Difference	0	0	0	0	0	0	0	0.0	0.0
Std Dev Difference	0	0	0	0	0	0	0	0.0	0.0
% Difference	N/D	N/D	N/D	N/D	N/D	N/D	N/D	N/D	N/D

Friday 12/18/2020 1:02:31 PM

Travel Time & Delay Report for Parental Homes Road - 12/9/2020

Summary of runs Northbound from Bowden Rd
5 Neither-type runs, 5 of unverifiable origin, collected Wednesday 12/9/2020 to Wednesday 12/9/2020, over day(s) Wed, with starting times during
5:17:58 PM to 5:54:45 PM

Node	<u>Dir</u>	<u>ΤΤ</u>	CTT	<u>TL</u>	CTL	Delay	<u>CD</u>	RT	CRT	PLSD	CPLSD	PLRT	CPLRT	StopD	CStopD	<u>AS</u>	CAS	<u>PLS</u>	Stops	CStops
to Barn	to Barnes Rd																			
Average Neither (n=5)	NB	53	53	2095	2095	12	12	41	41	12	12	41	41	2	2	27.2	27.2	35	0.4	0.4
Std Dev Neither (n=5)	NB	7	7	2	2	7	7	0	0	7	7	0	0	4	4	3.2	3.2	0	0.5	0.5
to Dean	Rd																			
Average Neither (n=5)	NB	36	89	1596	3691	5	17	31	72	5	17	31	72	1	4	30.8	28.6	35	0.2	0.6
Std Dev Neither (n=5)	NB	5	11	2	3	5	11	0	0	5	11	0	0	3	5	4.1	3.3	0	0.4	0.9
to Hoga	n R	d																		
Average Neither (n=5)	NB	146	235	5675	9367	36	53	110	183	36	53	110	183	27	31	26.6	27.2	35	1.0	1.6
Std Dev Neither (n=5)	NB	12	15	9	11	12	15	0	0	12	15	0	0	11	9	2.2	1.8	0	0.0	0.9


Friday 12/18/2020 1:02:31 PM


Travel Time & Delay Report for Parental Homes Road - 12/9/2020

Summary of runs Southbound from Hogan Rd
5 Neither-type runs, 5 of unverifiable origin, collected Wednesday 12/9/2020 to Wednesday 12/9/2020, over day(s) Wed, with starting times during
5:14:04 PM to 5:50:58 PM


Node	<u>Dir</u>	<u>TT</u>	CTT	<u>TL</u>	CTL	Delay	<u>CD</u>	RT	CRT	PLSD	CPLSD	PLRT	CPLRT	StopD	CStopD	<u>AS</u>	CAS	<u>PLS</u>	Stops	CStops
to Dean	to Dean Rd																			
Average Neither (n=5)	SB	116	116	5666	5666	5	5	110	110	5	5	110	110	3	3	33.6	33.6	35	0.2	0.2
Std Dev Neither (n=5)	SB	10	10	6	6	10	10	0	0	10	10	0	0	6	6	2.6	2.6	0	0.4	0.4
to Barne	es R	d																		
Average Neither (n=5)	SB	43	158	1607	7273	11	17	31	142	11	17	31	142	7	10	27.1	31.5	35	0.4	0.6
Std Dev Neither (n=5)	SB	12	12	3	5	12	12	0	0	12	12	0	0	11	11	6.6	2.5	0	0.5	0.5
to Bowo	len	Rd																		
Average Neither (n=5)	SB	85	243	2099	9372	43	60	41	183	43	60	41	183	39	49	17.2	26.4	35	1.0	1.6
Std Dev Neither (n=5)	SB	12	14	21	19	12	14	0	0	12	14	0	0	12	15	2.8	1.5	0	0.0	0.5

Parental Homes Road - 12/9/2020 Fri. 12/18/2020 1:18 PM Trip Log "(imported) <![CDATA[Lat:30.287579, Lon:-81.579186, Ele:-15.301698]]>" started 7:00 AM 12/9/2020






Parental Homes Road - 12/9/2020 Fri. 12/18/2020 1:20 PM Trip Log "(imported) <[CDATA[Lat:30.287578, Lon:-81.579050, Ele:-31.590820]]>" started 10:00 AM 12/9/2020



```
(imported) <|[CDATA[Lat:30.287578, Lon:-81.579050, Ele:-31.590820]]> Run 2 started 12:26 PM 12/9/2020 (imported) <|[CDATA[Lat:30.287578, Lon:-81.579050, Ele:-31.590820]]> Run 4 started 12:24 PM 12/9/2020 (imported) <|[CDATA[Lat:30.287578, Lon:-81.579050, Ele:-31.590820]]> Run 4 started 12:24 PM 12/9/2020 (imported) <|[CDATA[Lat:30.287578, Lon:-81.579050, Ele:-31.590820]]> Run 8 started 12:50 PM 12/9/2020 (imported) <|[CDATA[Lat:30.287578, Lon:-81.579050, Ele:-31.590820]]> Run 10 started 12:57 PM 12/9/2020 Average Link Time Median Link Time Median Link Time
```

Parental Homes Road - 12/9/2020 Fri. 12/18/2020 1:20 PM Trip Log "(imported) <![CDATA[Lat:30.290327, Lon:-81.592611, Ele:-22.588165]]>" started 5:12 PM 12/9/2020




Appendix D

Survey Results




Q1 Which best describes your use of Parental Home Road?



ANSWER CHOICES	RESPONSES	
I live near Parental Home Road and use it to get to many of my destinations.	66.32%	126
I use Parental Home Road to access Beach Boulevard.	20.53%	39
I don't live near Parental Home Road, but I use it to get to work or school.	9.47%	18
I never use Parental Home Road.	3.68%	7
TOTAL		190

Q2 How often do you walk or bike on Parental Home Road?



ANSWER CHOICES	RESPONSES	
Once a day	5.41%	10
Multiple times a day	3.24%	6
A few times per week	11.35%	21
Occasionally (a few times a month)	27.57%	51
Never	52.43%	97
TOTAL		185

Q3 What do you think is the best characteristic of Parental Home Road?

Answered: 133 Skipped: 63

#	RESPONSES	DATE
1	Easy access to destinations within the neighborhood	6/7/2021 9:43 PM
2	Needs work	6/7/2021 9:39 PM
3	It's a quiet street with a nice treescape as you drive through.	6/7/2021 9:12 AM
4	Line of site	5/31/2021 2:42 PM
5	It connects me with the main streets that I take to get to my destinations daily.	5/31/2021 1:19 PM
6	Access	5/31/2021 11:35 AM
7	It connects beach Blvd. with hogan and Bowden rd.	5/30/2021 11:10 PM
8	trees	5/30/2021 4:09 PM
9	Drew Park and Liberty Bakery	5/29/2021 10:06 PM
10	none	5/29/2021 4:10 PM
11	Good less traffic short-cut!	5/29/2021 12:16 PM
12	Location	5/29/2021 7:11 AM
13	Connects major corridors	5/28/2021 10:18 PM
14	light traffic usually	5/28/2021 10:14 PM
15	The length	5/28/2021 9:15 PM
16	Trees	5/28/2021 7:22 PM
17	Quiet	5/27/2021 11:53 AM
18	No speed humps	5/26/2021 2:52 AM
19	The quickest way to get to beach blvd	5/25/2021 10:14 AM
20	Country feel	5/24/2021 7:15 AM
21	The trees	5/23/2021 10:44 PM
22	Tree canopy at bowden	5/23/2021 10:40 PM
23	It is a good neighborhood area and a quick way to get where I need to go from where I live.	5/23/2021 9:25 PM
24	Trees and nice residential, parks	5/23/2021 6:42 AM
25	The 'tree tunnel' at the end by Bowden. Please don't remove it! It's a pretty spot.	5/23/2021 5:41 AM
26	The trees are beautiful	5/23/2021 12:36 AM
27	Great connection	5/22/2021 10:02 PM
28	Pld	5/22/2021 8:49 PM
29	The shortcut it provides between Beach and University Blvds.	5/22/2021 6:11 PM
30	Trees	5/22/2021 3:01 PM
31	Trees	5/22/2021 8:48 AM
32	Cut Through	5/22/2021 7:01 AM
33	A mildly busy road at peak times	5/21/2021 11:48 PM

Parental Home Road Survey

34	The lanes when going toward the Beach on Beach were well designed for on/off traffic flow on Parental Home	5/21/2021 11:02 PM
35	Location	5/21/2021 6:36 PM
36	Many neighborhoods with trees.	5/21/2021 5:22 PM
37	Oak trees	5/21/2021 2:00 PM
38	Not sure.	5/21/2021 12:59 PM
39	Nice homes and yards	5/21/2021 11:30 AM
40	Gives you an exposure to a traditional Jacksonville neighborhood	5/20/2021 2:15 PM
41	Nothing	5/20/2021 2:03 PM
42	It connects many neighborhoods with Beach Blvd.	5/20/2021 7:47 AM
43	Access to many main roads	5/20/2021 1:22 AM
44	The trees	5/19/2021 3:41 PM
45	East Road and Parental Home Road are extremely dangerous even with the sidewalks. The speeding is out of control	5/19/2021 8:30 AM
46	I love the little bakery at the corner of Parental and Bowden	5/19/2021 7:58 AM
47	scenic	5/19/2021 7:47 AM
48	Goes through Nice neighborhood	5/18/2021 5:16 PM
49	Trees	5/18/2021 4:16 PM
50	Convenient road to other places	5/18/2021 4:08 PM
51	Nothing needs bike access	5/18/2021 12:58 PM
52	Shade and tree-line road.	5/18/2021 11:58 AM
53	SHADE TREES	5/18/2021 11:07 AM
54	It follows the natural landscape created by the Pottsburg Creek watershed	5/18/2021 11:00 AM
55	nothing	5/18/2021 10:45 AM
56	The feel of a somewhat rural type road. The existing sidewalk and partial pieces. That you can access other areas of town such as South Point, University Blvd, Southside Blvd all while staying off of the major roadways. With the homes, ball park, schools and apartments in the area, there seems to be a substantial amount of pedestrians. Would really like to see it stay at a posted low speed and possibly use traffic calming enhancements at determined high speed or safety area concerns. Thank you.	5/18/2021 10:13 AM
57	The best part for me is the route. There are not good alternate routes with less traffic.	5/18/2021 9:33 AM
58	Sidewalks and parks	5/18/2021 4:23 AM
59	Trees	5/17/2021 12:49 PM
60	It's attractive between Bowden and Barnes. It provides great access between Bowden and Hogan and Beach.	5/17/2021 10:08 AM
61	The Park	5/17/2021 6:24 AM
62	Homey	5/16/2021 8:54 PM
63	The houses, trees, animals, everything. It's a good walks hearing little animals; watching people on porch, doing yard work. But on bad side cars going too fast sometimes don't want to share road with people or bicycles. My husband stop bicycling because he doesn't feel safe.	5/16/2021 8:20 PM
	Even walking it's a challenge.	

Parental Home Road Survey

65	It's a nice road or use to be in the 70's and 80's.It could be, but people don't respect it	5/16/2021 12:11 PM
66	nice road.	5/16/2021 11:46 AM
67	A good road	5/16/2021 8:56 AM
68	Connects to/from multiple feeder roads and Beach Blvd.	5/16/2021 7:56 AM
69	Less traffic	5/15/2021 8:18 PM
70	The old trees at the end near Bowden Rd. The Old Oak Trees Are Well Known For Parental Home Road, My Whole Life, 56 years now.plus they were there when my mom was born and she's 81 The Old Oak Trees!!!	5/15/2021 3:49 PM
71	It's long and walkable great for family walks	5/15/2021 11:43 AM
72	Access to Beach Blvd as well as I-95	5/15/2021 7:30 AM
73	Nice drive	5/14/2021 11:20 PM
74	The quint old Florida vibe, the convince of the road.	5/14/2021 10:25 PM
75	It's a neighborhood street not a highway	5/14/2021 8:52 PM
76	Many large trees! It's rural characteristics with many older homes sitting on huge lots.	5/14/2021 6:19 PM
77	I like the fact that it is mostly still 2 lanes from dean to hogan	5/14/2021 5:47 PM
78	It allows access to Beach Blvd for those of us who live between Belfort and Barnes	5/14/2021 5:34 PM
79	busy	5/14/2021 4:51 PM
80	It's access to Bowden Road	5/14/2021 2:19 PM
81	Old neighborhood	5/14/2021 2:09 PM
82	Easy access to Beach, Bowden, and Hogan. Friendly neighbors.	5/14/2021 1:22 PM
83	There isn't much good, except the original widening at the Bowden end. The traffic is bad and travels much faster than the 35 mph speed limit.	5/14/2021 1:03 PM
84	Great road condition	5/14/2021 12:42 PM
85	Love the trees at the end where Bowden Road is	5/14/2021 11:55 AM
86	Not much. It's not safe to walk or bike. Only use it because I live here.	5/14/2021 11:32 AM
87	Beautiful	5/14/2021 11:02 AM
88	Beautiful houses and yards	5/14/2021 10:27 AM
89	Residential, lots of trees.	5/14/2021 10:10 AM
90	Homey	5/14/2021 9:47 AM
91	The beauty of the gorgeous trees and birds and natural feel with wildlife. It's graceful and quite. It gets you away from confession and is peaceful. Going to places in there are a pleasure. I access Belfort and Hogan the but use it for Sallisberru and other destinations too. There are old beautiful homes with great huge yards. the mofrom there	5/14/2021 9:39 AM
92	Beauty of the property and homes	5/14/2021 9:36 AM
93	Neighborhood	5/14/2021 9:24 AM
94	The community	5/14/2021 8:38 AM
95	Trees	5/14/2021 7:46 AM
96	It provides access to many roadways	5/14/2021 7:38 AM
97	Historical homes and yards for those of us who grew up there.	5/14/2021 7:36 AM
98	There is hardly ever any traffic	5/14/2021 7:32 AM
99	The trees and medians on the southern end of the road	5/14/2021 7:31 AM

Parental Home Road Survey

100	Easy-to-use diagonal connection from Bowden to Beach.	5/14/2021 7:22 AM
101	The older homes have their own characteristics surrounded by beautiful trees	5/14/2021 7:21 AM
102	Few traffic lights	5/14/2021 7:20 AM
103	Residual neighborhood w/ old growth trees	5/14/2021 7:07 AM
104	?	5/14/2021 6:15 AM
105	A road that people use a a cut through to Bowen road	5/14/2021 5:50 AM
106	Though I live a block away from Parental it is a "cut through" road. It has always been a major road to get from Southside. Even 40 yrs ago I remember cutting through on it. This also its best characteristic.	5/13/2021 11:41 PM
107	Well maintained	5/13/2021 10:42 PM
108	The divider on south end of Parental Home Road with the 100 year old oaks	5/13/2021 9:22 PM
109	Not sure it has a best characteristic anymore.	5/13/2021 8:33 PM
110	It is allows easy access to Beach Blvd.	5/13/2021 7:53 PM
111	Old road. Get rid of the over grown trees.	5/13/2021 7:32 PM
112	Large lots with a lot of family history.	5/13/2021 6:01 PM
113	Way too busy as too many people use it as a cut through just like they use Hogan as a cut through and too many fly way above the speed limit because they don't live here and don't care.	5/13/2021 5:28 PM
114	The trees!	5/13/2021 5:26 PM
115	None	5/13/2021 4:38 PM
116	I like the overall speed of the road however needs to be designed with more bicycle and pedestrian friendly	5/13/2021 2:38 PM
117	Busy	5/13/2021 1:57 PM
118	Clean	5/13/2021 1:08 PM
119	Old neighborhood feel and charm down by the bakery.	5/13/2021 12:37 PM
120	Trees	5/13/2021 11:39 AM
121	The trees at the Bowden end	5/13/2021 11:21 AM
122	Hanzas Ct, new housing development	5/13/2021 10:25 AM
123	The gorgeous trees that arch over the street *especially near the intersection with Bowden).	5/13/2021 9:50 AM
124	It is one of the few remaining things of my childhood going back close to 85 years.	5/13/2021 8:23 AM
125	less traffic than university blvd	5/13/2021 8:17 AM
126	The giant oak trees on the south end	5/13/2021 7:36 AM
127	It's residential feel. Should reroute traffic from I95 to Beach Blvd.	5/13/2021 3:50 AM
128	Tree tunnel of live oaks at the intersection w/Bowden	5/13/2021 12:57 AM
129	Connectivity to beach Boulevard	5/12/2021 9:28 PM
130	Nice residential area that has beautiful trees, parks and homes.	5/12/2021 2:36 PM
131	street and sidewalk	5/10/2021 11:52 AM
132	Two lanes front facing homes	5/10/2021 9:38 AM
	Trees!	5/4/2021 11:05 AM

Q4 What do you think is the worst characteristic of Parental Home Road?

Answered: 137 Skipped: 59

#	RESPONSES	DATE
1	Trash	6/7/2021 9:44 PM
2	Trash everywhere	6/7/2021 9:39 PM
3	The sidewalks for bicycles are hot garbage and in need of a resurface or grinding to smooth everything out.	6/7/2021 9:12 AM
4	To narrow	5/31/2021 2:43 PM
5	When it is busy, people seem to think it is a highway and do not pay attention to the speed limit. I have even had people pass me but I guess they must be colorblind and cannot see the double yellow line.	5/31/2021 1:19 PM
6	Curve	5/31/2021 11:36 AM
7	No room for bicycles. Traffic travels to fast. Poor narrow sidewalks, in poor condition.	5/30/2021 11:14 PM
8	n/a	5/30/2021 4:09 PM
9	Hogan intersection	5/29/2021 10:06 PM
10	asshole drivers	5/29/2021 4:11 PM
11	Not complete bike lanes	5/29/2021 12:17 PM
12	Safety and speed	5/29/2021 7:11 AM
13	Not smooth	5/28/2021 10:15 PM
14	Cut through	5/28/2021 9:15 PM
15	Sidewalks are in poor shape.	5/28/2021 7:22 PM
16	Weird street arrangement	5/27/2021 11:54 AM
17	None really	5/26/2021 2:52 AM
18	The speed limit is low	5/25/2021 10:15 AM
19	The guys who sit at the end, near beach and beg for money and the sketchy stores right there at the end.	5/24/2021 7:17 AM
20	Trees need to be trimmed more often	5/23/2021 11:21 PM
21	Only two lanes and part has no sidewalk	5/23/2021 10:44 PM
22	Autocentric. Deathtrap for pedestrians, cyclists and children	5/23/2021 10:41 PM
23	It is quite a busy road. It needs better markings and appropriate lanes and sidewalks for bikers and walkers.	5/23/2021 9:26 PM
24	Traffic	5/23/2021 6:42 AM
25	Traffic at the Beach end during rush hour.	5/23/2021 5:48 AM
26	The curve by Dean is dangerous.	5/23/2021 12:37 AM
27	Solitary	5/22/2021 10:03 PM
28	Traffic	5/22/2021 8:49 PM
29	Too undeveloped for the volumn and level of current amount of traffic.	5/22/2021 6:13 PM
30	Cut though traffic	5/22/2021 3:01

31	Traffic	5/22/2021 8:49 AM
32	Cut through	5/22/2021 7:02 AM
33	Center turn lane is not the whole length of Parental Home	5/22/2021 12:00 AM
34	Drew Park on Parental Rd could use a few upgrades, maybe a bit more security @ night	5/21/2021 11:07 PM
35	People walking through yards on parental home to cut through	5/21/2021 6:36 PM
36	Main road could be cleaned up to be beautified.	5/21/2021 5:22 PM
37	Excessive cut through traffic and speeders	5/21/2021 2:01 PM
38	Tree/shrub blocking view when trying to enter from side street.	5/21/2021 1:11 PM
39	Not wide enough especially at the intersection with Beach Blvd. Especially during rush hour traffic really backs up and when Parental Home becomes wider at the intersection, some drivers are either confused or rude about tryy to cut over to another lane at the last minute. Also at the intersection with Dean, drivers turning left from Dean and parental Home do not a lot of the time stop where the line is where they are supposed to stop which makes it hard for people turning right from parental Home onto Dean.	5/21/2021 1:02 PM
40	Traffic and stray dogs	5/21/2021 11:31 AM
41	Too narrow	5/20/2021 2:15 PM
42	Potholes	5/20/2021 2:03 PM
43	There is no center passing lane, so things like deliveries and trash pick up cause back ups on the traffic flow.	5/20/2021 7:48 AM
44	The curve at Dean Rd. Coming from Bowden the traffic light is nearly hidden in the curve - have several near rear end hits	5/20/2021 1:26 AM
45	Traffic	5/19/2021 3:42 PM
46	All the speeding. We can't even ride bikes with our children or walk our dogs and feel safe ON THE SIDEWALKS. The speeding is worst on East Rd as everyone seems to use it as a cut through/ speedway	5/19/2021 8:34 AM
47	busy	5/19/2021 7:48 AM
48	Drivers go too fast for two lane road and inconsistent sidewalk condition	5/18/2021 5:17 PM
49	Speeding cars when there are limited sight distances	5/18/2021 4:17 PM
50	Traffic	5/18/2021 12:58 PM
51	Traffic and lack of space for safe walking/biking.	5/18/2021 11:59 AM
52	An large portion of the right-of-way is devoted to exclusive car use. Furthermore, the car-only-portion is designed specifically to allow distracted, temporarily sober, drivers to go as fast as they please. Which, is exactly how drivers use this road. To be a pedestrian using Parental Home Rd is to risk death by car, that is the worst characteristic.	5/18/2021 11:13 AM
53	SPEED	5/18/2021 11:07 AM
54	congested	5/18/2021 10:45 AM
55	The cost of the homes has declined and some are unkept which has attracted less desirable folks/crime. With just a little beatification, I believe the area would be revitalized and desirable in every way.	5/18/2021 10:15 AM
56	Narrow with no shoulder or bicycle facilities.	5/18/2021 9:33 AM
57	Speeders	5/18/2021 4:23 AM
58	Hard to get out of my street with traffic especially in am pm and school time people use this as a cut thru from Phillips hwy to beach blvd	5/17/2021 12:51 PM
59	When I'm running the Mills/San Sago area it is difficult to cross Parental Home to get to the	5/17/2021 10:10 AM


sidewalk when there is traffic. People drive too fast and in some places visibility is limited.

	sidewalk when there is traffic. People drive too fast and in some places visibility is limited.	
60	Single lane	5/17/2021 6:24 AM
61	The intersection of PHR and Dean Road	5/16/2021 8:55 PM
62	Trash all over the road. Some people don't have proud where they live. See people throw trash from cars.	5/16/2021 8:22 PM
63	Cars speed to use as a cuthrough to breach blvd. don't feel safe walking down the road seen to many accidents	5/16/2021 8:08 PM
64	So narrow	5/16/2021 8:00 PM
65	Speeding, careless drivers	5/16/2021 12:11 PM
66	Two lanes	5/16/2021 8:56 AM
67	People driving too fast	5/16/2021 8:34 AM
68	I think it's about as good as it gets. Every member of my family have been using P.H.R. since we moved here in 1950.	5/16/2021 7:57 AM
69	People speeding down this road.	5/16/2021 6:22 AM
70	Too slow	5/15/2021 8:18 PM
71	People Speeding And using as a cute thru	5/15/2021 3:50 PM
72	Too narrow!!!	5/15/2021 3:13 PM
73	Need better sidewalks	5/15/2021 11:43 AM
74	People speeding	5/15/2021 7:30 AM
75	During rush hour the congestion and the speeding. Often near the two schools and parks cars far exceeding the speed limit	5/14/2021 10:27 PM
76	Sometimes its pretty busy. At.one time, there were no sidewalks. I think thats been resolved a lot though.	5/14/2021 8:53 PM
77	None come to mind.	5/14/2021 6:21 PM
78	Race track and big trucking cut thru from Bowden to beach	5/14/2021 5:48 PM
79	The curve by Dean Road	5/14/2021 5:34 PM
80	traffic light takes too long	5/14/2021 4:53 PM
81	How fast people drive on it	5/14/2021 2:20 PM
82	Too much traffic. Speeding.	5/14/2021 2:10 PM
83	People drive much too fast, well over 35mph. It's loud and very busy. I don't feel safe to walk on the sidewalks. It very much needs to be widened between Dean Rd and Hogan Rd.	5/14/2021 1:24 PM
84	The worst is the amount and speed of the traffic. You take your life in your hands to attempt to cross the street.	5/14/2021 1:05 PM
85	Nothing	5/14/2021 12:42 PM
86	Having to wait to get out on Parental when you are coming out from a side road	5/14/2021 11:55 AM
87	It's not safe to walk or bike. Needs a center turn lane so traffic is not backed up during peak travel times.	5/14/2021 11:32 AM
88	Traffic	5/14/2021 11:02 AM
89	There is no passing allowed.	5/14/2021 11:00 AM
90	Speeding cars	5/14/2021 10:42 AM
91	Traffic	5/14/2021 10:28 AM
92	Cut through traffic. Semis using road for cut through.	5/14/2021 10:10 AM

93 Don't know of a	any	5/14/2021 10:05 AM
94 Old looking		5/14/2021 9:47 AM
95 The litter at fan	nily dollar.	5/14/2021 9:40 AM
96 Speeding traffic	С	5/14/2021 9:36 AM
97 Traffic and spe	ending	5/14/2021 9:24 AM
	people that don't live here creates a dangerous environment exacerbated by a night. Just like with Ryar Rd which has a sharp 90 degree turn where the name rvin.	5/14/2021 8:38 AM
99 People speedin	ng	5/14/2021 8:32 AM
100 Racing cars. Ca	ars driving too fast	5/14/2021 7:37 AM
101 Commercial bli	ght proliferation near Beach and Hogan.	5/14/2021 7:32 AM
102 Nothing		5/14/2021 7:22 AM
103 The litter strew	n on the sides of the roads	5/14/2021 7:22 AM
Not enough side	lewalks	5/14/2021 7:21 AM
Narrow 2 Lane	Rd. Needs street edge marking highlighted for night driving	5/14/2021 7:10 AM
Super busy, alv their driveway	ways backed up with traffic, residents have a hard time getting in and out of	5/14/2021 7:02 AM
107 ?		5/14/2021 6:15 AM
Too much traffi	ic, too many trucks	5/14/2021 5:50 AM
109 The traffic of ca	ars cutting down this road. By the shear numbers	5/13/2021 11:41 PM
Too much spee	eding	5/13/2021 10:42 PM
111 Excessive spec	ed of cut through traffic (speed limit 35)	5/13/2021 9:24 PM
112 Lack of sidewa	lks and bike paths.	5/13/2021 8:34 PM
113 The paving		5/13/2021 7:32 PM
114 Cut through Tra	affic.	5/13/2021 6:02 PM
Speeders as it way too danger	is hard to pull out or turn off of without getting hit. Riding a bike or walking is rous.	5/13/2021 5:28 PM
116 Lack of sidewa	lks in some sections, open drainage ditches	5/13/2021 5:27 PM
117 Too dark, bad s	sidewalks	5/13/2021 4:38 PM
118 Side walls need	ded	5/13/2021 1:57 PM
No sidewalk on	the other side and not enough street lights	5/13/2021 1:09 PM
120 very busy		5/13/2021 12:43 PM
121 Trash, and spe	eeding	5/13/2021 12:37 PM
122 Poor side walks	s uneven. Heavy traffic with speading	5/13/2021 11:40 AM
people coming The Dollar Gen	off Beach BLVD and trying to cross the Parental Home turn lanes to get into leral	5/13/2021 11:23 AM
Not enough stre	eet lamps, overhanging foliage onto sidewalks	5/13/2021 10:47 AM
125 It's a cut throug	gh road, and not very well taken care of in appearance	5/13/2021 10:26 AM
126 I like that there	's a sidewalk along the road, but I wish it went ALL the way to Beach Blvd.	5/13/2021 9:51 AM
127 Parks		


128	none	5/13/2021 8:17 AM
129	Increase in traffic due to RCSA	5/13/2021 7:37 AM
130	All the traffic from 195	5/13/2021 3:50 AM
131	Skinny for the amount of traffic it takes	5/13/2021 12:58 AM
132	Nothing	5/12/2021 9:29 PM
133	Traffic	5/12/2021 9:13 PM
134	Drivers dont follow the speed limit	5/12/2021 2:37 PM
135	speeding cars	5/10/2021 11:52 AM
136	People want to change it	5/10/2021 9:38 AM
137		5/4/2021 11:05 AM

Q5 How often do you use Parental Home Road?




ANSWER CHOICES	RESPONSES	
Once a day	6.10%	10
Multiple times a day	39.63%	65
A few times per week	26.83%	44
Occasionally (a few times a month)	26.83%	44
Never	0.61%	1
TOTAL		164

Q6 What form of transportation do you use most often when you travel along Parental Home Road?




ANSWER CHOICES	RESPONSES	
Private vehicle	95.15%	157
Bus/Transit	0.61%	1
Walk	1.21%	2
Bike	2.42%	4
Motorcycle or Scooter	0.61%	1
Taxi/Uber/Lyft/Other ride share	0.00%	0
I do not travel along Parental Home Road.	0.00%	0
TOTAL		165

Q7 Please rank the importance of the following transportation problems on Parental Home Road with 1 being the most important and 5 being the least important.




	1	2	3	4	5	TOTAL	SCORE
Speeding	57.89% 77	15.04% 20	12.78% 17	6.02% 8	8.27% 11	133	4.08
Pedestrian safety	14.39% 19	46.21% 61	21.21% 28	14.39% 19	3.79% 5	132	3.53
Bicycle safety	8.76% 12	16.79% 23	37.23% 51	18.98% 26	18.25% 25	137	2.79
Cut-through traffic	12.69% 17	17.91% 24	11.19% 15	26.87% 36	31.34% 42	134	2.54
Crossing the street at non-intersection locations	8.96% 12	7.46% 10	17.16% 23	30.60% 41	35.82% 48	134	2.23

Q8 Would you support traffic calming projects such as narrowing travel lanes and/or raised or painted crosswalks?



ANSWER CHOICES	RESPONSES	
Yes	60.00%	84
No	40.00%	56
TOTAL		140

Q9 You indicated you would support traffic calming projects. Please rank the following traffic calming projects with 1 being the most important and 4 being the least important.



	1	2	3	4	TOTAL	SCORE
Narrowing of travel lanes	17.33% 13	14.67% 11	28.00% 21	40.00% 30	75	2.09
Roundabout at Parental Home Road and Dean Road	37.33% 28	22.67% 17	18.67% 14	21.33% 16	75	2.76
Raised crosswalks at limited locations	35.53% 27	26.32% 20	26.32% 20	11.84% 9	76	2.86
Introducing medians in limited locations	14.47% 11	34.21% 26	27.63% 21	23.68%	76	2.39

Q10 You indicated you would not support traffic calming projects. Please explain why.

Answered: 55 Skipped: 141


#	RESPONSES	DATE
1	I just don't think it would make a difference and I would not want to see the roadway narrowed.	5/31/2021 1:22 PM
2	I support the raised crosswalk but not narrowing the lanes. It already feels dangerous if a mail truck or other car is stopped along the road.	5/29/2021 10:09 PM
3	Cars speed over the raised sections of Dean Rd, I don't think the help. Therefore we shouldn't spend money on it	5/28/2021 10:19 PM
4	Peach Drive 2.0 would be such a treat, right.	5/28/2021 7:27 PM
5	Because that would effect traffic on the road	5/26/2021 2:53 AM
6	I am the traffic and I don't want to be calmed	5/25/2021 10:16 AM
7	Narrowing the travel lines would only make things worse. As mentioned, part of this road has no sidewalks.	5/23/2021 10:46 PM
8	The road is narrow enough	5/22/2021 3:04 PM
9	Traffic is only heavy during peak times	5/22/2021 12:17 AM
10	I just don't see enough of a need. Traffic is ok most of the time. May get backed up @ the school/park a bit. Nothing major	5/21/2021 11:11 PM
11	It works	5/21/2021 9:31 PM
12	Neither sound helpful.	5/21/2021 8:17 PM
13	Speed bumps are annoying and we don't need lanes narrowing	5/21/2021 6:38 PM
14	They don't work. I see people that refused to walk a few extra steps to go to a crosswalk and continue to walk in the middle of the road also bicycles do not a lot of the time follow the rules of the road either.	5/21/2021 1:05 PM
15	They are generally avoided and not achieve the intended purpose	5/20/2021 2:18 PM
16	You need to replace this road.	5/20/2021 2:04 PM
17	I personally do not use them. I would support clearly marked pedestrian crossing locations, but narrowing of driving lanes increases traffic congestion.	5/20/2021 7:52 AM
18	not sure they work	5/19/2021 7:50 AM
19	They are narrow enough now	5/18/2021 1:15 PM
20	I live on this street. I don't believe narrowing the lanes would slow down speeders.	5/18/2021 4:26 AM
21	They don't seem to work in Jacksonville. No one except me slows down for the apeed humps on Dean Road.	5/16/2021 8:58 PM
22	I don't suppose narrow roads because that can increase accidents	5/16/2021 8:26 PM
23	The two lanes are too narrow already	5/16/2021 8:02 PM
24	Narrowing???? Dangerous	5/16/2021 12:14 PM
25	the traffic bumps - aka speed bumps - are annoying, hurt cars and cause all sorts of problems	5/16/2021 11:49 AM
26	Damage to my vehicle. Turns a nice drive into a f'in nightmare dodging the unnecessary obstructions.	5/16/2021 8:01 AM

27	The road is already narrow enough. Narrow it anymore and it will be a single lane road. I can't think of any benefits to painting the sidewalk, this would be a waste of money.	5/16/2021 6:25 AM
28	Our police officers can set up there speed traps like they use to do. They could get a month's worth of tickets in two or three days, plus DUI's, No Driver License, etc. The officers just need to set up with radars on	5/15/2021 3:57 PM
29	Destructive to vehicle	5/15/2021 7:31 AM
30	The road is narrow enough. There is a lot of through traffic on the road. I dont see *excessive* speeding as being a problem. "Traffic calming" would turn PHR into a traffic jam from Dean to Beach.	5/14/2021 8:59 PM
31	They need to put officer's to work not put stuff out that tears people's car up. I do understand Y if speeding is an issue but police need to give tickets. To slow the traffic.	5/14/2021 6:48 PM
32	I'm not sure speeders and truck drivers would be affected by narrow lanes or pedestrian crossings	5/14/2021 5:51 PM
33	who wants narrow streets	5/14/2021 4:55 PM
34	Unneccessary.	5/14/2021 2:12 PM
35	Speed bumps are useless and tear up cars	5/14/2021 12:44 PM
36	No speed bumps	5/14/2021 11:58 AM
37	We don't need speed bumps. We need safer access for pedestrians and wider (center turn lane) on the section from Hogan to the curve.	5/14/2021 11:35 AM
38	I see no reason for them. I drive on the road and the lanes are already narrow. I do not want to drive over raised areas that are not good for my vehicle, even at a speed of 35mph and I do not want to see a lower speed limit on a through street.	5/14/2021 11:06 AM
39	No speedbumps like peach drive!!	5/14/2021 10:12 AM
40	In my experience, those "solutions " do not slow traffic and are visually unattractive. Continuous enforcement of existing traffic regulations would provide more immediate relief (by discouraging the offensive behavior and raising funds through traffic fines). Additionally, the use of traffic circles at major intersections would improve traffic flow and ease congestion.	5/14/2021 7:42 AM
41	Lane narrowing doesn't seem calming and raised crosswalks (speed bumps) oftentimes is more frustrating because people will speed between the speed bumps. I've lived in other neighborhoods where this was the case and eventually they were removed.	5/14/2021 7:28 AM
42	The road is narrow enough and speed bumps are annoying	5/14/2021 7:24 AM
43	I would support speed humps but not narrowing the traffic lanes because the lanes are already pretty narrow	5/14/2021 7:04 AM
44	Narrowing lanes doesn't reduce traffic - it just increases it. Pedestrians don't follow painted cross walk lines as it is, adding more won't help fix the problem.	5/14/2021 6:48 AM
45	Because I live on East Road, which is 100% residential and runa paralell to Parental Home Road. These efforts will push even MORE cut through traffic on to East Road, which is already becoming a HUGE problem since the City decided to open a school and a DMV on Hogan Road. East Road needs traffic calming measures.	5/14/2021 5:53 AM
46	Not necessary	5/13/2021 10:44 PM
47	Road is already relatively narrow & I see very few persons trying to cross the road except where there are already traffic lights.	5/13/2021 8:01 PM
48	Leave things alone	5/13/2021 7:34 PM
49	You need to fix the reason people cut through there and Hogan and then start handing out speeding tickets like free candy as they would fix the problems with all the traffic flying down that road.	5/13/2021 5:31 PM
50	More narrow lanes is not feasible. It's too busy of a street to promote bicycle riding.	5/13/2021 12:46 PM
51	Travel lanes do not need narrowed and you are an idiot if you think they do. There are	5/13/2021 11:26 AM

sidewalks the length of the road, there is no need for bicycle lanes


52	Traffic calming was installed on Peach/Forest and it's awful. Can't maintain the speed limit and very hard on vehicles.	5/13/2021 7:40 AM
53	Need to better understand solutions	5/13/2021 3:52 AM
54	Narrowing an already narrow road w/deep ditches on the side sounds even more dangerous than what already exists. I wouldn't be totally opposed to raised speed bumps (similar to Dean Rd). An additional light somewhere would probably slow people down as well.	5/13/2021 1:02 AM
55	Inconvenience to getting where I need to go without speed tables etc	5/12/2021 9:15 PM

Q11 Would you support additional bicycle facilities along Parental Home Road? (This may include adding a paved shoulder or a dedicated bicycle lane.)




ANSWER CHOICES	RESPONSES	
Yes	81.34%	109
No	18.66%	25
TOTAL		134

Q12 Would you prefer to see on-road or separated facilities?




ANSWER CHOICES	RESPONSES	
On-road	28.85%	30
Separated facilities	71.15%	74
TOTAL		104

Q13 Would you support additional pedestrian facilities along Parental Home Road? (This may include a 6-foot sidewalk or a 12-foot multi-use path.)



ANSWER CHOICES	RESPONSES	
Yes	80.00% 104	4
No	20.00%	6
TOTAL	130	0

Q14 Would you support additional lighting along Parental Home Road to better light the roadway and sidewalks?



ANSWER CHOICES	RESPONSES	
Yes	90.70%	117
No	9.30%	12
TOTAL		129

Q15 If you would like to provide any additional feedback for the project team, please do so below.

Answered: 49 Skipped: 147

#	RESPONSES	DATE
1	If you widen the road for bike lanes you will need to put in storm sewer	5/31/2021 2:48 PM
2	N/a	5/29/2021 10:10 PM
3	THis a high bike areaandneeds facilities	5/29/2021 4:15 PM
4	Appreciate opportunity to give input.	5/29/2021 7:14 AM
5	Thank you for working to make this area safer!!	5/23/2021 9:30 PM
6	No roundabouts	5/23/2021 6:46 AM
7	I do not think a roundabout at Parental and Dean is a good idea. That is a dangerous intersection already even though there is a traffic light there.	5/23/2021 12:41 AM
8	We have a lot of foot and bicycle traffic from Barnes Rd to Beach Blvd. This should be the starting point for upgrades.	5/22/2021 12:20 AM
9	Cars speed around the corner at dean and parental home and have hit my mailbox and other trees multiple times. Pedestrians and bikes do not need to be in the road with cars.	5/21/2021 6:40 PM
10	Stop the semi trucks from traveling on road	5/21/2021 11:33 AM
11	Repave it first. Don't waste money on the rest.	5/20/2021 2:05 PM
12	we have seen cars turning onto Parental Home (from Bowden headed east) turn to the wrong side of the median (against one way traffic)	5/19/2021 8:16 AM
13	Dedicated bicycle and pedestrian facilities must include physical protection, please.	5/18/2021 11:33 AM
14	used to live across from parental home road and bike to work that way. very dangerous. they need a turn signal light at beach too. can't believe a school is there kids cross over that!	5/18/2021 11:19 AM
15	I have lived on this road for 20 years. Years ago motorcycle police would sit and catch speeders. That ended and the speeding got worse. The road is more dangerous than ever.	5/18/2021 4:30 AM
16	The bushes at Emily In on parental heading to Lofberg dr when over grown make it dangerous to get on parental you can't see the traffic coming without moving out into the lane	5/17/2021 12:57 PM
17	Educated people to share the road and slow down. This road already have sidewalks can be use for walks and bicycles that's why I said I don't support because already exist.	5/16/2021 8:28 PM
18	Safety for all, is !its important. Thank you.	5/16/2021 9:00 AM
19	Definitely need better lighting along much of this road. Better control over speeders that doesn't involve putting in speed bumps. Too many speed bumps already going through Sans Souci.	5/16/2021 6:29 AM
20	Ive lived on prentalhome road for 24 years now. Our road has always been a cut thru, if people didnt speed we'd be fine The police use to set up traps every week or so and that slowed people and traffic down alot. I really think that is a great resolution Bring back the speed trap/check points. Youll get more then speeders that way	5/15/2021 4:03 PM
21	Due to the drainage ditches, the road/lanes already feel narrow. From Beach Blvd to Drew Park the sidewalk is adequate for peds/bikes, but no sidewalk from Drew Park to Bowden Road. Cut through traffic to/from South point contributes to most of the congestion and speeding.	5/14/2021 10:37 PM
22	A center lane would be nice too, but I doubt there is room for bike lanes, sidewalks, and a center lane along the whole corridor. It's pretty narrow with the existing homes along parts of it.	5/14/2021 9:04 PM

	Just please don't turn it into peach drive.	
23	Any improvements in this survey must be done with an absolute minimum of tree damage or removal. If you remove too many trees from Parental Home Road you completely destroy it's character.	5/14/2021 6:27 PM
24	NO RAISED SPEED BUMPS like there are on Dean Road	5/14/2021 5:37 PM
25	My main concern is how fast people drive. Slowing them down is necessary	5/14/2021 2:24 PM
26	I live on Parental Home Road. I don't feel safe to walk along the sidewalk. Additional police speed enforcement would be nice. Speeding is a real problem. Widening of the road would be wonderful.	5/14/2021 1:29 PM
27	I live on Parental Home Road. It has become a raceway with vehicles traveling, 60 and 70mph. Often we have accidents with cars getting rear-ended when attempting to turn. Thank you for considering a project. We would appreciate any help to reduce the speed.	5/14/2021 1:09 PM
28	No speed bumps!!!!	5/14/2021 12:45 PM
29	I don't want the road closer to my house	5/14/2021 11:05 AM
30	Semis should not be allowed on this road. It is a residential neighborhood.	5/14/2021 10:13 AM
31	Please if you do anything, narrow the travel lanes and separate the walking paths/bicyclists from the roadway. Narrowing the travel lanes is something that has been proven to be most effective across the US and internationally at traffic calming and keeping our nonvehicular traffic 5-10 feet away has been proven to keep them safer as well.	5/14/2021 8:44 AM
32	While we need to curb the speeding, please no speed bumps	5/14/2021 8:34 AM
33	The cut through traffic on parental home also significantly impacts Hogan rd between Parental Home and Foster Drive, particularly as it relates to left turning vehicles traveling eastbound on that section. Traffic circles at these intersections would improve traffic flow and reduce the number of accidents at those intersections.	5/14/2021 7:50 AM
34	don't even think about speed bumps or humps!	5/14/2021 7:35 AM
35	This is a major travel route for me multiple times a day and an extended construction project would greatly disrupt my life.	5/14/2021 7:27 AM
36	Safety concerns for the children who walk to school/Southside junior high, plus car traffic from parents dropping off & picking up of students; safety of walkers or bikers accessing Drew Park.	5/14/2021 7:24 AM
37	The issues on parental home are also valid for East Rd and on Dean Rd. There is constant racing at all hours day and night. The speed humps done really stop the speeders on Dean Rd as they just jump them at high speeds and there's always kids at the park that could get hurt	5/14/2021 7:07 AM
38	PLease look into the problems this will create for surrounding streets, like East Road which will bear the brunt of the people who want to avoid slowing down. I'm afraid this is going to significantly exaserbate the problems we're having on East Road.	5/14/2021 5:56 AM
39	Drew Park needs to be made safer	5/13/2021 10:46 PM
40	Some speed bumps would help. Also sidewalks where needed as only part of the road has them.	5/13/2021 8:39 PM
41	None	5/13/2021 7:34 PM
42	Traffic is heavy at rush hour and it is hard to safely get out of driveway at times. Also we have a lot of vagrants population in our area that needs to be looked at. Lighting is another issue that could be expanded and the existing sidewalks are unlevel and very unsafe for special needs.	5/13/2021 6:16 PM
43	Sidewalks don't need to be 6 feet wide that is crazy. Figure out why so many cars and even big trucks are cutting through and fix that. Also hand out speeding tickets like candy and that will stop the speeding.	5/13/2021 5:32 PM
44	PLEASE keep the beautiful old oak trees near Parental Home and Bowden	5/13/2021 5:29 PM
45	More lighting, round about at dean and parental, wider sidewalks	5/13/2021 10:52 AM

46	I live in a newly built 13 home community directly off Parental Home Rd. (Hanzas Ct.). I am the HOA president and will share this survey with the neighborhood on our FB group page. We moved from a similar street situation in Isle of Palms (Eunice Rd.), which was used as a cut through to avoid traffic on nearby San Pablo Rd. They installed speed humps (so, so many dang speed humps) and it was AWFUL. And it didn't even help because cut through traffic didn't decrease and people sped over the humps like it was a monster truck rally. I would much rather see roundabouts to slow traffic without stopping it, RRFB's to provide safer pedestrian crossing, and sidewalks along the entire road. Please, no humps!!!	5/13/2021 10:02 AM
47	Parental home needs to be upgraded due to the flow of traffic over that roadway	5/13/2021 8:49 AM
48	Please do not consider any 'improvements' that would imperil the century live oak stand at PH/Bowden. Very few spots like that exist anymore and it adds to the character of the neighborhood.	5/13/2021 1:05 AM
49	test survey	5/4/2021 11:08 AM