

# CITY OF JACKSONVILLE FORM DSD-CDD

## Available Civil Design Deviations

Deviation Sought	
<p><b>Subdivision/Site Regulations:</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Industrial sidewalk deviation</li> <li><input type="checkbox"/> Sidewalk construction waiver and payment into Sidewalk Fund (§654.137(d)(1)). This request must include a complete In-Lieu Sidewalk Application (<b>Form LDPM-ILS</b>)</li> <li><input type="checkbox"/> Cross-access exemption or deferral (§654.115(f))</li> <li><input type="checkbox"/> Above-ground utilities (§654.134 )</li> <li><input type="checkbox"/> Cul-de-sac greater than 1,000 feet (654.111(k))</li> <li><input type="checkbox"/> Block length greater than 1,500 feet (654.125(b))</li> </ul>	<p><b>Traffic Engineering:</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Alternate curb radii (2.2.3)</li> <li><input type="checkbox"/> Driveway spacing from intersection</li> <li><input type="checkbox"/> Parking in City ROW</li> <li><input type="checkbox"/> Traffic study requirements</li> <li><input type="checkbox"/> Driveway separation</li> <li><input type="checkbox"/> Number of driveway accesses</li> <li><input type="checkbox"/> Flared driveway request</li> </ul>
<p><b>Transportation Planning:</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Alternate bicycle facilities (2.4.1)</li> <li><input type="checkbox"/> Width/location of sidewalk (1.4)</li> </ul>	<p><b>Roadway Design:</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Roadway alignment (including ROW width)</li> <li><input type="checkbox"/> Extent of restoration for driveways (2.2.13)</li> <li><input type="checkbox"/> Unpaved median request (2.2.14)</li> <li><input type="checkbox"/> Minimum median width (2.2.14)</li> <li><input type="checkbox"/> Selective clearing and grubbing request (2.2.16)</li> <li><input type="checkbox"/> Alternate pavement design life (2.3.3)</li> <li><input type="checkbox"/> Request 1-lift pavement in lieu of 2-lift system</li> </ul>
<p><b>Drainage Design:</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Sheet flow into ROW</li> <li><input type="checkbox"/> De minimis improvement</li> </ul> <p><u>Closed Stormwater Systems (3.4)</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Storm sewer configuration (max vertical separation and deflection angle) (3.4.4)</li> <li><input type="checkbox"/> Storm sewer inlet capacity (3.4.10)</li> <li><input type="checkbox"/> Use of valley gutters (3.4.10)</li> </ul> <p><u>Drainage Outfall Ditch/Canal (3.6)</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Aerial utility crossing for canal (3.6.8)</li> </ul>	<p><u>Stormwater Management Facilities (3.7)</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> SMF positive discharge requirement (3.7.2)</li> <li><input type="checkbox"/> Side slopes steeper than 4:1 (3.7.3)</li> <li><input type="checkbox"/> Minimum SMF low water elevation-grate separation (3.7.2)</li> <li><input type="checkbox"/> Stormwater pump station (3.7.3). This request must include drainage design calculations demonstrating that the required pre/post conditions will be met for the design storm in the pump failure condition.</li> <li><input type="checkbox"/> Pond freeboard</li> <li><input type="checkbox"/> Pond depth. This request must include anoxic calculations.</li> <li><input type="checkbox"/> Pond maintenance easement</li> </ul>