PUBLIC NOTICE AGENDA

PROFESSIONAL SERVICES EVALUATION COMMITTEE MEETING

Thursday, October 17, 2019, 10:00 a.m. Eighth Floor, Conference Room 851 Ed Ball Building, 214 N. Hogan Street Jacksonville, FL 32202

Committee Members: Gregory Pease, Chairman Randall Barnes, Treasury James McCain, Jr., OGC

Subcommittee Members	ITEM #	TITLE & ACTION	MOTION	CONTR EXP	OUTCOME
Robin Smith	P-22-18	Fee & Contract Negotiations	that the City of Jacksonville enter into a contract with Alfred		
Sleven Long		Professional Design Services for Duval Road Widening from Dunn Avenue to 1-295 Department of Public Works/Engineering & Construction Management Division	Benesch & Company for Professional Design Services for Duval Road Widening from Dunn Avenue to 1-295 that: (1) Incorporates the attached Scope of Services Identified as Exhibit 'A' and Contract Fee Schedule Identified as Exhibit 'B'; (11) provide a lump-sum amount for Design Services in the amount of \$117,217.82; and not-to-exceed limits for: Environmental/Geotechnical Services in the amount of \$18,212.78; Survey in the amount of \$206,461.19; Traffic Counts in the amount of \$3,911.00; Message Signs in the amount of \$1,500.00 with a maximum indebtedness to the City in the amount of \$347,302.79; and (iii) provide a period of service from execution of the contract to project completion. All other terms and conditions are per the RFP and the City's		
		MEETING AD	other terms and conditions are per the RFP and the City's standard contract language.		

CC Council Auditor
Subcommittee Members



City of Jacksonville, Florida

Lenny Curry, Mayor

10/10/19 12:50:40

Procurement Division

Department of Public Works Engineering & Construction Management Division 214 N. Hogan Street, 10th Floor Jacksonville, FL 32202 (904) 255-8762 www.coj.net

ONE CITY, ONE JACKSONVILLE.

October 4, 2019

TO:

Gregory W. Pease, Chairman

Professional Services Evaluation Committee

THRU:

John P. Pappas, P.E

Director

FROM:

Robin G. Smith, P.E.

Chief, Engineering and Construction Management

Steven D. Long, Jr., P.E.

Chief, Right-of-Way and Stormwater Management

SUBJECT:

P-22-18 Professional Design Services for Duval Road Widening from Dunn

Avenue to I-295

JECP18C0007-06505-JEE163-01

The Engineering Division has negotiated with the consultant selected for Professional Design Services for Duval Road Widening from Dunn Avenue to I-295, resulting in the attached Scope of Services, Exhibit A and Contract Fee Schedule, Exhibit B. However, due to funding constraints, the fee has been separated into two phases, with phase 1 to be established at this time with the remaining amount for phase 2 to be added via amendment provided funding is appropriated. JSEB firms to be utilized to meet the 20% Participation Percentage Plan for this contract are detailed on a separate attachment.

Accordingly, this is to recommend that the City of Jacksonville enter into a contract with Alfred Benesch & Company for Professional Design Services for Duval Road Widening from Dunn Avenue to I-295, that includes the attached Scope of Services identified as Exhibit "A" and Fee Schedule identified as Exhibit "B", to provide a lump sum amount for Design Services in the amount of \$117,217.82 and not to exceed limits for: Environmental/Geotechnical Services in the amount of \$18,212.78, Survey in the amount of \$206,461.19, Traffic Counts in the amount of \$3,911.00 and Message Signs in the amount of \$1,500.00, with a maximum indebtedness to the City in the amount of \$347,302.79 and with an expiration date of Project Completion. All other terms and conditions are as provided in the RFP and the City's standard contract language.

RGS/lw

Attachment:

Exhibits A & B

JSEB Participation

CC:

Lori West, Contract Specialist

SCOPE OF SERVICES City of Jacksonville, Florida Duval Road Widening Preliminary Engineering and Drainage Reports July 2, 2019

Study Objective

The purpose of this project is to perform preliminary engineering and prepare a study for the potential widening of Duval Road from Dunn Avenue to I-295. The study report will identify improvements necessary to widen Duval Road from its current 2 lane rural cross section to a 3-lane, 4-lane or 5-lane urban cross section with pedestrian facilities, improved drainage, bridge widening and repair or replacement and traffic signals. This study will include the preliminary engineering evaluation of the corridor to identify a preferred alternative for this project including identification of utility and right of way impacts. This study will be completed for the City of Jacksonville (City) for the purpose of constructing the project with local funds. The report will not be prepared in anticipation of federal funding, but rather in accordance with City of Jacksonville standards.

Governing Regulations

The services performed by Alfred Benesch & Company (Benesch) team shall comply with the following guidelines.

- The City's Master Storm Water Management Plan
- The City's Land Development Procedures Manual
- Manual on Uniform Traffic Control Devices
- FDOT Minimum Standards for Design, Construction and Maintenance of Streets and Highways
- Florida's Design Criteria for Resurfacing, Restoration and Rehabilitation (RRR) of
- Streets and Highways
- FDOT Design Standard Index

Project Team

Benesch will serve as the prime consultant for the project and will be responsible for completing the required services. Benesch will be assisted by the following subconsultants. Benesch will be responsible for the management of subconsultants.

Responsibility

RE Holland (JSEB)

Survey

Right of way mapping

ERS Environmental/Aerostar SES/

Natural Resource Evaluation Report

SEARCH

CSI Geo (JSEB)

Geotechnical

Peggy Malone & Associates

Traffic Counts

General Scope of Services

The scope of this preliminary engineering study is divided into the following tasks:

- 1. Project Management and Coordination
- 2. Public Involvement
- 3. Engineering Analysis and Report
- 4. Environmental Analysis and Reports

Each task is described in detail in the following section of the Work Plan.

Task 1: Project Management and Coordination

The following is included in this task:

Meetings as needed

Benesch will attend a Notice to Proceed Meeting with city representatives, where relevant project information will be provided by the city, along with procedures for administering the contract. Additional regular meetings are not anticipated. A modest number of hours have been included for potential coordination meetings of specific items requiring discussion.

Schedule Management

This task will include preparation of an initial schedule for completion of the project, as well as monthly updates of the schedule to record progress. A duration of 12 months from notice to proceed is assumed for this project.

Quality Control

Benesch shall be responsible for insuring that work products conform to the City's standards and criteria. This shall be accomplished through an internal Quality Control (QC) process performed by Benesch and subconsultants. This QC process shall ensure that quality is achieved through checking, reviewing and surveillance of work activities by objective and qualified individuals who were not directly responsible for performing the initial work.

Before submitting the first invoice, Benesch shall submit a Project Quality Management Plan (PQMP) to the City's Project Manager for approval. The PQMP will include the proposed method or process of providing Quality Control for all work products, and shall identify the products to be reviewed, the personnel who perform the reviews, and the method of documentation.

Contract Management

This includes project management efforts for Benesch to complete setup and maintenance of files and prepare technical monthly progress and financial status reports.

Submittals

Benesch shall provide electronic and hard copies of the required documents as listed below. It is assumed that three hard copies will be provided for each report for the purposes of estimating this contract.

- Public Involvement Plan
- Project Traffic Analysis Report
- First Draft Preliminary Engineering Report
- Preliminary Engineering Report (Signed and Sealed)
- First Draft Preliminary Drainage Report
- Preliminary Drainage Report (Signed and Sealed)
- Drainage/Pond Siting Report
- Geotechnical Report
- Right of Way Drawings
- Natural Resource Evaluation Report

It is assumed that one set of compiled comments will be received from the City on each submittal. Benesch will submit a disposition of comments with each submittal to confirm receipt and incorporation of the City's comments.

Computer Automation

The project will be developed utilizing Computer Aided Drafting and Design (CADD) systems. Benesch will develop CADD drawings in accordance with the FDOT CADD Manual and the FDOT Plans Preparation Manual. Plans will be completed in Bentley Microstation.

Task 2: Public Involvement

This task will include the following:

Public Involvement Plan

This task involves the research and coordination necessary to prepare a public involvement plan. The FDOT PD&E Manual and Public Involvement Handbook will be used as a guideline to prepare this plan. Issues such as how information will be disseminated and gathered from the public will be considered. No websites or newsletters are anticipated for this project or included in this scope of work.

Public Meetings

It is assumed that two open house format public meetings will be conducted for this project:

- Public Meeting No. 1: Introduce the project. This will be held in an open house format
 to meet the local stakeholders, gain knowledge of the project area, obtain initial public
 thoughts and ideas for the project, gauge support for the project and collect contact
 information for attendees. A map and comment materials will be created for this
 meeting.
- <u>Public Meeting No. 2: Present preferred alternative.</u> This final public meeting will include exhibits demonstrating final proposed improvements for the project. This meeting will also be conducted as an open house, providing a forum to collect final comments from the public. This will be a public meeting and not a public hearing, seeking written comments from stakeholders. A court reporter is not included in this scope or cost.

The meetings will be held at a City-owned public location near the project. No rental, facility or refreshment costs are assumed for these meetings. For the second public meeting, Benesch will prepare a series of draft exhibits and handouts for review with the City staff prior to the public meeting. Benesch will arrange to have the handouts printed and exhibits printed and mounted on foam boards for display at each meeting. Benesch will manage the logistics of each meeting, creating sign in sheets and arranging the room for each meeting. Benesch will provide three staff members for each meeting to greet attendees and answer questions. It is assumed that City staff will attend and assist with meeting the public and responding to questions. In lieu of creating a mailing list for the project, stakeholders will be notified of the upcoming public meeting by electronic changeable message signs located at either end of the project. Benesch will arrange for these boards, the cost of which is included in this contract. These will be installed at locations agreeable to the City for up to one week prior to the meeting. Prior attendees from meeting 1 will be notified via email for meeting 2. No cost of ads or public notices are included in this contract.

Comments and Coordination Report

This task includes the compiling and responding to comments received on the project and summarizing the coordination effort in the Preliminary Engineering Report.

Task 3: Engineering Analysis and Report

The following items are included in this task:

Review of Previous Studies

This task includes coordinating with the City and other agencies, with the City's approval, in obtaining and reviewing previous studies such as corridor studies, subarea studies, Master Plans, ACER and adjacent studies to the project.

Existing Conditions Analysis

This will consist of two tasks:

Data Collection

This task consists of collecting data describing existing roadway conditions and characteristics. It includes the review of relevant data with regard to the existing roadway, including but not limited to plans, pavement reports, and existing ROW, tax and maintenance maps, as well as data related to modes and sub-modes of transportation. This data will be analyzed to determine transportation deficiencies as they relate to the needs and objectives of the project. This also includes the development of exhibits such as a Project Location Map and Corridor Maps as necessary

Field Review

This task consists of conducting field observations to review existing conditions and obtaining data required to understand the study area.

Survey

This scope of work includes a full topographic survey of the corridor and SUE evaluations

to establish utility locations and depths suitable for use during design. Although this work could be delayed until the full design phase, it is prudent to include this work in the preliminary engineering phase to provide for more accurate evaluations of the corridor.

Topographic and Route Survey

This task will include preparation of a Topographic and Route Survey of Duval Road along the public rights-of-way for a project centerline length of approximately 10,000 feet, plus 50 feet along the 5 side intersection streets, for a total project survey length of approximately 10,600 linear feet. Width of the survey effort will be 50 feet east and west of the edge of pavement, for a corridor width of 125 feet total. The survey effort will include topographic and tree survey of all trees 6 inches and larger. All hardscape including driveways, sidewalks, hedges, landscape planters and ornamental shrubs will be located. All topographic features including storm, sanitary, ditches, and other physical features will be included. All above ground visible evidence of utilities will be located. A full DTM model and Bridge survey will be done. The route survey shall be utilized for the purposes of a civil engineering design survey for the widening of Duval Rd. (to be completed by RE Holland)

ROW Mapping

This task includes right of way mapping for Duval Road. The mapping will begin at I-295 and Duval Road, continuing along Duval to the intersection with Dunn Avenue. This task will include recovery and establishment of right of way along the entire corridor. No title work will be included in this task. (to be completed by RE Holland)

Geotechnical Investigation

This preliminary engineering phase will include performing limited exploratory field work along Duval Road and at the Duval Road crossing over Cedar Creek to obtain general subsurface data to be used for this study phase. The full geotechnical effort will be conducted during the Design Phase of the project. This preliminary geotechnical exploration will consist of field exploratory borings, laboratory testing and a preliminary geotechnical analysis of the collected data.

The proposed exploration will consist of preliminary geotechnical studies and the collection of preliminary subsurface data as follows:

<u>Duval Road Widening</u>

During this preliminary engineering phase, the preliminary roadway exploration will consist of auger borings along each side of Duval Road to depths of 5 and 20 feet at 1,000 feet intervals. The work effort will also include pavement cores at 1,000 foot intervals.

Bridge at Cedar Creek

During this phase, one Standard Penetration Test (SPT) boring will be performed to 100' deep as close as possible to the creek. Undisturbed samples of cohesive soils will be obtained in accordance with FDOT Standards. Soil and water samples from the bridge area will also be tested for environmental classification testing. Additionally, D50 grain sizing will be collected and tested for the bridge hydraulic report. The bridge boring will be

grouted upon completion.

Soil samples will be classified, containerized, and marked in the field and returned to the laboratory for visual inspection and classification by the geotechnical engineer using the AASHTO and the Unified Soil Classification System.

Southern Approach to Cedar Creek Bridge

In 2017, CSI Geo was tasked by FDOT to investigate the cause of the excessive settlement issues at the southern approach and approach slab of the Duval Road bridge over Cedar Creek (bridge no. 724317). Several borings and cores were performed at this location indicating the presence of highly compressible unsuitable organic material and voids underneath the approach and the approach slab. Results of the geotechnical exploration along with repair recommendations/alternatives that were provided to FDOT in 2017 will be included for information purposes as part of the preliminary engineering submittals/deliverables. However, no further field exploration will be conducted along this section during this phase.

Laboratory Testing

Routine laboratory testing will be conducted on representative soil samples to determine classification, and aggressiveness. Laboratory classification and index soil tests will be performed as necessary on selected soil samples obtained from the exploration. Specific tests to be performed are Organic Content, Moisture Content, Percent Fines, Grain Size Analysis, Atterberg Limits, Environmental/Corrosion Testing, and Consolidation Testing.

Engineering/Support Services

A geotechnical engineer, registered in the State of Florida, will direct the preliminary geotechnical exploration and provide preliminary engineering analysis and evaluation of the site and subsurface conditions with respect to the planned construction. The results of the exploration will be presented in a preliminary report containing the following:

- A brief discussion of the planned construction.
- A graphical representation of the subsurface conditions encountered as well as encountered and seasonal high-water tables, etc., as they relate to the planned construction.
- An appendix that contains stratified soil boring profiles, laboratory test data sheets, and other pertinent calculations.
- Written discussion of the subsurface conditions encountered.
- Preliminary evaluation of the subsurface soils and preliminary recommendations concerning the suitability of the subsurface soils for support of the planned roadway widening.
- D50 test results on creek soils.
- Pile capacity curves for precast driven concrete piles for the bridge foundations.
- Geotechnical Reports prepared by CSI Geo in 2017 pertaining to the southern approach slab settlement issues and associated repair recommendations.

Traffic Analysis

Methodology

This task consists of developing methodology that will be used to performed traffic analysis in accordance with the Highway Capacity Manual and FDOT's PD&E Manual, Manual on Uniform Traffic Studies (MUTS), Q/LOS Handbook, Traffic Analysis Handbook and Project Traffic Forecasting Handbook. The Methodology should include an approach to evaluate safety performance of the alternatives. The Methodology will be approved by the City.

Existing Traffic Operational Analysis

Benesch will obtain or collect the necessary data to complete the traffic operations and safety analysis. Immediately following the Notice to Proceed, Benesch shall begin data collection activities. Benesch shall obtain pertinent data that defines the existing physical features of the Duval Road corridor and related supporting transportation facilities and services. Sources may include previous Master Plans, concept reports, PD&E Studies, special studies, project files, old plans, right-of-way maps, straight line diagrams, the FDOT's Work Program, and computer programs as available. Other sources may include field observations or plans, projects, or databases maintained by local, regional, or other state agencies, transit authorities and/or operators, or the general public.

The data collection efforts include but limited to the following:

Roadway Characteristics

Benesch will review and summarize the existing roadway characteristics present along the Duval Road corridor within the project limits. Specific roadway characteristics to be reviewed include:

- Locations of signalized study intersections within the study area
- Approach geometries of study intersections
- Existing signal timing plans, where available, for signalized intersections (SR 104/Dunn Avenue).

Traffic Count Data (Peggy Malone & Associates)

Turning Movement Counts: Weekday eight-hour turning movement counts (7:00 AM-9:00 AM and 3:00 PM-6:00 PM) will be conducted at the intersections listed below. Vehicles, pedestrians and bicycles will be counted.

- SR 104 (Dunn Avenue)
- Armsdale Road
- I-295 EB ramps
- I-295 WB ramps (optional)

24-Hour Traffic Counts (Intersection): Hourly traffic data on each approach (up to 4 approaches) of the intersection will be counted for a period of 24 hours during typical weekday traffic conditions.

Armsdale Rd

72-Hour Traffic Counts: Hourly traffic count data for a period of 72 hours during typical weekday traffic conditions. The count data will be presented in an acceptable tabular form showing 15-minute interval volumes and hourly summaries.

- N/O Dunn Avenue
- N/O Armsdale Road

Spot speed study: This will be conducted as set forth in MUTS at the following location.

N/O Victoria Point Drive

• Prior Reports, Studies and Concepts

Benesch will obtain and review readily available documentation of studies and concepts conducted in the general study area. Items such as lane configurations, storage lengths, merge lengths, etc. will be necessary for use in the Future Conditions Analysis.

• Land Use Data

Benesch shall collect the most recent available data regarding present and future land use, proposed developments, current zoning and observed trends. Data should be sufficient to show existing and projected residential, commercial, industrial, public, agricultural, and undeveloped areas within the corridor, and to demonstrate any relationships between land use, parking, and development policies. Future land uses and allowable development thresholds will be obtained from the comprehensive plans supplemented with local information from the NFLTPO and the City of Jacksonville.

Planned and/or Programmed Transportation Projects

Benesch shall identify and document significant transportation network projects programmed in the FDOT's first five-year and second five-year Work Program, SIS Cost Feasible Plan, and the NFLTPO's Cost Feasible 2040 LRTP. Benesch will identify and accommodate these transportation network projects.

Benesch shall obtain and document current transportation plans for all modes, as available. Plans to be collected shall include the following: State and NFLTPO's Transportation Improvement Programs, Florida Transportation Plan, NFLTPO 2040 Long-Range Transportation Plan, current Transit Development Plans (JTA), City of Jacksonville comprehensive plans (particularly land use, traffic and transit elements), Freight Mobility Studies, Airport Plans, Strategic Intermodal System plans, and other studies completed or underway that address the study area.

<u>Existing Conditions Documentation</u>

This task will focus on the collection and analysis of existing conditions information. For purposes of this analysis, the Existing Year is 2019.

<u>Existing Roadway Characteristics</u>

Roadway information including the road name, area type, roadway type, number of lanes, and posted speed limit will be collected. The existing intersection geometry, including exclusive left turn lanes, exclusive right turn lanes, and the number of through

lanes will be obtained from aerial images (either Google Earth or other source of aerial imagery) and verified by a field review.

<u>Existing Conditions Analysis</u>

An operational analysis utilizing Highway Capacity Manual (HCM) 2010 methodologies will be completed for the study intersections for the AM and PM peak hours. Benesch will utilize HCS and/or Synchro in the analysis.

For study intersections, the overall intersection LOS, volume to capacity ratio, queuing and delay time characteristics will be reviewed and summarized.

Future Demand Forecasting

The following methods will be used to study potential traffic growth in the study area:

- Northeast Florida Regional Planning Model (NERPM-AB, v. 3) Benesch will review the
 validated model network within an agreed to subarea. As practicable, Benesch will
 review and update the transportation network data (number of lanes, speeds, facility
 types, and area types) within the subarea. Benesch will also review the socioeconomic
 (land use) data within the subarea to reflect current and future development. All
 modifications from the validation effort will be summarized and included within the
 report.
- Historical growth rate using TRENDS software and historical traffic count data for Duval Road from the City of Jacksonville's concurrency database (where available).
- Bureau of Economic and Business Research (BEBR) data to understand area-wide growth trends.

The three resulting growth rates will be compared and an applied annual growth rate will be developed. The applied growth rate and existing traffic volumes will be used to forecast future traffic volumes (AADT) and AM and PM peak hour turning movement volumes for Duval Road and study intersections (SR 104 (Dunn Avenue, Armsdale Road and I-295 ramps (EB and WB (optional)).

The future year AADTs will be developed for the Opening and Design-year schedule provided within this Scope of Services.

No-Build Analysis

The following future conditions analyses will be completed for the Opening and Design Years in the No-Build scenario peak hours (AM and PM):

Peak-hour intersection level of service and capacity analyses using Synchro and/or HCS.

<u>Development and Screening of Build Alternatives</u>

Based on the Design Hour Volumes developed in the future year analysis, a roadway cross section will be recommended for analysis. The future conditions screening will include a segment and intersection level of service analysis for the opening and design years.

Project Traffic Analysis Report

All tasks will be documented in a Project Traffic Analysis Report (PTAR). This task includes a draft and final submittal.

Signalization Analysis

Benesch shall analyze the collected data in light of the warranting conditions for all nine (9) signal warrants described in the Manual on Uniform Traffic Control Devices (MUTCD), the FDOT's Manual on Uniform Traffic Studies (MUTS), HSIPG and accepted traffic engineering practice at Armsdale Road. From this analysis, a recommendation shall be formulated as to whether or not a traffic signal should be considered for installation. The recommendation and justification for it shall be documented in the report.

Safety Analysis

A safety evaluation will be completed to determine if effective countermeasures to reduce crash potential can be incorporated into the project. Safety tasks are as follows:

Crash Data

Collision records will be obtained from the Signal 4 Analytics database. The date range will be from January 1, 2012 to May 1, 2019. Collision diagrams and summaries will not be prepared. Approximately 100 crashes are anticipated. It appears that one fatality occurred along the corridor during the study period.

Historical Crash Analysis

The historical crash data will be reviewed and summarized to identify crash trends along the corridor. The crash analysis will include the following information:

- Crash rates
- Common types of crashes and their causes
- Crash trends, etc. Crash trends may include:
- Frequency of crashes by severity (fatal, injury, or property damage only)
- Crash type
- Vehicle movements
- Number of vehicles involved
- Related environmental factors

Documentation of Safety Analysis

The safety analysis will be documented and included in the Preliminary Engineering Report.

Utilities

This task includes the analysis of impacts of the project on utility providers and customers. This task is based on coordination with the utility companies along the project and preparation of a Utility Assessment Package to be included in the Preliminary Engineering Report.

Roadway Analysis

This includes the following:

Design Controls and Criteria

This task consists of defining the design controls and criteria according to the FDOT Design Manual.

Pavement Design

Based on traffic and geotechnical information, a pavement design will be performed. The pavement section will follow typical city pavement sections on similar roadways.

Geometric Design

This task consists of the development of horizontal and vertical alignments for the project. Alignments include mainline, cross roads and interchange ramps.

Intersection and Signal Evaluation

This task consists of evaluation of intersections type in accordance with the applicable FDOT manuals and procedures. A signal warrant will be completed for the Armsdale Road intersection within the Traffic Task above. This data will be used to evaluate the intersection design.

Access Management

This task will include impacts to access points along the corridor, as well as consideration of access locations that could be consolidated or improved.

Multimodal Accommodations

This task consists of identifying and evaluating accommodations of freight, pedestrian, bicycle and transit in the development and evaluation of project alternatives. It also includes analyzing existing and planned multi-modal needs (including accessibility and connectivity) and developing alternatives to accommodate all users depending on the context.

Maintenance of Traffic and Construction Phasing

This task consists of evaluating alternatives for constructability and the ability to maintain traffic during construction in accordance with Part 2, Chapter 3 of the PD&E Manual. It may include the segmenting and identification of the project into implementable construction segments.

<u>Lighting/Signing/Pavement Markings</u>

Evaluation of the need for lighting and additional signage will be conducted under this task.

Structures

Existing Structures

Our team will review the existing bridge information to properly understand the features of the existing structure, to understand potential rehabilitation needs, and to facilitate a comparison of how the current design criteria differs from the existing bridge. Benesch will review and

document the bridge number, bridge type, span arrangement, typical section, age of structure, condition, load rating, and channel data. In order to properly complete this task, Benesch will review the following information and document findings in the PER.

- Existing bridge plans and rehabilitation history
- Bridge Inspection Reports (BIR)
- Geotechnical reports, scour reports, environmental permits, and any previous studies
- Because hydraulic analysis will be required for the design of a new structure, bridge information for upstream and downstream structures will also be collected.
- Basic assessment of any environmental or wildlife conditions

Structure Typical Sections

The proposed bridge improvements for the structure crossing Cedar Creek require conveyance of two additional travel lanes and the inclusion of sidewalks and bike lanes. Our review of possible alternatives will include options that widen the existing structure or construct a new bridge parallel to the existing structure. Benesch will review alternatives and will develop structure typical sections for the following:

- Rehabilitate and widen the existing structure to accommodate the roadway section desired
- Rehabilitate the existing structure and construct a parallel structure to accommodate the additional roadway section desired

Structure Design Alternatives

Because alternatives for the Duval Road project may require widening the existing structure or simply to construct a new bridge parallel, the development of alternatives for structure design will describe the general attributes of each alternative and provide the designer with specific structural features. This includes the proposed structure type, rehabilitation requirements, substructure requirements, and span arrangements. Benesch will also specify the level and scope of structural analysis required for design of the alternates.

Drainage

A drainage study and report will be developed based on the proposed roadway cross section including the surrounding topography and existing drainage patterns.

- 2010 Drainage Manual, Florida Department of Transportation
- Hydrology Manual, Florida Department of Transportation
- Stormwater Treatment Design Guidelines, Memo, Florida Department of Transportation
- Stormwater Treatment Design Guidelines, CWI Memo to the City of Jacksonville
- Stormwater Quality Handbook (March 2010 Draft), Florida Department of Environmental Protection

Preliminary Pond Siting Report

Practical stormwater ponds locations and sizing will be in accordance with current St Johns River Water Management District criteria and to the Florida Department of Environmental Protection stormwater rule. For this study it is estimated three stormwater management facility (SWMF) ponds will be needed for the Duval Road improvement project.

Two meetings are estimated for the environmental look around (ELA) and pond siting. This includes preparing exhibits and meeting minutes.

A Pond Siting Report will be prepared to document the design process and the evaluation process used to recommend the location for the SWMF ponds. The report will contain project treatment volume and project attenuation volume calculation summaries, wetland impacts, contamination assessments, property information and estimating construction cost.

Preliminary Drainage Report

The drainage report will document the analysis of the drainage issues and the drainage design concepts for the Duval Road improvements. The report will include the following design elements: existing drainage conditions, exiting drainage outfalls, SWMF ponds, preliminary storm sewer design, preliminary stormwater layout, linear retention, any floodplain compensation in the area or associated with Cedar Creek, drainage maps, and right-of-way needs. For developing level of effort two flood plain encroachment locations are estimated. During the drainage analysis coordination will performed with the city on anticipated future developments within the drainage areas of the proposed storm sewer system and ponds to address all future demands based on the information known today with the project. The storm sewer design and layout will be conceptual for estimating purposes. Final design will address storm sewer hydraulics, pipe diameter, pipe inverts and specific utility conflicts.

Bridge Hydraulic Evaluation

Because all alternatives involve a larger structure crossing Cedar Creek, Benesch will review hydraulic design requirements for each alternative. This will require the development of a (Location Hydraulic Report (LHR) for the crossing. This will be completed using HEC RAS modeling. Benesch will also perform a scour analysis of the alternatives.

Landscaping Analysis

This include research required to collect data necessary to complete initial evaluation of landscaping requirements for the project. It also includes identifying local ordinances and collection of data such as lighting, utilities, ITS, signage/pavement markings, drainage maintenance.

Construction and Right of Way Cost Estimates

This includes the following:

<u>Construction Cost Estimates (2 alternates)</u>

This task includes the development of construction cost estimates using LRE.

Right of Way Cost Estimates

This task includes coordination and preparation of project materials needed to support ROW cost estimates

Alternatives Evaluation

Comparative Alternatives Evaluation

This task includes the development of an evaluation matrix and the qualitative and quantitative analysis of the project alternatives. The criteria for determining the number of hours needed for this task are the number of alternatives and segments and the level of detail for the concepts.

Selection of Recommended Alternative

This task includes coordinating with the City to select the preferred alternative.

Concept Plans

This consists of the following:

Base Map

This task includes creating a base map that consists of existing data and information for the project on aerial photographs. This task includes creating an Overall Project Location Map, Overall Drainage Map and Corridor Maps (Roll Plots).

Typical Section Package (assume 6)

This task includes all work required to develop and approve the typical section package. Typical sections will be developed for the preferred alternative.

Engineering Analysis Documentation

Draft Engineering Analysis Documentation

This task includes the completion of the draft First Draft Preliminary Engineering Report. This will be completed prior to Public Meeting No. 2.

Final Engineering Analysis Documentation

This task includes the completion of the Preliminary Engineering Report (Signed and Sealed) after the selection of the preferred alternative. This includes documentation of preferred alternative, and any updates required based on public meeting input.

Quality Assurance / Quality Control

This task consists of implementing the Quality Control (QC) plan for the engineering analyses and considerations.

Task 4: Environmental Analysis and Reports

Environmental Resource Solutions (ERS), in conjunction with Aerostar and SEARCH, will assist with the completion of field surveys and relevant documentation for inclusion in a Natural Resource Evaluation (NRE) that provides an assessment of potential impacts to jurisdictional wetlands and/or surface waters, and both state and federally-listed plants, fish, and wildlife species for the portion of Duval Road (CR 110) located between Dunn Avenue (SR 104) and Interstate 295 in Duval County, Florida. All vegetative communities will be mapped within each alternative footprint and impacts to protected resources will be estimated. A draft functional assessment using Uniform Mitigation Assessment Method (UMAM) will be completed for estimated wetland impacts per alternative and per wetland community type.

ERS will perform the following sub-tasks towards the developments of each primary alternative and the final recommended alternative:

- Conduct full wildlife database search and desktop evaluation of each proposed alternative to determine the approximate extent of wetland and surface water resources.
- 2. Conduct a delineation of wetlands and surface waters to determine the extent of jurisdictional wetlands and surface waters.
- 3. Conduct préliminary flora and fauna surveys within each alternative to determine whether the habitats support or have the potential to support federally-listed species.
- Prepare a Natural Resource Evaluation report that will include a wetland evaluation [per FDOT PD&E Manual Part 2, Chapter 9 (2017)], listed species evaluation [per FDOT PD&E Manual Part 2, Chapter 16: Protected Species and Habitat (2017)], and evaluation of EFH [per FDOT PD&E Manual Part 2, Chapter 17 (2017)].
- 5. Aerostar SES will perform a Contamination Screening Evaluation (CRE) to determine the potential for contamination within the proposed alternatives.
- 6. SEARCH will prepare a cultural resources desktop analysis to identify known cultural resources that have been recorded with the Florida Master Site File (FMSF), research regarding unrecorded historic resources, and development of archaeological probability models. No archaeological or architectural history field survey will be conducted under the present scope of services and no historic resources will be evaluated with regard to eligibility for listing on the National Register of Historic Places (NRHP).

Quality Assurance / Quality Control

This task consists of implementing the Quality Control (QC) plan for the engineering analyses and considerations.

EXHIBIT B

CONTRACT FEE SUMMARY FORMAT FOR ENGINEERING DIVISION CITY OF JACKSONVILLE, FLORIDA

PART I - GENERAL									
1. Project 2. Proposal No. / Contract No.									
Duval Road Widening - Phase 1 Preliminary Engineering 2. Proposal No. P-22-18						UHUAÇI NO.			
Alfred Benesch & Company					4.	Date of Prope			
	11 -	LAPOR	RELATED	<u></u>	CT	September 23,	201	<u> </u>	
5. Direct Labor (Limiting Amount)	 -	Hourly	Estimate		318	Estimated	Τ		
Stroot Eabor (Emiliary Amount)		Rate	Hours	·u		Cost		TOTAL	
Principal Engineer	\$	80.00	19.2	\dashv	\$	1,536.00	-	TOTAL	
Senior Project Manager	\$	68.50	102.0		\$	6,987.00			
Project Manager I	\$	41.00	186.4	ľ	\$	7,642.40			
Project Engineer	\$	47.30	356.8		\$	16,876.64			
Engineer Intern	\$	34.00	84.0	1	\$	2,856.00			
Senior Designer or Technician	\$	39.00	82.4		\$	3,213.60			
Senior Planner	\$	48.25	6.4		\$	308.80			
Clerical	\$	29.00	8.0	- 1	\$	232.00			
TOTAL DIRECT LABOR	\$	46.91	845.2				\$	39,652.44	
6. Overhead (Combined Fringe Ber	nefit	& Admi	nistrative)				Ť		
Overhead Rate		166,16	% x Total	Dire	ect	Labor	\$	65,886.49	
7. SUBTOTAL: Labor + Overhead	l (lt	ems 5 &	6)				\$	105,538.93	
8. PROFIT: Labor Related Cos	ts (Item 7)		Х		10%		10,553.89	
PART III	- 01	HER CO	STS						
9. Miscellaneous Direct Costs (Lun	np S	Sum)							
Exhibit Boards (Assume 10)	·	•			\$	\$625.00			
Public Meeting Expenses (water, sup	plies	, etc.)			\$	\$250.00			
Transportation					\$	\$250.00			
MISCELLANEOUS DIRECT COS	STS	SUB-TOI	ΓΔΙ				\$	1 125 00	
10. SUBCONTRACTS (Reimbursabl							Ф	1,125.00	
R.E. Holland & Associates, Inc. (Topo					\$	\$127,099.22			
R.E. Holland & Associates, Inc. (ROV			' '		\$	\$79,361.97			
Environmental Resource Solutions, Ir			ital)		\$	\$18,212.78			
Peggy Malone (Traffic Counts)	(,		\$	\$3,911.00		İ	
() ()					Ψ.	Ψ5,511.00			
SUB-CONTRACT OUR TOTAL		4.77							
SUB-CONTRACT SUB-TOTAL (R								\$228,584.97	
11. REIMBURSABLE COSTS (Limiti	ıng	Amount)			_				
ACME - Changeable message signs					\$	\$1,500.00			
SUB-TOTAL REIMBURSABLES	7.000						\$	1,500.00	
		SUMMAR							
12. TOTAL AMOUNT OF CONTRACT	T (L	ump Sun	n Plus Reir	nbu	rsal	oles)	\$	347,302.79	
(Items 5, 6, 8, 9, 10, and 11)									
13. ORIGINAL OR CURRENT CONTRACT AMOUNT						\$	347,302.79		
4. AMENDED CONTRACT AMOUNT									
						I	-		

PART I - GENERAL								
1. Project 2. Task 1								
Duval Road				Topographic & Route Surve				
3. Name of Consultant			4.	Date of Pro	_			
R.E. Holland & Associates, Inc.				5/9/2019	•			
PART II - L	ABOR RI	ELATED (COS	STS				
5. Direct Labor	Hourly	Estimated	1	Estimated				
41	Rate	Hours		Cost		TOTAL		
Principal	\$ -	0	\$	0.00				
Project Manager	\$ 60.55	30	S	1,816.50				
Design Engineer or Architect	-	0	\$	0.00				
MOT	-	0	S	0.00				
CADD	\$ 40.36	290	S	11,704.40				
Survey Crew	\$ 60.55	540	S	32,697.00				
Admin	_		S	0.00				
TOTAL DIRECT LABOR	\$53.74	860			\$	46,217.90		
6. Overhead (Combined Fringe Ben	efit & Ad	ministrativ	e)					
Overhead Rate		% x Total	Di	rect Labor	\$	69,326.85		
7. SUBTOTAL: Labor + Overhead	d (Items :	5 & 6)			\$	115,544.75		
8. PROFIT: Labor Related Cos	ts (Item 7	X		10%	\$	11,554.48		
PART III - OT	HER CO	STS						
9. Miscellaneous Direct Costs								
Transportation & Shipping			\$	0.00				
Original Reproducibles			\$	0.00				
Reproduction			\$	0.00		[
			\$	0.00		ŀ		
MISCELLANEOUS DIRECT CO:		TOTAL			\$	-		
10. SUBCONTRACTS (Lump Sum)								
F. R. Aleman SUE (Estimate)	· · · · · · · · · · · · · · · · · · ·		\$	42,760.00				
REH Admin of SUE			\$	6,415.00		1		
GLID GOVERN A SECTION			\$	0.00				
SUB-CONTRACT SUB-TOTAL					5	49,175.00		
TOTAL LUMP SUM AMOUNT			1 10))	\$	176,274.22		
11. REIMBURSABLE COSTS (Lim	iting Amo	unt)						
SUB-TOTAL REIMBURSABLES \$ -								
PART IV - S	TIMANATO	.7			\$			
			I-		•	156.054.00		
TOTAL AMOUNT OF CONTRACT (Items 5, 6, 8, 9, 10 and 11)	Lump 5u	n rius Kei	mbı	ursables)	2	176,274.22		
11)								

\$127,099.22

PAR	T I - GE	NERAL				
1. Project			2.	Task 2		
Duval Road			Right of Way Mapping			lapping
3. Name of Consultant			4.	Date of Pro		
R.E. Holland & Associates, Inc.				5/9/2019	1	
PART II - L	ABOR RI	ELATED (
5. Direct Labor	Hourly	Estimated		Estimated		
χ.	Rate	Hours		Cost		TOTAL
Principal	\$ -	0	\$	0.00		
Project Manager	\$ 60.55	30	\$	1,816.50		}
Design Engineer or Architect	-	0	\$	0.00		
MOT	_	0	\$	0.00		
CADD	\$ 40.36	490	\$	19,776.40		
Survey Crew	\$ 60.55	120	\$	7,266.00		
Admin	-		\$	0.00		
TOTAL DIRECT LABOR	\$45.09	640			\$	28,858.90
6. Overhead (Combined Fringe Ben-	efit & Ad	ministrativ	e)			
Overhead Rate	150	% x Total	Di	rect Labor	\$	43,288.35
7. SUBTOTAL: Labor + Overhead	d (Items	5 & 6)			\$	72,147.25
8. PROFIT: Labor Related Cos	ts (Item 7	X		10%	\$	7,214.73
PART III - O'I	HER CO	STS				
9. Miscellaneous Direct Costs						
Transportation & Shipping			\$	0.00		
Original Reproducibles			\$	0.00		
Reproduction			\$	0.00		
			\$	0.00		
MISCELLANEOUS DIRECT CO	STS SUB-	TOTAL			S	-
10. SUBCONTRACTS (Lump Sum)						
			\$			·
			\$			
			\$	0.00		
SUB-CONTRACT SUB-TOTAL					\$	
TOTAL LUMP SUM AMOUNT			1 10))	\$	79,361.97
11. REIMBURSABLE COSTS (Lim	iting Amo	unt)				
SUB-TOTAL REIMBURSABLES					\$	-
PART IV - S	UMMAR	Y				
TOTAL AMOUNT OF CONTRACT (Lump Sum Plus Reimbursables) \$ 79,361.97						
(Items 5, 6, 8, 9, 10 and 11)						

Exhibit D CONTRACT FEE SUMMARY FORMAT FOR ENGINEERING DIVISION CITY OF JACKSONVILLE, FLORIDA

PART I - GENERAL								
1. Project	PART I - G	ENERAL	_	December		4 4 5		
Duval Road from Dunn Ave to I295PD&E Study				Proposal No.	/ C	ontract No.		
3. Name of Consultant			4	Data of Dua		<u> </u>		
SES Energy Services DBA Environmer	ntal Resource 9	Solutions	4.	Date of Propo	osai			
		RELATED CO	e T	May 6, 2019				
5. Direct Labor (Limiting Amount)	Hourly	Estimated	313	Estimated				
(Rate	Hours		Cost		TOTAL		
Project Manager (Sr. Env. Scientist I)	\$84.13	15	\$	1,261.95		TOTAL		
Sr. Environmental Scientist II	\$53.30	30	\$	1,599.00				
Sr. Environmental Scientist III	\$48.08	20	\$	0.00				
Environmental Secientist I	\$43.43	15	\$	651.45				
Environmental Secientist II	\$40.56		\$	0.00				
Environmental Scientist III	\$35.00		\$	0.00				
Environmental Scientist IV	\$32.93	45	\$	1,481.85				
Environmental Technician I	\$25.00		\$	0.00				
Environmental Technician II	\$20.14		\$	0.00				
Environmental Technician III	\$18.27		\$	0.00				
GIS Specialist	\$29.81	30	\$	894.30				
Drafter / CADD Operator	\$25.00	15	\$	375.00				
TOTAL DIRECT LABOR	\$ 41.76	150	Ψ	070.00	\$	6,263.55		
6. Overhead (Combined Fringe Bei	nefit & Admir					0,200.00		
Overhead Rate		% x Total Dir	ect	Labor	\$	10,293.52		
7. SUBTOTAL: Labor + Overhead	l (Items 5 &	6)			\$	16,557.07		
8. PROFIT: Labor Related Cos	ts (Item 7)	×		10%		1,655.71		
PART III -	OTHER CO	STS						
9. Miscellaneous Direct Costs (Lun	np Sum)							
Printing			\$					
Public Meeting Expenses			\$					
Changeable Message Boards			\$					
Transportation			\$					
MISCELLANEOUS DIRECT COS	TS SUB-TOT	ΔΙ			\$			
10. SUBCONTRACTS (Reimbursabl	e/Not to Exce	ed)			Ф	-		
(1000)	OMOCIO EXCC	cu,	\$					
SUB-CONTRACT SUB-TOTAL (R	eimb/NTE\		Ψ		•			
11. REIMBURSABLE COSTS (Limit	ing Amount)				\$			
7	ing Amounty		\$					
SUB-TOTAL REIMBURSABLES					\$			
	/ - SUMMAR	-						
TOTAL AMOUNT OF CONTRACT (L	ump Sum Pl	us Reimbursal	oles	5)	\$	18,212.78		
(Items 5, 6, 8, 9, 10, and 11)								
13. ORIGINAL OR CURRENT CONTRA	CT AMOUNT	<u> </u>						
4. AMENDED CONTRACT AMOUNT					S	18,212.78		



DBE Certified in: FL, GA, and VA

PRICE QUOTE

Quote #:

Q19-232 Revision 2

Date:

June 21, 2019

Expiration Date:

December 21, 2019

Client: Contact: Alfred Benesch & Company

Contact: E-mail: Laura McGovern

Imcgovern@benesch.com

State:

FĻ

Client Phone # 312-285-3868

Job Description:

Duval Road PD&E Study City of Jacksonville

Type of count	Unit Price	# Units	Total
8 Hour Turning Movement, 1 Person	\$486.00	3	\$1,458.00
24 Hour Approach Volume Hose	\$151.00	4	\$604.00
72 Hour Bidirectional Volume Hose	\$352.00	2	\$704.00
24 Hour Speed Hose, by Lane Duval Rd, near Armsdale (2 lanes)	\$177.00	2	\$354.00
1 Hour Delay Study, 1 Direction	\$305.00	1	\$305.00
TOTAL			\$3,425.00
Optional Count			
Duval Rd & I-295 WB Ramps	\$486.00	1	\$486.00

Revised

6/21/2019

Janette Simpson, Vice President

Date

js

Important Notice: Pricing valid for quantities shown until expiration date.

EBO FORM 1 SCHEDULE OF SUBCONTRACTOR/SUBCONSULTANT PARTICIPATION

Project Title:	Profession	P-22-18 Professional Design Services for Duval Road Widening - Dunn Avenue to I-295 Total Base Proposal Amount (if							
Proposal Number:	P-22-18	applicable): \$ 347,302.79							
Please list all JSE Full Comp	Bs first Dany Name	JSEB Category (African-American, Women, Asian, Native American, Non-MBE or Hispanic)	Type of Work to be Performed	Total Contract Value or Percentage					
R.E Holland		JSEB/Non-MBE	Survey/ROW	59.45%					
CSI Geo		JSEB/African- American	Geotech	Phase II					
Environmental Res	source Solutions	Native American	Environmental	5.24%					
SEARCH		Woman	Cultural Resources	Phase 11					
Aerostar SES		Native American	Environmental (Contamination)	Phase 11					
Peggy Malone	.	Woman	Traffic Counts	1.13%					
АСМЕ		Non-MBE	Changeable message signs	0.43%					
Arc Document Solu	utions	Non-MBE	Foam boards	0.18%					
ttach additional list	of subcontractors/sub-		/SUPPLIER TOTAL VALUES						
Africa	an-American Participat	tion Total							
Hispa	nic-American Participa	ation Total	<u> </u>						
Native	e-American Participati	on Total	\$ 18,212.78						
Asian	-American Participatio	n Total							
Woma	an Participation Total		\$ 3,911.00						
Non-N	MBE Participation Total	ıl	\$ 325,179.01	 -					

Signature of Proposer: Title: Executive Vice President Date: October 3, 2019

Print Name: Laura L. McGovern

the foregoing conditions and instructions and the facts are true to the best of my knowledge and beliefs.

QWS3270X 10/2/2019 11:33 AM

FAML6350 V5.1 ** NW COJ FAMIS PRODUCTION ** 10/02/2019
LINK TO: ACCOUNT SUMMARY INQUIRY 11:33 AM

FISCAL MO/YEAR : 01 2020 CURRENCY CODE :

INDEX CODE : JECP18C0007 JIA AREA REDEV CRA CAPITAL PROJECTS

SUBOBJECT : 06505 OTHER CONSTRUCTION COSTS
PROJECT : JEE163 DUVAL ROAD PD&E STUDY
PROJECT DETAIL : 01 DUVAL ROAD PD&E STUDY

GRANT DETAIL :

GRANT DETAIL : USER CODE :

						- -		
S	.0T	OCT	2019	ANNUAL	BALANCE	ALL	YEARS	BALANCE
	ESTIMATED REVENUES		.00		.00			.00
	REVENUES		.00		.00			.00
	UNREALIZED REVENUES		.00		.00			.00
	BUDGET		.00		.00		350	0,000.00
	EXPENDITURES		.00		.00			0.0
	ENCUMBRANCES		.00		.00			.00
	PRE-ENCUMBRANCES		.00		.00			.00
	REMAINING BALANCE		.00		.00		350	,000.00
F1	-HELP F2-SELECT		EAL DDTA	אם סר	MEVE			

F1-HELP F2-SELECT F4-PRIOR F5-NEXT F9-LINK F10-PRIOR-MO F11-NEXT-MO

G014 - RECORD FOUND



Florida Department of Transportation

RICK SCOTT GOVERNOR 605 Suwannee Street Tallahassee, FL 32399-0450

ERIK R. FENNIMAN INTERIM SECRETARY

December 13, 2018

Laura McGovern, Division Manager ALFRED BENESCH & COMPANY 825 Ballough Road, Suite 220 Daytona Beach, Florida 32114

Dear Ms. McGovern:

The Florida Department of Transportation has reviewed your application for prequalification package and determined that the data submitted is adequate to technically prequalify your firm for the following types of work:

production,	, see who the teneral grapes of work.
Group 2	- Project Development and Environmental (PD&E) Studies
Group 3	- Highway Design - Roadway
3.	 - Minor Highway Design - Major Highway Design - Controlled Access Highway Design
Group 4	- Highway Design - Bridges
4. 4.	 1.1 - Miscellaneous Structures 1.2 - Minor Bridge Design 2.1 - Major Bridge Design - Concrete 2.2 - Major Bridge Design - Steel
Group 6	- Traffic Engineering and Operations Studies
6.3 6.3 6.3	- Traffic Engineering Studies - Traffic Signal Timing 3.1 - Intelligent Transportation Systems Analysis and Design - Intelligent Transportation Systems Implementation - Intelligent Transportation Traffic Engineering Systems Communications
Group 7	- Traffic Operations Design
7.2 7.2 7.3	- Lighting
Group 13	- Planning
13 13 13	4 - Systems Planning 5 - Subarea/Corridor Planning

13.7 - Transportation Statistics

Your firm is now technically prequalified with the Department for Professional Services in the above referenced work types. The overhead audit has been accepted, and your firm may pursue in the referenced work types with fees of any dollar amount. This status shall be valid until November 30, 2019 for contracting purposes.

Approved Rates									
Home/ Branch Overhead	Facilities Capital Cost of Money	Premium Overtime	Reimburse Actual Expenses	Home Direct Expense					
166.16%	0.480%	Reimbursed	No	6.38%					

Per Title 23, U.S. Code 112, there are restrictions on sharing indirect cost rates. Refer to Code for additional information.

Should you have any questions, please feel free to contact me by email at carliayn.kell@dot.state.fl.us or by phone at 850-414-4597.

Sincerely,

Carlings KM

Carliayn Kell

Professional Services

Qualification Administrator

Charlie Cruz

From:

Owens, Jeffrey <Jeffrey.Owens@dot.state.fl.us>

Sent:

Wednesday, June 13, 2018 8:55 AM

To: Cc: Kell, Carliayn; Walls, Kelly Cook, Jon; Charlie Cruz

Subject:

Review self-certification information for Environmental Resource Solutions - FYE

12/31/17



Florida Department of Transportation

RICK SCOTT GOVERNOR 605 Suwannee Street Tallahassee, FL 32399-0450 Michael J. Dew SECRETARY

This Office has completed a review of the Self-Certification information submitted by Environmental Resource Solutions, Inc. for the period ending December 31, 2017. The rates we have accepted are listed below. The direct expense rate is limited to the department cap. Marketing costs were removed from the overhead rate calculation, per FAR 31.205-1. If this Company is prequalified in a work type, the expiration date should coincide with the prequalification expiration date.

RE	VIEW OF S	ELF-CER	TIFICA'	TION				
CONSULTANT NAME	Environmental Resource Solutions, Inc.	F/Y Ended	12/31/17	Prequalification Expires	6/30/19			
CPA'S NAME	Self-Certification	DATE OF RECEIPT	6/12/18	Cert. DATE	6/12/18			
	REPORT STATUS							
ACCEPTED X	REJECTED	OT PREMIUM Reimbursed (Excluded or Reimb)		Reimb. Actual	Expenses			
COST BA	COST BASED RATES							
OVE	RHEAD DIREC	CT EXPENSE						
Home 164.34%	Fleld Home 8.72% Cappe		FCCM 0.000%	Published Fee	Schedule 			

Jeffrey B. Owens Procurement Office Florida Department of Transportation



Florida Department of Transportation

RICK SCOTT GOVERNOR 605 Suwannee Street Tallahassee, FL 32399-0450

MIKE DEW SECRETARY

May 29, 2018

William Price, President CSI GEO, INC. 2394 St. Johns Bluff Road South, Suite 200 Jacksonville, Florida 32246

Dear Mr. Price:

The Florida Department of Transportation has reviewed your application for prequalification package and determined that the data submitted is adequate to technically prequalify your firm for the following types of work:

- 9.1 Soil Exploration
- 9.2 Geotechnical Classification Laboratory Testing
- 9.3 Highway Materials Testing
- 9.4.1 Standard Foundation Studies
- 9.4.2 -- Non-Redundant Drilled Shaft Bridge Foundation Studies
- 9.5 Geotechnical Specialty Laboratory Testing

Group 10 - Construction Engineering Inspection

- 10.1 Roadway Construction Engineering Inspection
- 10.3 Construction Materials Inspection

Your firm is now technically prequalified with the Department for Professional Services in the above referenced work types. The overhead audit has been accepted, and your firm may pursue in the referenced work types with fees of any dollar amount. This status shall be valid until <u>June 30, 2019</u> for contracting purposes.

Approved Rates

Home/ Branch	Field	Facilities Capital Cost	Premium	Reimburse Actual	Home Direct	Field Direct	Published Fee
Overhead	Overhead	of Money	Overtime	Expenses	Expense	Expense	Schedule
207.60%	96.90%	0.869%	Excluded	No	5.01%	0.36%*	Yes

^{*}Rent and utilities excluded from field office rate. These costs will be directly reimbursed on contracts that require the consultant to provide field office.

Should you have any questions, please feel free to contact me by email at carliayn.kell@dot.state.fl.us or by phone at 850-414-4597.

Sincerely

Carliavn Kell

Professional Services

Carlingo Kell

Qualification Administrator

www.fdot.gov



RICK SCOTT GOVERNOR 605 Suwannee Street Tallahassee, FL 32399-0450

MIKE DEW SECRETARY

June 28, 2018

Peggy Malone, President PEGGY MALONE & ASSOCIATES, INC. 14286 Beach Boulevard, #19-345 Jacksonville, Florida 32250

Dear Ms. Malone:

The Florida Department of Transportation has reviewed your application for prequalification package and determined that the data submitted is adequate to technically prequalify your firm for the following types of work:

Group 13 - Planning

13.4 - Systems Planning

13.5 - Subarea/Corridor Planning

13.7 - Transportation Statistics

Your firm is now technically prequalified with the Department for Professional Services in the above referenced work types. The overhead audit has been accepted, and your firm may pursue in the referenced work types with fees of any dollar amount. This status shall be valid until <u>June 30, 2019</u> for contracting purposes.

Approved Rates

7 ipproved reacts									
Home/	Facilities	Premium	Reimburse	Home					
Branch	Capital Cost		Actual	Direct					
Overhead	of Money	Overtime	Expenses	Expense					
201.72%	1.864%	Excluded	No	42.08%					

Should you have any questions, please feel free to contact me by email at carliayn.kell@dot.state.fl.us or by phone at 850-414-4597.

Sincerely

Carliayn Kell

Professional Services

Qualification Administrator

actions Kell