SUBJECT: Fever Screening System

BID #: XF-0272-21 **OPEN DATE:** 12/2/20

GENERAL GOVERNMENT AWARDS COMMITTEE

KIND AND BASIS OF CONTRACT: One-Time Purchase

AGENCY: Library

BASIS OF AWARD: All of None to the lowest responsive, responsible bidder

NUMBER OF BIDS INVITED: 21 **NUMBER RECEIVED:** 7 **OTHER:** 0

SUMMARY OF BIDS AND RECOMMENDED ACTIONS:
Recommend approval to reject all bids due to budget and additional requirements needed for the fever screening system. The specifications will be revised and rebid at a later date.

Attachments: Recommendation Memo, Tabulation and Rejection Letters

Analyst: _____
Annette Burney

RESPECTFULLY SUBMITTED: _____
GREGORY PEASE, CHIEF
PROCUREMENT DIVISION

CONCURRENCE BY: Chuck McNeil, Assistant Director of Finance and Administration, Jacksonville Public Library

---

(ALL AWARD ACTIONS SUBJECT TO LAWFULLY APPROPRIATED FUNDS)
ACTION OF GGAC COMMITTEE ON RECOMMENDATIONS ABOVE

MEMBERS APPROVING _____ MEMBERS DISAPPROVING _____ DATE: _____

_____ _____ OTHER: _____

_____ _____

_____ _____

ACTION OF AWARDING AUTHORITY DATE _____

APPROVED _____ DISAPPROVED _____

OTHER _____

SIGNATURE OF AUTHENTICATION _____

JACKSONVILLE
PUBLIC LIBRARY

Jacksonville Public Library
Finance and Administrative Services
303 Laura Street N.
Jacksonville, Florida 32202

December 11, 2020

MEMORANDUM

TO: Annette L. Burney, Purchasing Analyst
Procurement Division
Finance and Administration Department

FROM: Chuck McNeil, Assistant Director
Finance and Administrative Services

SUBJ: **REJECT ALL BIDDERS – Bid #XF-0272-21 Fever Screening System**

The Public Library is requesting the Procurement Division to reject all bidders for bid #XF-0272-21 Fever Screening System. This is due to FY 19-20 funds lapsing and JPL was not able to fund this request.

The Public Library plans to rebid this again in FY 20-21 after funds are identified to purchase this needed equipment due to COVID-19.

If you have questions or need further assistance, please contact Ray Albury, Assistant Director for Facilities Management and Planning at 255-6166

Cc: Wanda James-Crowley
Accountant Senior

Jim Skulsky
Account Technician

TITLE: Fever Screening System (RS2001 RSTech Thermal Cameras or Equivalent)

BID NO.: XF-0272-21

OPEN DATE: 10/14/20 @ 2 p.m.

ANALYST: Annette Burney

No. Invited: (5) No. Received (7) No Bids: (0)

Recorded By: John Hernandez Announcer: Renata Barnett

ITEM	DESCRIPTION	EST. QTY	Envision Pro AV		Raptor PPE LLC		Ballistiglass, Inc.		Clovity, Inc.	
			UNIT PRICE	EXTENDED TOTAL	UNIT PRICE	EXTENDED TOTAL	UNIT PRICE	EXTENDED TOTAL	UNIT PRICE	EXTENDED TOTAL
1	Supply and install fever screening systems at four (4) library branches - RS2001 RSTech Thermal Cameras or Equivalent	4		$ -		$ -		$ -		$ -
Equivalent Brand			ThermaVu by Solteria		Raptor Vision Pro		BallisDETECT		Clovity Touchless Themal Seek Scan	
GRAND TOTAL			$ -		$ -		$ -		$ -	
TERMS:			N/S		Net 10 Days/2%		Net 30 Days		N/A	
DELIVERY (Business Days):			15		10		10		15	
CONFLICT OF INTEREST:			Y		Y		Y		Y	
BUY AMERICA PREFERENCE			N/A		N/A		100%		?	
ADDENDUM(1):			Y		Y		N		Y	

BID TABULATION SHEET

TITLE: Fever Screening System (RS2001 RSTech Thermal Cameras or Equivalent) BID NO.: XF-0272-21 OPEN DATE: 10/14/20 @ 2 p.m. ANALYST: Annette Burney No. Invited: (5) No. Received (7) No Bids: (0) Recorded By: John Hernandez Announcer: Renata Barnett			Midwest Alarm Company, Inc. dba BCI Integrated Solutions		Konica Minolta		JSC Systems, Inc.			
ITEM	DESCRIPTION	EST. QTY	UNIT PRICE	EXTENDED TOTAL	UNIT PRICE	EXTENDED TOTAL	UNIT PRICE	EXTENDED TOTAL		
1	Supply and install fever screening systems at four (4) library branches - RS2001 RSTech Thermal Cameras or Equivalent	4		$ -		$ -		$ -		
Equivalent Brand			Dahua		Raptor Vision Pro		IndigoVision			
GRAND TOTAL			$ -				$ -			
TERMS:			Net 30 Days		N/S		Net 30 Days			
DELIVERY (Business Days):			15		N/S		N/A			
CONFLICT OF INTEREST:			Y		Y		Y			
BUY AMERICA PREFERENCE			N/A		Y (100%German engineered)		N/A			
ADDENDUM(1):			Y		Y		Y			

City of Jacksonville, Florida

Lenny Curry, Mayor

Procurement Division
Ed Ball Building
214 N. Hogan Street, Suite 800
Jacksonville, Florida 32202

ONE CITY. ONE JACKSONVILLE.

December 14, 2020

1413 Leslie Dr.
Bloomington, IL 61704

NOTIFICATION OF FORMAL BID REJECTION

BIDDER'S NAME: RaptorPPE LLC

CONTACT NAME: Krishna Balakrishnan

BID NUMBER: XF-0272-21

NAME OF BID: Fever Screening System

DATE OPENED: 10/14/20

REASON FOR REJECTION:
Agency recommends rejecting all bids. The RFP will be rebid at a later date. All bidders will be notified when the new bid is advertised.

IF YOU WISH TO PROTEST THE RECOMMENDED REJECTION OF THIS BID, PLEASE RESPOND IN ACCORDANCE WITH THE CITY OF JACKSONVILLE BID PROTEST PROCEDURES. DIRECT ALL PROTEST TO THE RESPECTIVE ANALYST/BUYER, FACSIMILE NUMBER (904) 255-8837.

BUYER'S SIGNATURE: _____
Annette L. Burney

Leslie-Burney, Annette

From:	Leslie-Burney, Annette
Sent:	Monday, December 14, 2020 12:05 PM
To:	krishna@raptorppe.com; sales@raptorppe.com
Cc:	Freeman, Dustin
Subject:	Rejection Notice: XF-0272-21 Fever Screening System
Attachments:	RAPTOR.pdf

Please find the attached rejection notice for the above bid.

Thank you,

Annette L. Burney
Purchasing Analyst
Procurement Division
Finance and Administration Department
214 N. Hogan Street, Suite 800
Jacksonville, FL 32202
Ph.: 904-255-8810
Fax: 904-360-8527
Email: aburney@coj.net

*** Privacy Act: This communication may contain privileged or other official city information. If you are not the intended recipient or believe that you have received this communication in error, please reply to the sender indicating that fact and delete the copy you received. It is a violation of Federal Law to print, copy, retransmit, disseminate, or otherwise use this information.

-----Original Message-----
From: P0697@coj.net <P0697@coj.net>
Sent: Monday, December 14, 2020 11:18 AM
To: Leslie-Burney, Annette <ABurney@coj.net>
Subject: RAPTOR

Please open the attached document. It was scanned and sent to you using a Xerox Multifunction Printer.

Attachment File Type: pdf, Multi-Page

Multifunction Printer Location: Ed Ball 8th Floor
Device Name: P0697

For more information on Xerox products and solutions, please visit http://www.xerox.com

ONE CITY. ONE JACKSONVILLE.

City of Jacksonville, Florida

Lenny Curry, Mayor

Procurement Division
Ed Ball Building
214 N. Hogan Street, Suite 800
Jacksonville, Florida 32202

December 14, 2020

7960 N. University Dr. #102
Parkland, FL 33067

NOTIFICATION OF FORMAL BID REJECTION

BIDDER'S NAME: Ballistiglass, Inc.

CONTACT NAME: John Mehew

BID NUMBER: XF-0272-21

NAME OF BID: Fever Screening System

DATE OPENED: 10/14/20

REASON FOR REJECTION:
Agency recommends rejecting all bids. The RFP will be rebid at a later date. All bidders will be notified when the new bid is advertised.

IF YOU WISH TO PROTEST THE RECOMMENDED REJECTION OF THIS BID, PLEASE RESPOND IN ACCORDANCE WITH THE CITY OF JACKSONVILLE BID PROTEST PROCEDURES. DIRECT ALL PROTEST TO THE RESPECTIVE ANALYST/BUYER, FACSIMILE NUMBER (904) 255-8837.

BUYER'S SIGNATURE: _____
Annette L. Burney

Leslie-Burney, Annette

From:	Leslie-Burney, Annette
Sent:	Monday, December 14, 2020 12:30 PM
To:	'admin@ballistiglass.comm'
Cc:	Freeman, Dustin
Subject:	Rejection Notice: XF-0272-21 Fever Screening System
Attachments:	BALLISTIGLASS.pdf

Please find the attached rejection notice for the above bid.

Thank you,

Annette L. Burney
Purchasing Analyst
Procurement Division
Finance and Administration Department
214 N. Hogan Street, Suite 800
Jacksonville, FL 32202
Ph.: 904-255-8810
Fax: 904-360-8527
Email: aburney@coj.net

*** Privacy Act: This communication may contain privileged or other official city information. If you are not the intended recipient or believe that you have received this communication in error, please reply to the sender indicating that fact and delete the copy you received. It is a violation of Federal Law to print, copy, retransmit, disseminate, or otherwise use this information.

-----Original Message-----
From: P0697@coj.net <P0697@coj.net>
Sent: Monday, December 14, 2020 11:18 AM
To: Leslie-Burney, Annette <ABurney@coj.net>
Subject: BALLISTIGLASS

Please open the attached document. It was scanned and sent to you using a Xerox Multifunction Printer.

Attachment File Type: pdf, Multi-Page

Multifunction Printer Location: Ed Ball 8th Floor
Device Name: P0697

For more information on Xerox products and solutions, please visit http://www.xerox.com

City of Jacksonville, Florida

Lenny Curry, Mayor

Procurement Division
Ed Ball Building
214 N. Hogan Street, Suite 800
Jacksonville, Florida 32202

ONE CITY. ONE JACKSONVILLE.

December 14, 2020

11501 Dublin Blvd. #200
Dublin, CA 94568

NOTIFICATION OF FORMAL BID REJECTION

BIDDER'S NAME: Clovity, Inc.

CONTACT NAME: Chris Medina

BID NUMBER: XF-0272-21

NAME OF BID: Fever Screening System

DATE OPENED: 10/14/20

REASON FOR REJECTION:
Agency recommends rejecting all bids. The RFP will be rebid at a later date. All bidders will be notified when the new bid is advertised.

IF YOU WISH TO PROTEST THE RECOMMENDED REJECTION OF THIS BID, PLEASE RESPOND IN ACCORDANCE WITH THE CITY OF JACKSONVILLE BID PROTEST PROCEDURES. DIRECT ALL PROTEST TO THE RESPECTIVE ANALYST/BUYER, FACSIMILE NUMBER (904) 255-8837.

BUYER'S SIGNATURE: _____
Annette L. Burney

Leslie-Burney, Annette

From: Leslie-Burney, Annette
Sent: Monday, December 14, 2020 12:17 PM
To: chrism@clovity.com
Cc: Freeman, Dustin
Subject: Rejection Notice: XF-0272-21 Fever Screening System
Attachments: CLOVITY.pdf

Please find the attached rejection notice for the above bid.

Thank you,

Annette L. Burney
Purchasing Analyst
Procurement Division
Finance and Administration Department
214 N. Hogan Street, Suite 800
Jacksonville, FL 32202
Ph.: 904-255-8810
Fax: 904-360-8527
Email: aburney@coj.net

*** Privacy Act: This communication may contain privileged or other official city information. If you are not the intended recipient or believe that you have received this communication in error, please reply to the sender indicating that fact and delete the copy you received. It is a violation of Federal Law to print, copy, retransmit, disseminate, or otherwise use this information.

-----Original Message-----
From: P0697@coj.net <P0697@coj.net>
Sent: Monday, December 14, 2020 11:19 AM
To: Leslie-Burney, Annette <ABurney@coj.net>
Subject: CLOVITY

Please open the attached document. It was scanned and sent to you using a Xerox Multifunction Printer.

Attachment File Type: pdf, Multi-Page

Multifunction Printer Location: Ed Ball 8th Floor
Device Name: P0697

For more information on Xerox products and solutions, please visit http://www.xerox.com

ONE CITY. ONE JACKSONVILLE.

City of Jacksonville, Florida

Lenny Curry, Mayor

Procurement Division
Ed Ball Building
214 N. Hogan Street, Suite 800
Jacksonville, Florida 32202

December 14, 2020

9419 Corporate Lake Dr.
Tampa, FL 33634

NOTIFICATION OF FORMAL BID REJECTION

BIDDER'S NAME: Midwest Alarm Co. dba BCI Integrated Solutions

CONTACT NAME: Kepa Sarduy

BID NUMBER: XF-0272-21

NAME OF BID: Fever Screening System

DATE OPENED: 10/14/20

REASON FOR REJECTION:
Agency recommends rejecting all bids. The RFP will be rebid at a later date. All bidders will be notified when the new bid is advertised.

IF YOU WISH TO PROTEST THE RECOMMENDED REJECTION OF THIS BID, PLEASE RESPOND IN ACCORDANCE WITH THE CITY OF JACKSONVILLE BID PROTEST PROCEDURES. DIRECT ALL PROTEST TO THE RESPECTIVE ANALYST/BUYER, FACSIMILE NUMBER (904) 255-8837.

BUYER'S SIGNATURE: _____
Annette L. Burney

Leslie-Burney, Annette

From:	Leslie-Burney, Annette
Sent:	Monday, December 14, 2020 12:18 PM
To:	Kepa Sarduy
Cc:	Freeman, Dustin
Subject:	Rejection Notice: XF-0272-21 Fever Screening System
Attachments:	MIDWES.pdf

Please find the attached rejection notice for the above bid.

Thank you,

Annette L. Burney
Purchasing Analyst
Procurement Division
Finance and Administration Department
214 N. Hogan Street, Suite 800
Jacksonville, FL 32202
Ph.: 904-255-8810
Fax: 904-360-8527
Email: aburney@coj.net

*** Privacy Act: This communication may contain privileged or other official city information. If you are not the intended recipient or believe that you have received this communication in error, please reply to the sender indicating that fact and delete the copy you received. It is a violation of Federal Law to print, copy, retransmit, disseminate, or otherwise use this information.

-----Original Message-----
From: P0697@coj.net <P0697@coj.net>
Sent: Monday, December 14, 2020 11:19 AM
To: Leslie-Burney, Annette <ABurney@coj.net>
Subject: MIDWES

Please open the attached document. It was scanned and sent to you using a Xerox Multifunction Printer.

Attachment File Type: pdf, Multi-Page

Multifunction Printer Location: Ed Ball 8th Floor
Device Name: P0697

For more information on Xerox products and solutions, please visit http://www.xerox.com

ONE CITY. ONE JACKSONVILLE.

City of Jacksonville, Florida

Lenny Curry, Mayor

Procurement Division
Ed Ball Building
214 N. Hogan Street, Suite 800
Jacksonville, Florida 32202

December 14, 2020

100 Williams Dr.
Ramsey, NJ 07446

NOTIFICATION OF FORMAL BID REJECTION

BIDDER'S NAME: Konica Minolta

CONTACT NAME: James McClelland

BID NUMBER: XF-0272-21

NAME OF BID: Fever Screening System

DATE OPENED: 10/14/20

REASON FOR REJECTION:
Agency recommends rejecting all bids. The RFP will be rebid at a later date. All bidders will be notified when the new bid is advertised.

IF YOU WISH TO PROTEST THE RECOMMENDED REJECTION OF THIS BID, PLEASE RESPOND IN ACCORDANCE WITH THE CITY OF JACKSONVILLE BID PROTEST PROCEDURES. DIRECT ALL PROTEST TO THE RESPECTIVE ANALYST/BUYER, FACSIMILE NUMBER (904) 255-8837.

BUYER'S SIGNATURE: _____
Annette L. Burney

Leslie-Burney, Annette

From: Leslie-Burney, Annette
Sent: Monday, December 14, 2020 12:20 PM
To: James McClelland
Cc: Freeman, Dustin
Subject: Rejection Notice: XF-0272-21 Fever Screening System
Attachments: KONICA.pdf

Please find the attached rejection notice for the above bid.

Thank you,

Annette L. Burney
Purchasing Analyst
Procurement Division
Finance and Administration Department
214 N. Hogan Street, Suite 800
Jacksonville, FL 32202
Ph.: 904-255-8810
Fax: 904-360-8527
Email: aburney@coj.net

*** Privacy Act: This communication may contain privileged or other official city information. If you are not the intended recipient or believe that you have received this communication in error, please reply to the sender indicating that fact and delete the copy you received. It is a violation of Federal Law to print, copy, retransmit, disseminate, or otherwise use this information.

-----Original Message-----
From: P0697@coj.net <P0697@coj.net>
Sent: Monday, December 14, 2020 11:19 AM
To: Leslie-Burney, Annette <ABurney@coj.net>
Subject: KONICA

Please open the attached document. It was scanned and sent to you using a Xerox Multifunction Printer.

Attachment File Type: pdf, Multi-Page

Multifunction Printer Location: Ed Ball 8th Floor
Device Name: P0697

For more information on Xerox products and solutions, please visit http://www.xerox.com

ONE CITY. ONE JACKSONVILLE.

City of Jacksonville, Florida

Lenny Curry, Mayor

Procurement Division
Ed Ball Building
214 N. Hogan Street, Suite 800
Jacksonville, Florida 32202

December 14, 2020

5021 Stepp Avenue
Jacksonville, FL 32216

NOTIFICATION OF FORMAL BID REJECTION

BIDDER'S NAME: JSC Systems, Inc.

CONTACT NAME: John Floyd

BID NUMBER: XF-0272-21

NAME OF BID: Fever Screening System

DATE OPENED: 10/14/20

REASON FOR REJECTION:
Agency recommends rejecting all bids. The RFP will be rebid at a later date. All bidders will be notified when the new bid is advertised.

IF YOU WISH TO PROTEST THE RECOMMENDED REJECTION OF THIS BID, PLEASE RESPOND IN ACCORDANCE WITH THE CITY OF JACKSONVILLE BID PROTEST PROCEDURES. DIRECT ALL PROTEST TO THE RESPECTIVE ANALYST/BUYER, FACSIMILE NUMBER (904) 255-8837.

BUYER'S SIGNATURE: _____
Annette L. Burney

Leslie-Burney, Annette

From: Leslie-Burney, Annette
Sent: Monday, December 14, 2020 12:22 PM
To: j.floyd@jscsystems.net
Cc: Freeman, Dustin
Subject: Rejection Notice: XF-0272-21 Fever Screening System
Attachments: JSC.pdf

Please find the attached rejection notice for the above bid.

Thank you,

Annette L. Burney
Purchasing Analyst
Procurement Division
Finance and Administration Department
214 N. Hogan Street, Suite 800
Jacksonville, FL 32202
Ph.: 904-255-8810
Fax: 904-360-8527
Email: aburney@coj.net

*** Privacy Act: This communication may contain privileged or other official city information. If you are not the intended recipient or believe that you have received this communication in error, please reply to the sender indicating that fact and delete the copy you received. It is a violation of Federal Law to print, copy, retransmit, disseminate, or otherwise use this information.

-----Original Message-----
From: P0697@coj.net <P0697@coj.net>
Sent: Monday, December 14, 2020 11:20 AM
To: Leslie-Burney, Annette <ABurney@coj.net>
Subject: JSC

Please open the attached document. It was scanned and sent to you using a Xerox Multifunction Printer.

Attachment File Type: pdf, Multi-Page

Multifunction Printer Location: Ed Ball 8th Floor
Device Name: P0697

For more information on Xerox products and solutions, please visit http://www.xerox.com

City of Jacksonville, Florida

Lenny Curry, Mayor

Procurement Division
Ed Ball Building
214 N. Hogan Street, Suite 800
Jacksonville, Florida 32202

ONE CITY. ONE JACKSONVILLE.

December 14, 2020

PO Box 3175
Daly City, CA 94015

NOTIFICATION OF FORMAL BID REJECTION

BIDDER'S NAME: Envision Pro AV

CONTACT NAME: Kirk Schaibe

BID NUMBER: XF-0272-21

NAME OF BID: Fever Screening System

DATE OPENED: 10/14/20

REASON FOR REJECTION:
Agency recommends rejecting all bids. The RFP will be rebid at a later date. All bidders will be notified when the new bid is advertised.

IF YOU WISH TO PROTEST THE RECOMMENDED REJECTION OF THIS BID, PLEASE RESPOND IN ACCORDANCE WITH THE CITY OF JACKSONVILLE BID PROTEST PROCEDURES. DIRECT ALL PROTEST TO THE RESPECTIVE ANALYST/BUYER, FACSIMILE NUMBER (904) 255-8837.

BUYER'S SIGNATURE: _____
Annette L. Burney

Leslie-Burney, Annette

From:	Leslie-Burney, Annette
Sent:	Monday, December 14, 2020 12:25 PM
To:	Kirk Schaible
Cc:	Freeman, Dustin
Subject:	Rejection Notice: XF-0272-21 Fever Screening System
Attachments:	ENVISION.pdf

Please find the attached rejection notice for the above bid.

Thank you,

Annette L. Burney
Purchasing Analyst
Procurement Division
Finance and Administration Department
214 N. Hogan Street, Suite 800
Jacksonville, FL 32202
Ph.: 904-255-8810
Fax: 904-360-8527
Email: aburney@coj.net

*** Privacy Act: This communication may contain privileged or other official city information. If you are not the intended recipient or believe that you have received this communication in error, please reply to the sender indicating that fact and delete the copy you received. It is a violation of Federal Law to print, copy, retransmit, disseminate, or otherwise use this information.

-----Original Message-----
From: P0697@coj.net <P0697@coj.net>
Sent: Monday, December 14, 2020 11:19 AM
To: Leslie-Burney, Annette <ABurney@coj.net>
Subject: ENVISION

Please open the attached document. It was scanned and sent to you using a Xerox Multifunction Printer.

Attachment File Type: pdf, Multi-Page

Multifunction Printer Location: Ed Ball 8th Floor
Device Name: P0697

For more information on Xerox products and solutions, please visit http://www.xerox.com